

# Stuttgarter Beiträge zur Naturkunde

## Serie B (Geologie und Paläontologie)

Herausgeber:

Staatliches Museum für Naturkunde, Rosenstein 1, D-70191 Stuttgart

Stuttgarter Beitr. Naturk.	Ser. B	Nr. 352	68 S.	Stuttgart, 6. 6. 2005
----------------------------	--------	---------	-------	-----------------------

### Catalogue of fossil insect species described from Dominican amber (Miocene)

ANTONIO ARILLO & VICENTE M. ORTUÑO

#### Abstract

Dominican amber contains a very rich Miocene biota with an exquisite preservation. More than 400 species of fossil insects have been described from this amber to date. In this paper an index of all described insects species together with the references in which they were described and the repositories of the holotypes are given.

**Key words:** Dominican amber, Miocene, fossil insects, catalogue.

#### Zusammenfassung

Der dominikanische Bernstein enthält eine hervorragend erhaltene, sehr reiche Fauna und Flora aus dem Miozän. Über 400 Arten fossiler Insekten sind bisher aus diesem Bernstein beschrieben worden. Dieser Arbeit enthält eine Liste aller bisher beschriebenen Insektenarten zusammen mit den Literaturzitaten der Erstbeschreibungen und den Aufbewahrungsorten der Holotypen.

#### Contents

1. Introduction . . . . .	2
2. Fossil insect species in Dominican amber . . . . .	3
Order Collembola . . . . .	3
Order Archaeognatha . . . . .	4
Order Zygentoma . . . . .	4
Order Ephemeroptera . . . . .	5
Order Odonata . . . . .	5
Order Plecoptera . . . . .	6
Order Zoraptera . . . . .	6
Order Embioptera . . . . .	6
Order Blattodea . . . . .	6
Order Isoptera . . . . .	7
Order Orthoptera . . . . .	8
Order Homoptera . . . . .	9
Order Heteroptera . . . . .	13
Order Neuroptera . . . . .	17
Order Strepsiptera . . . . .	18
Order Coleoptera . . . . .	19
Order Hymenoptera . . . . .	28
Order Trichoptera . . . . .	40

Order Lepidoptera .....	43
Order Siphonaptera .....	43
Order Diptera .....	43
3. References .....	57

## 1. Introduction

Amber is a fossilized and polymerized resin of different trees. Many sorts of organisms can eventually be trapped in the fresh and sticky resins and become fossilized when the resin hardens. The results are fossil preserved in exquisite three dimensional details even with ultrastructural cellular details.

Although it was known from a long time ago, Dominican amber only became available to the scientific community after the II World War, when the Soviet Union restricted the export of Baltic amber and West German traders became interested in a different source to maintain alive their jewelery industry.

The stingless bee *Proplebeia dominicana* was the first described insect species (WILLE & CHANDLER 1964) and to date more than 400 species of insects have been described.

Dominican amber has a leguminous origin, and probably the source of the resin was the tree *Hymenaea protera* described by POINAR (1991a).

The age of Dominican amber is controversial as it was once thought to come from different depositional episodes of different ages. Today it seems that (apart from small amounts of sub-recent copal) all the Dominican amber was formed 15 to 20 million years ago in a single sedimentary Basin during the late Lower Miocene through early Middle Miocene (GRIMALDI 1995a; ITURRALDE-VINENT & MACPHEE 1996).

Most complete catalogues of fossil insects in amber were done by KEILBACH (1982a, 1982b), SPAHR (1981a, 1981b, 1985, 1987, 1988, 1989, 1990, 1992, 1993) and PÉREZ-GELABERT (1999) but, except the last, they focused mainly in Baltic amber.

Indexes of the fossil insects taxa from Dominican amber are frequently given in different papers and books, but these indexes usually list different recorded genera without any description, discussion or even an image. These records are thus not very useful for a comprehensive view of the fossil biota as possible misinterpretations or incorrect determinations are impossible to be detected.

In this catalogue only fossil taxa are given with their authors and their type species.

### Acronyms of repositories

AMNH	American Museum of Natural History, New York, USA
ERL	Entomological Research Laboratory, University of Puerto Rico, Mayagüez, Puerto Rico
FSCA	Florida State Collection of Arthropods, Gainesville, USA
OSUC	Oregon State University, Corvallis, USA
MCZ	Museum of Comparative Zoology, Harvard University, Cambridge, Mass., USA
BMNH	Natural History Museum, London, England
USNM	National Museum of Natural History, Washington, USA
SMNS	Staatliches Museum für Naturkunde Stuttgart, Germany

### Acknowledgements

This work has been funded by the Ministerio de Ciencia y Tecnología within the “Ramón y Cajal” plan.

## 2. Fossil insect species in Dominican amber

### Order Collembola Family Isotomidae

#### Genus *Cryptopygus*

*Cryptopygus* sp. (MARI-MUTT 1983)

Material: ERL.

#### Genus *Isotoma* Subgenus *Desoria*

*Isotoma (Desoria)* sp. 1 (MARI-MUTT 1983)

Material: ERL.

*Isotoma (Desoria)* sp. 2 (MARI-MUTT 1983)

Material: ERL.

### Family Entomobryidae

#### Genus *Lepidocyrtus*

*Lepidocyrtus* sp. (MARI-MUTT 1983)

Material: ERL.

#### Genus *Pseudosinella*

*Pseudosinella* sp. (MARI-MUTT 1983)

Material: ERL.

#### Genus *Seira*

*Seira* sp. (MARI-MUTT 1983)

Material: ERL.

#### Genus *Salina*

*Salina* sp. (MARI-MUTT 1983)

Material: ERL.

**Genus *Paronella***

*Paronella* sp. (MARI-MUTT 1983)

Material: ERL.

**Genus *Cyphoderus***

*Cyphoderus* sp. 1 (MARI-MUTT 1983)

Material: ERL.

*Cyphoderus* sp. 2 (MARI-MUTT 1983)

Material: ERL.

**Family Sminthuridae****Genus *Sphyrotheca***

*Sphyrotheca* sp. (MARI-MUTT 1983)

Material: ERL.

**Order Archaeognatha  
Family Meinertellidae****Genus *Neomachilellus***

*Neomachilellus dominicanus* STURM & POINAR, 1997

Holotype: Coll. STURM, Universität Hildesheim, Germany, without number.

**Order Zygentoma  
Family Nicoletiidae****Genus *Trinemurodes***

*Trinemurodes antiquus* STURM & MENDES, 1998

Holotype: AMNH, no. DR-10-313.

*Trinemurodes miocenicus* STURM & MENDES, 1998

Holotype: AMNH, no. DR-14-1035.

**Genus *Hemitrinemura***

*Hemitrinemura extinct* MENDES & POINAR, 2004

Holotype: Coll. POINAR, OSUC, no. T-1-13.

**Family Lepismatidae***Genus Ctenolepisma**Ctenolepisma electrans* MENDES, 1998

Holotype: Coll. STURM, Universität Hildesheim, Germany, no. LEP-1.

**Family Ateluridae***Genus Archeatelura* MENDES, 1997Type species: *Archeatelura sturmi* MENDES, 1997*Archeatelura sturmi* MENDES, 1997

Holotype: Coll. POINAR, OSUC, no. T-1-3B.

**Order Ephemeroptera****Family Leptophlebiidae***Genus Borinquena**Borinquena maculata* STANICZEK, 2003

Holotype: SMNS, no. DO-3904-M.

*Borinquena (?) caeciliana* STANICZEK, 2003

Holotype: SMNS, no. DO-5384-H.

*Borinquena parva* STANICZEK, 2003

Holotype: Florida State Collection of Arthropods, Gainesville, USA, without number.

*Genus Hagenulites* STANICZEK, 2003Type species: *Hagenulites hitchingsi* STANICZEK, 2003*Hagenulites hitchingsi* STANICZEK, 2003

Holotype: SMNS, no. DO-3276-M.

**Order Odonata****Family Coenagrionidae***Genus Diceratobasis**Diceratobasis worki* POINAR, 1996

Holotype: Coll. JIM WORK, Ashland, Oregon, USA, without number.

*Genus Ischnura**Ischnura velteni* BECHLY, 2000

Holotype: SMNS, no. DO-5687.

**Order Plecoptera  
Family Perlidae**

Genus *Dominiperla* STARK & LENTZ, 1992  
Type species: *Dominiperla antigua* STARK & LENTZ, 1992

*Dominiperla antigua* STARK & LENTZ, 1992  
Holotype: USNM, no. BLPC-5658.

**Order Zoraptera  
Family Zorotypidae**

Genus *Zorotypus*

*Zorotypus palaeus* POINAR, 1988  
Holotype: USNM, no. BLPC-7406.

*Zorotypus goeleti* ENGEL & GRIMALDI, 2000  
Holotype: AMNH, no. DR-14-34.

**Order Embioptera  
Family Anisembiidae**

Genus *Anisembia*

*Anisembia vetehae* SZUMIK, 1998  
Holotype: AMNH, without number.

**Family Teratombiidae**

Genus *Oligembia*

*Oligembia vetusta* SZUMIK, 1994  
Holotype: AMNH, without number.

**Order Blattodea  
Family Blatellidae**

Genus *Anaplecta*

*Anaplecta* sp. (GUTIÉRREZ & PÉREZ-GELABERT 2000)  
Material: AMNH.

Genus *Cariblatta*

*Cariblatta* sp. 1 (GUTIÉRREZ & PÉREZ-GELABERT 2000)  
Material: AMNH.

*Cariblatta* sp. 2 (GUTIÉRREZ & PÉREZ-GELABERT 2000)  
Material: AMNH.

Genus *Euthlastoblatta*

*Euthlastoblatta* sp. (GUTIÉRREZ & PÉREZ-GELABERT 2000)  
Material: AMNH and USNM.

Genus *Plectoptera*

*Plectoptera* sp. (GUTIÉRREZ & PÉREZ-GELABERT 2000)  
Material: USNM.

Genus *Pseudosymploce*

*Pseudosymploce* sp. (GUTIÉRREZ & PÉREZ-GELABERT 2000)  
Material: AMNH.

Family Polyphagidae

Genus *Holocompsa*

*Holocompsa* sp. (GUTIÉRREZ & PÉREZ-GELABERT 2000)  
Material: AMNH.

Order Isoptera  
Family Mastotermitidae

Genus *Mastotermes*

*Mastotermes electrodominiclus* KRISHNA & GRIMALDI, 1991  
Holotype: AMNH, no. PB.270.

Family Termitidae

Genus *Constrictotermes*

*Constrictotermes electroconstrictus* KRISHNA, 1996  
Holotype: AMNH, no. DR-14-584.

Genus *Nasutitermes*

*Nasutitermes electronasutus* KRISHNA, 1996  
Holotype: AMNH, no. DR-14-586.

### Family Kalotermitidae

#### Genus *Cryptotermes*

*Cryptotermes yamini* KRISHNA & BACCHUS, 1987  
 Holotype: AMNH, without number.

### Family Rhinotermitidae

#### Genus *Coptotermes*

*Coptotermes priscus* EMERSON, 1971  
 Holotype: AMNH, without number.

#### Genus *Dolichorhinotermes*

*Dolichorhinotermes dominicanus* SCHLEMMERMAYER & CANCELLO, 2000  
 Holotype: Museu de la Ciència, Barcelona, Spain, no. 248.

### Order Orthoptera Family Trigonidiidae

Genus *Abanaxiphia* VICKERY & POINAR, 1994  
 Type species: *Abanaxiphia longispina* Vickery & Poinar, 1994

*Abanaxiphia longispina* VICKERY & POINAR, 1994  
 Holotype: Lyman Entomological Museum, Ste. Anne-de-Bellevue, Quebec, Canada, no. LEM-50.

*Abanaxiphia incongrua* VICKERY & POINAR, 1994  
 Holotype: Lyman Entomological Museum, Ste. Anne-de-Bellevue, Quebec, Canada, no. LEM-54.

#### Genus *Anaxiphia*

*Anaxiphia dominicana* VICKERY & POINAR, 1994  
 Holotype: Coll. POINAR, OSUC, no. O-2-23.

Genus *Proanaxiphia* VICKERY & POINAR, 1994  
 Type species: *Proanaxiphia latoca* VICKERY & POINAR, 1994

*Proanaxiphia latoca* VICKERY & POINAR, 1994  
 Holotype: Coll. POINAR, OSUC, no. O-2-24.

*Proanaxiphia bicolorata* VICKERY & POINAR, 1994  
 Holotype: Lyman Entomological Museum, Ste. Anne-de-Bellevue, Quebec, Canada, no. LEM-46.

Genus *Grossoxiphia* VICKERY & POINAR, 1994  
 Type species: *Grossoxiphia yaque* VICKERY & POINAR, 1994

*Grossoxiphia yaque* VICKERY & POINAR, 1994  
 Holotype: Lyman Entomological Museum, Ste. Anne-de-Bellevue, Quebec, Canada, no. LEM-45.

### Family Mogoplistidae

#### Genus *Ornebius*

*Ornebius amhericus* VICKERY & POINAR, 1994  
 Holotype: Lyman Entomological Museum, Ste. Anne-de-Bellevue, Quebec, Canada, no. LEM-53.

### Family Eumastacidae

Genus *Paleomastacris* PÉREZ-GELABERT, DOMINICI, HIERRO & OTTE, 1997  
 Type species: *Paleomastacris ambarinus* PÉREZ-GELABERT et al., 1997

*Paleomastacris ambarinus* PÉREZ-GELABERT, DOMINICI, HIERRO & OTTE, 1997  
 Holotype: AMNH, no. DR-10-1795.

### Order Homoptera

#### Family Drepanosiphidae

Genus *Mindazerius* HEIE & POINAR, 1988  
 Type species: *Mindazerius dominicanus* HEIE & POINAR, 1988

*Mindazerius dominicanus* HEIE & POINAR, 1988  
 Holotype: Coll. POINAR, OSUC, no. HO 4-7.

#### Family Hormaphididae

Genus *Dominicaphis* HEIE & POINAR, 1999  
 Type species: *Dominicaphis succini* HEIE & POINAR, 1999

*Dominicaphis succini* HEIE & POINAR, 1999  
 Holotype: Coll. POINAR, OSUC, no. HO-4-43.

#### Family Greenideidae

Genus *Quisqueyaaphis* WEGIerek, 2001  
 Type species: *Quisqueyaaphis heiei* WEGIerek, 2001

*Quisqueyaaphis heiei* WEGIerek, 2001  
 Holotype: AMNH, no. DR-14-793.

### Family Pseudococcidae

Genus *Electromyrmecoccus* WILLIAMS, 2001

Type species: *Electromyrmecoccus abductus* WILLIAMS, 2001 [in: JOHNSON et al. 2001]

*Electromyrmecoccus abductus* WILLIAMS, 2001 [in: JOHNSON et al. 2001]  
Holotype: Senckenberg Museum, Frankfurt am Main, Germany, without number.

*Electromyrmecoccus inclusus* WILLIAMS & AGOSTI, 2001 [in: JOHNSON et al. 2001]  
Holotype: AMNH, no. DR-14-403.

*Electromyrmecoccus reginae* WILLIAMS, 2001 [in: JOHNSON et al. 2001]  
Holotype: AMNH, no. RL-6.

### Family Cicadellidae

Genus *Krisna*

Genus *Krisna garciamarquezi* DIETRICH & VEGA, 1995

Holotype: USNM, no. BLPC-8649.

Genus *Krocarites* DIETRICH & VEGA, 1995

Type species: *Krocarites reflexa* DIETRICH & VEGA, 1995

*Krocarites reflexa* DIETRICH & VEGA, 1995  
Holotype: Coll. FERNANDO E. VEGA, University of Central Florida, Orlando, USA,  
without number.

Genus *Jassoqualus*

Genus *Jassoqualus hispaniolensis* DIETRICH & VEGA, 1995

Holotype: USNM, no. BLPC-5618.

Genus *Xestocephalus*

*Xestocephalus* sp. (DIETRICH & VEGA 1995)

Material: USNM and Coll. FERNANDO E. VEGA, University of Central Florida, Orlando,  
USA.

### Family Nogodinidae

Genus *Tainosia* SZWEDO & STROINSKI, 2001

Type species: *Tainosia quisqueyae* SZWEDO & STROINSKI, 2001

*Tainosia quisqueyae* SZWEDO & STROINSKI, 2001

Holotype: BMNH, no. Pal. PI-II-62.

### Family Cixiidae

Genus *Oligocixia* GEBICKI & WEGIEREK, 1993

Type species: *Oligocixia electrina* GEBICKI & WEGIEREK, 1993

*Oligocixia electrina* GEBICKI & WEGIEREK, 1993

Holotype: Naturhistorisches Museum, Wien, Austria, no. 1984/39/7.

### Genus *Oliarus*

*Oliarus kulickae* SZWEDO, 2000

Holotype: Coll. SZWEDO, Museum of Natural History, Kraków, Poland, no. Do-01F.

### Family Kinnaridae

#### Genus *Oeclidius*

*Oeclidius salaco* EMELJANOV & SHCHERBAKOV, 2000

Holotype: BMNH, no. Pal. PI-II-351(1).

*Oeclidius browni* BOURGOIN & LEFÈBRE, 2002

Holotype: Museum National d'Histoire Naturelle, Paris, France, no. MNHN-LP R. 11196.

### Genus *Quilessa*

*Quilessa stolida* EMELJANOV & SHCHERBAKOV, 2000

Holotype: BMNH, no. Pal. PI-II-60.

### Family Derbidae

#### Genus *Cedusa*

*Cedusa credula* EMELJANOV & SHCHERBAKOV, 2000

Holotype: BMNH, no. Pal. PI-II-58.

### Genus *Dysimia*

*Dysimia imprudens* EMELJANOV & SHCHERBAKOV, 2000

Holotype: BMNH, no. Pal. PI-II-61.

### Family Ciriacremidae

Genus *Sulciana* KLIMASZEWSKI, 1998

Type species: *Sulciana macroconi* KLIMASZEWSKI, 1998

*Sulciana macroconi* KLIMASZEWSKI, 1998

Holotype: AMNH, no. DR-14-67.

### Family Rhinocolidae

Genus *Primascena* KLIMASZEWSKI, 1998

Type species: *Primascena subita* KLIMASZEWSKI, 1998

*Primascena subita* KLIMASZEWSKI, 1998

Holotype: AMNH, no. DR-14-67.

Genus *Vicinilura* KLIMASZEWSKI, 1996

Type species: *Vicinilura reposta* KLIMASZEWSKI, 1996

*Vicinilura reposta* KLIMASZEWSKI, 1996

Holotype: AMNH, no. DR-10-1620(6).

### Family Rhinopsyllidae

Genus *Rhinopsyllida* KLIMASZEWSKI, 1996

Type species: *Rhinopsyllida acutealla* KLIMASZEWSKI, 1996

*Rhinopsyllida acutealla* KLIMASZEWSKI, 1996

Holotype: AMNH, no. DR-10-1620(7).

Genus *Succinopsylla* KLIMASZEWSKI, 1995

Type species: *Succinopsylla dominicana* KLIMASZEWSKI, 1995

*Succinopsylla dominicana* KLIMASZEWSKI, 1995

Holotype: Geologisch-Paläontologisches Institut und Museum, Universität Hamburg, Germany, no. 3633.

### Family Psyllidae

Genus *Indepsylla* KLIMASZEWSKI, 1996

Type species: *Indepsylla mortua* KLIMASZEWSKI, 1996

*Indepsylla mortua* KLIMASZEWSKI, 1996

Holotype: AMNH, no. DR-10-1620(5).

Genus *Parapsyllopsis* KLIMASZEWSKI, 1996

Type species: *Parapsyllopsis carabeus* KLIMASZEWSKI, 1996

*Parapsyllopsis carabeus* KLIMASZEWSKI, 1996

Holotype: AMNH, no. DR-10-1620 (1).

Genus *Otroacizzia* KLIMASZEWSKI, 1996

Type species: *Otroacizzia muta* KLIMASZEWSKI, 1996

*Otroacizzia muta* KLIMASZEWSKI, 1996

Holotype: AMNH, no. DR-10-1620 (2).

*Otroacizzia prosapia* KLIMASZEWSKI, 1996  
Holotype: AMNH, no. DR-10-1686 (1).

*Otroacizzia tertia* KLIMASZEWSKI, 1996  
Holotype: AMNH, no. DR-10-1681 (2).

Genus *Paropsylla* KLIMASZEWSKI, 1996  
Type species: *Paropsylla olima* KLIMASZEWSKI, 1996

*Paropsylla olima* KLIMASZEWSKI, 1996  
Holotype: AMNH, no. DR-10-1268.

### Family Triozidae

#### Genus *Heterotrioza*

*Heterotrioza grimaldii* KLIMASZEWSKI, 1996  
Holotype: AMNH, no. DR-10-1620 (8).

Genus *Trioacantha* KLIMASZEWSKI, 1998  
Type species: *Trioacantha indocilia* KLIMASZEWSKI, 1998

*Trioacantha indocilia* KLIMASZEWSKI, 1998  
Holotype: AMNH, no. DR-14-222.

### Order Heteroptera

#### Family Enicocephalidae

##### Genus *Alienates*

*Alienates brodzinskyi* GRIMALDI, MICHALSKI & SCHMIDT, 1993  
Holotype: AMNH, no. DR-10-35A.

*Alienates electrodominicicus* GRIMALDI, MICHALSKI & SCHMIDT, 1993  
Holotype: AMNH, no. DR-8-32.

##### Genus *Enicocephalus*

*Enicocephalus omen* GRIMALDI, MICHALSKI & SCHMIDT, 1993  
Holotype: AMNH, no. DR-10-74.

*Enicocephalus prius* GRIMALDI, MICHALSKI & SCHMIDT, 1993  
Holotype: AMNH, no. 11835.

*Enicocephalus seniculus* GRIMALDI, MICHALSKI & SCHMIDT, 1993  
Holotype: AMNH, no. DR-10-67.

*Enicocephalus subvitreus* GRIMALDI, MICHALSKI & SCHMIDT, 1993  
 Holotype: AMNH, no. DR-8-369.

Genus *Paralienates* MALDONADO CAPRILES, SANTIAGO-BLAY & POINAR, 1996  
 Type species: *Paralienates hyalinus* MALDONADO CAPRILES, SANTIAGO-BLAY & POINAR, 1996

*Paralienates hyalinus* MALDONADO CAPRILES, SANTIAGO-BLAY & POINAR, 1996  
 Holotype: Coll. POINAR, OSUC, no. HE-2-24.

### Family Gerridae

Genus *Brachymetroides* ANDERSEN, 2001  
 Type species: *Brachymetroides atra* ANDERSEN, 2001

*Brachymetroides atra* ANDERSEN, 2001  
 Holotype: AMNH, no. DR-10-27.

Genus *Electrobates* ANDERSEN & POINAR, 1992  
 Type species: *Electrobates spinipes* ANDERSEN & POINAR, 1992

*Electrobates spinipes* ANDERSEN & POINAR, 1992  
 Holotype: Coll. POINAR, OSUC, no. HE-4-20.

### Family Veliidae

#### Genus *Microvelia*

*Microvelia grimaldii* ANDERSEN, 2001  
 Holotype: AMNH, no. DR-14-1202.

*Microvelia electra* ANDERSEN, 2001  
 Holotype: AMNH, no. DR-14-59.

*Microvelia polhemi* ANDERSEN, 2000  
 Holotype: AMNH, no. DR-10-324.

#### Genus *Halovelia*

*Halovelia electrodominica* ANDERSEN & POINAR, 1998  
 Holotype: Coll. POINAR, OSUC, no. HE-4-28.

### Family Thaumastocoridae

Genus *Paleodoris* POINAR & SANTIAGO-BLAY, 1997  
 Type species: *Paleodoris lattini* POINAR & SANTIAGO-BLAY, 1997

*Paleodoris lattini* POINAR & SANTIAGO-BLAY, 1997  
 Holotype: Coll. POINAR, OSUC, no. HE-4-49.

### Genus *Discocoris*

*Discocoris dominicanus* SLATER & BARANOWSKI, 2000  
 Holotype: Coll. BARANOWSKI, University of Florida, Gainesville, USA, without number.

### Family Tingidae

#### Genus *Eocader*

*Eocader babaRussus* GOLUB & POPOV, 2000a  
 Holotype: AMNH, no. DR-8-383.

#### Genus *Leptopharsa*

*Leptopharsa poinari* GOLUB & POPOV, 2000b  
 1999 *Gargaphia dominicana* n. sp. – GOLUB & POPOV [nom. nud.]  
 Holotype: AMNH, no. DR-10-1797.

*Leptopharsa evsyunini* GOLUB & POPOV, 2000b  
 1999 *Gargaphia vitrea* n. sp. – GOLUB & POPOV [nom. nud.]  
 Holotype: AMNH, no. DR-10-44.

*Leptopharsa fratei* GOLUB & POPOV, 2003  
 Holotype: Coll. POINAR, OSUC, no. HE- 4-8F.

### Genus *Stephanitis*

*Stephanitis rozanovi* GOLUB & POPOV, 2003  
 Holotype: Coll. POINAR, OSUC, no. HE-4-8I.

### Family Miridae

#### Genus *Diphleps*

*Diphleps yenli* SANTIAGO-BLAY & POINAR, 1993  
 Holotype: Coll. POINAR, OSUC, no. HE-4-17.

#### Genus *Reuteroscopus*

*Reuteroscopus carvalhoi* MALDONADO CAPRILES & POINAR, 1995a  
 Holotype: Coll. POINAR, OSUC, no. HE-4-47.

Genus *Stomatomiris* MALDONADO CAPRILES & POINAR, 1995b  
 Type species: *Stomatomiris funebris* MALDONADO CAPRILES & POINAR, 1995b

*Stomatomiris funebris* MALDONADO CAPRILES & POINAR, 1995b  
 Holotype: Coll. POINAR, OSUC, no. HE-4-33.

### Family Cydnidae

#### Genus *Dallasiellus*

*Dallasiellus succineus* THOMAS, 1994  
 Holotype: AMNH, no. DR-10-13.

#### Genus *Amnestus*

*Amnestus electricus* THOMAS, 1994  
 Holotype: AMNH, no. DR-10-22.

*Amnestus priscus* THOMAS, 1994  
 Holotype: AMNH, no. DR-8-48.

### Family Reduviidae

Genus *Alumeda* POPOV, 1989  
 Type species: *Alumeda nigricans* POPOV, 1989

*Alumeda nigricans* POPOV, 1989  
 Holotype: SMNS, no. DO-3319-E.

*Alumeda dominicana* POPOV, 1989  
 Holotype: SMNS, no. DO-3043-E.

*Alumeda antilliana* POPOV, 1989  
 Holotype: SMNS, no. DO-3861-M-1.

Genus *Empiploiariola* POPOV, 1993  
 Type species: *Empiploiariola inermes* POPOV, 1993

*Empiploiariola inermes* POPOV, 1993  
 Holotype: AMNH, no. 11308B.

#### Genus *Malacopus*

*Malacopus wygodzinskyi* POPOV, 1987  
 Holotype: SMNS, no. DO-3390-M.

Genus *Paleoploiariola* MALDONADO CAPRILES, SANTIAGO-BLAY & POINAR,  
 1993a  
 Type species: *Paleoploiariola venosa* MALDONADO CAPRILES, SANTIAGO-BLAY &  
 POINAR, 1993a

*Paleoploiariola venosa* MALDONADO CAPRILES, SANTIAGO-BLAY & POINAR, 1993a  
Holotype: Coll. POINAR, OSUC, no. HE-4-23.

Genus *Apicrenus* MALDONADO CAPRILES, SANTIAGO-BLAY & POINAR, 1993b  
Type species: *Apicrenus fossilis* MALDONADO CAPRILES, SANTIAGO-BLAY & POINAR, 1993b

*Apicrenus fossilis* MALDONADO CAPRILES, SANTIAGO-BLAY & POINAR, 1993b  
Holotype: Coll. POINAR, OSUC, no. 39842.

Genus *Praecoris* POINAR, 1991b  
Type species: *Praecoris dominicana* POINAR, 1991b

*Praecoris dominicana* POINAR, 1991b  
Holotype: Coll. POINAR, OSUC, no. HE-4-26.

### Family Aradidae

Genus *Calisiopsis*

*Calisiopsis brodzinskyorum* FROESCHNER, 1992  
Holotype: USNM, without number.

Genus *Mezira*

*Mezira scheveni* HEISS, 2000  
Holotype: Coll. HEISS, Tiroler Landesmuseum, Innsbruck, Austria, without number.

Order Neuroptera  
Family Coniopterygidae

Genus *Spiloconis*

*Spiloconis glaesaria* MEINANDER, 1998  
Holotype: AMNH, no. DR-10-39.

### Family Myrmeleontidae

Genus *Porrerus*

*Porrerus dominicanus* POINAR & STANGE, 1996  
Holotype: Coll. JIM WORK, Ashland, Oregon, USA, without number.

### Family Hemerobiidae

#### Genus *Notiobiella*

*Notiobiella thaumasta* OSWALD, 1999

Holotype: AMNH, no. DR-14-1124.

### Order Strepsiptera Family Myrmecolacidae

#### Genus *Myrmecolax*

*Myrmecolax glaesii* KINZELBACH, 1983

Holotype: Geologisch-Paläontologisches Institut und Museum, Universität Hamburg, Germany, no. 1232.

#### Genus *Stichotrema*

*Stichotrema beckeri* DE OLIVEIRA & KOGAN, 1959 [extant]

1983 *Stichotrema aff. beckeri* DE OLIVEIRA & KOGAN, 1959. – KINZELBACH

Material: Coll. LIEDTKE, Itzehoe, Germany; Coll. J. SCHEVEN, Hagen, Germany; Coll. J. WUNDERLICH, Straubenhardt, Germany.

*Stichotrema dominicanum* KINZELBACH & POHL, 1994

Holotype: Coll. J. SCHEVEN, Hagen, Germany.

#### Genus *Caenocholax*

*Caenocholax brodzinskyi* KATHIRITHAMBY & GRIMALDI, 1993

Holotype: AMNH, no. DR-10-3.

*Caenocholax dominicensis* KATHIRITHAMBY & GRIMALDI, 1993

Holotype: AMNH, no. DR-8-27.

### Family Bohartillidae

#### Genus *Bohartilla*

*Bohartilla joachimscheveni* KINZELBACH & POHL, 1994

1993 *Bohartilla megalognatha* KINZELBACH, 1969. – KATHIRITHAMBY & GRIMALDI

Holotype: Coll. J. SCHEVEN, Hagen, Germany.

*Bohartilla kinzelbachi* KATHIRITHAMBY & GRIMALDI, 1993

Holotype: AMNH, no. DR-10-6.

### Family Elenchidae

Genus *Protelencholax* KINZELBACH, 1979

Type species: *Protelencholax schleei* KINZELBACH, 1979

*Protelencholax schleei* KINZELBACH, 1979

Holotype: SMNS, no. DO-7-K-1.

### Order Coleoptera Family Paussidae

#### Genus *Eohomopterus*

*Eohomopterus paulmuelleri* NAGEL, 1987

Holotype: Coll. NAGEL, Institute of Environmental Sciences, University of Basel, Switzerland, without number.

*Eohomopterus poinari* NAGEL, 1997

Holotype: Coll. POINAR, OSUC, no. C-7-59A.

#### Genus *Homopterus*

*Homopterus hispaniolensis* NAGEL, 1987

Holotype: Coll. NAGEL, Institute of Environmental Sciences, University of Basel, Switzerland, without number.

#### Genus *Protopaussus*

*Protopaussus pristinus* NAGEL, 1997

Holotype: Coll. POINAR, OSUC, no. C-7-59B.

### Family Dytiscidae

#### Genus *Copelatus*

*Copelatus predaveterus* MILLER, 2003 [in: MILLER & BALKE 2003]

Holotype: AMNH, no. DR-14- 615.

### Family Hybosoridae

Genus *Procoilodes* OCAMPO, 2002

Type species: *Procoilodes adrastus* OCAMPO, 2002

*Procoilodes adrastus* OCAMPO, 2002

Holotype: AMNH, no. DR-10-136.

Genus *Tyrannasorus* RATCLIFFE & OCAMPO, 2001

Type species: *Tyrannasorus rex* RATCLIFFE & OCAMPO, 2001

*Tyrannasorus rex* RATCLIFFE & OCAMPO, 2001  
Holotype: AMNH, no. DR-10-702.

### Family Staphylinidae

#### Genus *Liberiana*

*Liberiana* sp. (IRMLER 2003)  
Material: SMNS, no. DO-1410-K.

Genus *Lispinomimus* IRMLER, 2003  
Type species: *Lispinomimus atavus* IRMLER, 2003

*Lispinomimus atavus* IRMLER, 2003  
Holotype: SMNS, no. DO-449-K.

#### Genus *Nacaeus*

*Nacaeus dominicanensis* IRMLER, 2003  
Holotype: SMNS, no. DO-176-K.

#### Genus *Neosorius*

*Neosorius* sp. 1 (IRMLER 2003)  
Material: SMNS, no. DO-631-K.

*Neosorius* sp. 2 (IRMLER 2003)  
Material: SMNS, no. DO-488-K

#### Genus *Osoriellus*

*Osoriellus* sp. (IRMLER 2003)  
Material: SMNS, no. DO-326-K, DO-381-K.

#### Genus *Prorhinopsenius*

*Prorhinopsenius alzadae* KISTNER, 1998  
Holotype: Coll. KISTNER, no. 3 (to be deposited in the Field Museum of Natural History, Chicago, USA).

*Prorhinopsenius poinari* KISTNER, 1998  
Holotype: Coll. KISTNER, no. 13 (to be deposited in the Field Museum of Natural History, Chicago, USA).

*Prorhinopsenius seeversi* KISTNER, 1998  
Holotype: Coll. KISTNER, no. 11 (to be deposited in the Field Museum of Natural History, Chicago, USA).

**Genus *Thoracophorus***

*Thoracophorus palaeobrevicristatus* IRMLER, 2003

Holotype: SMNS, no. DO-189-K.

**Family Buprestidae****Genus *Chrysobothris***

*Chrysobothris amberestris* BELLAMY, 1999

Holotype: AMNH, no. DR-14-263.

**Family Leiodidae****Genus *Aglyptinus***

*Aglyptinus poinari* PERKOVSKY, 2000

Holotype: Coll. POINAR, OSUC, no. C-7-358A.

**Family Erotylidae****Genus *Dacne***

*Dacne brodzinskyi* SKELLEY, 1997

Holotype: Florida State Collection of Arthropods, Gainesville, USA, without number.

**Family Tenebrionidae****Genus *Allecula***

*Allecula* sp. (DOYEN & POINAR 1994)

Material: Coll. POINAR, OSUC, no. C-7-48.

**Genus *Cymatothes***

*Cymatothes dominicus* DOYEN & POINAR, 1994

Holotype: Coll. POINAR, OSUC, without number.

**Genus *Hymenorius***

*Hymenorius oculatus* DOYEN & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-44.

Genus *Hypogena*

*Hypogena marginalis* DOYEN & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-101.

Genus *Liodema*

*Liodema phalacroides* DOYEN & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-128.

Genus *Lobopoda*

*Lobopoda annosa* DOYEN & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-122.

*Lobopoda* sp. (DOYEN & POINAR 1994)

Material: Coll. POINAR, OSUC, no. C-7-139.

Genus *Lorelus*

*Lorelus angulatus* DOYEN & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-132.

*Lorelus foraminosus* DOYEN & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-138.

*Lorelus minutulus* DOYEN & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-141.

*Lorelus wolcotti* DOYEN & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-140.

Genus *Neomida*

*Neomida senicula* DOYEN & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-144.

Genus *Nesocyrtosoma*

*Nesocyrtosoma antiquus* (KASZAB & SCHAWALLER, 1984)

1984 *Hesiodobates* n. g. *antiquus* n. sp. – KASZAB & SCHAWALLER

1994 *Nesocyrtosoma antiquus* (KASZAB & SCHAWALLER, 1984). – DOYEN & POINAR  
Holotype: SMNS, no. DO-3240-M-1.

*Nesocyrtosoma celadonum* DOYEN & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-148.

*Nesocyrtosoma hadratum* DOYEN & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-146.

*Nesocyrtosoma impensum* DOYEN & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, without number.

*Nesocyrtosoma phthanatum* DOYEN & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-147.

#### Genus *Parahymenorius*

*Parahymenorius* sp. (DOYEN & POINAR 1994)  
Material: Coll. POINAR, OSUC, no. C-7-149.

#### Genus *Platydema*

*Platydema* sp. (DOYEN & POINAR 1994)  
Material: Coll. POINAR, OSUC, no. C-7-150.

#### Genus *Rhipidandrus*

*Rhipidandrus quadripapillatus* DOYEN & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-162.

#### Genus *Statira*

*Statira dermoidea* DOYEN & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-153.

#### Genus *Trientoma*

*Trientoma nascens* DOYEN & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-154.

#### Genus *Tyrtaeus*

*Tyrtaeus azureus* DOYEN & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-155.

*Tyrtaeus elongatus* DOYEN & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-156.

*Tyrtaeus flavoantennatus* DOYEN & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-157.

*Tyrtaeus thoraciclus* DOYEN & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-158.

Genus *Wattius*

*Wattius reflexus* DOYEN & POINAR, 1994  
 Holotype: Coll. POINAR, OSUC, no. C-7-159.

Family Bruchidae

Genus *Caryobruchus*

*Caryobruchus dominicanus* POINAR, 1999  
 Holotype: Coll. POINAR, OSUC, C-7-104A.

Family Cerambycidae

Genus *Paleohemilophus* MARTINS & GALILEO, 1999  
 Type species: *Paleohemilophus dominicanus* MARTINS & GALILEO, 1999

*Paleohemilophus dominicanus* MARTINS & GALILEO, 1999  
 Holotype: Museu de la Ciència, Barcelona, Spain, no. 194.

Family Chrysomelidae

Genus *Acallepitrix*

*Acallepitrix* sp. (SANTIAGO-BLAY & CRAIG 1999)  
 Material: Coll. CRAIG (to be deposited in the California Academy of Sciences, San Francisco, USA).

Genus *Alethaxius*

*Alethaxius* sp. (SANTIAGO-BLAY, POINAR & CRAIG 1996)  
 Material: Coll. POINAR, OSUC, no. C-7-22.

Genus *Chalcosicya*

*Chalcosicya* sp. (SANTIAGO-BLAY, POINAR & CRAIG 1996)  
 Material: Coll. POINAR, OSUC, no. C-7-88 & C-7-305C.

Genus *Colaspoides*

*Colaspoides?* sp. (SANTIAGO-BLAY, POINAR & CRAIG 1996)  
 Material: Coll. POINAR, OSUC, no. C-7-305D & C-7-305A.

### Genus *Diachus*

*Diachus* sp. (SANTIAGO-BLAY, POINAR & CRAIG 1996)

Material: Coll. Craig (to be deposited in the California Academy of Sciences, San Francisco, USA).

### Genus *Glyptocelis*

*Glyptocelis* sp. (SANTIAGO-BLAY, POINAR & CRAIG 1996)

Material: Coll. Craig (to be deposited in the California Academy of Sciences, San Francisco, USA).

### Genus *Leptonesiotes*

*Leptonesiotes virkkii* SANTIAGO-BLAY, POINAR & CRAIG, 1996

Holotype: Coll. POINAR, OSUC, no. C-7-89.

### Genus *Metachroma*

*Metachroma* sp. (SANTIAGO-BLAY, POINAR & CRAIG 1996)

Material: Coll. POINAR, OSUC, no. C-7-161 and Coll. CRAIG (to be deposited in the California Academy of Sciences, San Francisco, USA).

### Genus *Sceloenopla*

*Sceloenopla ambarensis* SANTIAGO-BLAY, POINAR & CRAIG, 1996

Holotype: Coll. POINAR, OSUC, no. C-7-112.

*Sceloenopla dominicana* STAINES & SAMUELSON, 2000

Holotype: Bishop Museum, Honolulu, Hawaii, USA, no. 16206.

*Sceloenopla stainsorum* SANTIAGO-BLAY & CRAIG, 1999

Holotype: Coll. Craig, without number (to be deposited in the California Academy of Sciences, San Francisco, USA).

### Genus *Wanderbiltiana*

*Wanderbiltiana wawasita* SANTIAGO-BLAY, SAVINI, FURTH, CRAIG & POINAR, 2004  
1996 *Walterianella* sp. – SANTIAGO-BLAY et al.

Holotype: Coll. POINAR, OSUC, no. C-7-125.

### Family Curculionidae

Genus *Velatis* POINAR & VOISIN, 2003

Type species: *Velatis dominicana* POINAR & VOISIN, 2003

*Velatis dominicana* POINAR & VOISIN, 2003

Holotype: Coll. POINAR, OSUC, no. C-9-387.

**Family Scolytidae****Genus *Cladoctonus***

*Cladoctonus angustostriatus* BRIGHT & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-190.

*Cladoctonus ruber* BRIGHT & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-187.

**Genus *Corthyles* BRIGHT & POINAR, 1994**

Type species: *Corthyles bicolor* BRIGHT & POINAR, 1994

*Corthyles bicolor* BRIGHT & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-243.

**Genus *Cnemonyx***

*Cnemonyx priscus* BRIGHT & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-231.

**Genus *Dryomites* BRIGHT & POINAR, 1994**

Type species: *Dryomites incognitus* BRIGHT & POINAR, 1994

*Dryomites incognitus* BRIGHT & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-241.

**Genus *Gnathotrichus***

*Gnathotrichus fossor* BRIGHT & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-244.

**Genus *Hypothenemus***

*Hypothenemus avitus* BRIGHT & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-242.

**Genus *Micracites* BRIGHT & POINAR, 1994**

Type species: *Micracites squamifera* BRIGHT & POINAR, 1994

*Micracites squamifera* BRIGHT & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-240.

**Genus *Microcorthylus***

*Microcorthylus antiquarius* BRIGHT & POINAR, 1994

Holotype: Coll. POINAR, OSUC, no. C-7-245.

Genus *Paleophthorus* BRIGHT & POINAR, 1994  
Type species: *Paleophthorus bispinus* BRIGHT & POINAR, 1994

*Paleophthorus bispinus* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-246.

Genus *Paleosinus* BRIGHT & POINAR, 1994  
Type species: *Paleosinus fossulatus* BRIGHT & POINAR, 1994

*Paleosinus fossulatus* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-188.

#### Genus *Phloeotribus*

*Phloeotribus antiquus* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-186.

#### Genus *Pityophthorus*

*Pityophthorus antiquarius* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-247.

*Pityophthorus aphelofacies* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-248.

*Pityophthorus temporarius* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-249.

Genus *Protosinus* BRIGHT & POINAR, 1994  
Type species: *Protosinus hispaniolensis* BRIGHT & POINAR, 1994

*Protosinus hispaniolensis* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-189.

#### Genus *Pycnarthrum*

*Pycnarthrum senectum* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-236.

#### Genus *Scolytodes*

*Scolytodes electrosinus* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-238.

*Scolytodes neoschwarzi* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-239.

*Genus Scolytus*

*Scolytus poinari* BRIGHT, 1994 [In: BRIGHT & POINAR 1994]  
Holotype: Coll. POINAR, OSUC, no. C-7-232.

**Family Platypodidae***Genus Cenocephalus*

*Cenocephalus antillicus* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-165.

*Cenocephalus antiquus* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-166.

*Cenocephalus biconicus* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-167.

*Cenocephalus exquisitus* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-168.

*Cenocephalus senectus* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-176.

*Cenocephalus spinatus* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-177.

*Genus Mitosoma*

*Mitosoma rhinoceroide* SCHAWALLER, 1981  
Holotype: SMNS, no. DO-119-K-1.

*Genus Tesserocerus*

*Tesserocerus primus* BRIGHT & POINAR, 1994  
Holotype: Coll. POINAR, OSUC, no. C-7-183.

**Order Hymenoptera**  
**Family Argidae***Genus Didyma*

*Didyma dominicana* SMITH & POINAR, 1992  
Holotype: Coll. POINAR, OSUC, no. H-10-48-A.

*Didyma davisi* SMITH & POINAR, 1992  
Holotype: USNM, no. 10500.

*Didyma protrea* SMITH & POINAR, 1992  
Holotype: Coll. POINAR, OSUC, no. H-10-48-B.

*Didyma poinari* SMITH & POINAR, 1992  
Holotype: Coll. POINAR, OSUC, no. H-10-48-C.

*Didyma ebena* SMITH & POINAR, 1992  
Holotype: Coll. POINAR, OSUC, no. H-10-36.

### Family Evaniiidae

Genus *Brachygaster*

*Brachygaster dominicanus* NEL, MARTÍNEZ-DELCLÒS & AZAR, 2002  
Holotype: Museu de la Ciència, Barcelona, Spain, no. 0168.

### Family Braconidae

Genus *Aivalykus*

*Aivalykus dominicanus* ZUPARKO & POINAR, 1997  
Holotype: Coll. POINAR, OSUC, no. H-10-93.

### Family Pteromalidae

Genus *Spalangiopelta*

*Spalangiopelta georgei* DARLING, 1997  
Holotype: AMNH, no. DR-10-1071.

### Family Torymidae

Genus *Neopalachia*

*Neopalachia bouceki* GRISSELL, 1980  
Holotype: Florida State Collection of Arthropods, Gainesville, USA, without number.

Genus *Zophodetus* GRISSELL, 1980  
Type species: *Zophodetus woodruffi* GRISSELL, 1980

*Zophodetus woodruffi* GRISSELL, 1980  
Holotype: Florida State Collection of Arthropods, Gainesville, USA, without number.

**Family Leucospidae**Genus *Leucospis**Leucospis glaesaria* ENGEL, 2002

Holotype: AMNH, no. DR-10-1869.

**Family Mutillidae**Genus *Dasymutilla**Dasymutilla albifasciatus* MANLEY & POINAR, 1999

Holotype: Coll. POINAR, OSUC, no. H-10-111.

*Dasymutilla dominicana* MANLEY & POINAR, 1991

Holotype: Museum of Dominican amber, Puerto Plata, Dominican Republic, without number.

*Dasymutilla* sp. (MANLEY & POINAR 2003)

Material: Coll. POINAR, OSUC, no. H-10-177.

Genus *Ephuta**Ephuta clavigera* BROTHERS, 2003

Holotype: AMNH, no. DR-10-1847.

**Family Dryinidae**Genus *Aphelopus**Aphelopus poinari* OLMI, 1998a

Holotype: Coll. POINAR, OSUC, no. H-10-122.

Genus *Bocchus**Bocchus vetustus* OLMI, 1989

Holotype: California Academy of Sciences, San Francisco, USA, no. CAS-16718.

Genus *Dryinus**Dryinus grimaldii* OLMI, 1995

Holotype: AMNH, no. DR-10-1426.

*Dryinus hymenaeaphilus* OLMI, 1995

Holotype: AMNH, no. DR-10-1425.

*Dryinus palaeodominicanus* CURRADO & OLMI, 1983

Holotype: Museo Regionale di Scienze Naturali, Torino, Italy, without number.

*Dryinus poinari* OLMI, 1998a  
 Holotype: Coll. POINAR, OSUC, no. H-10-23F.

*Dryinus priscus* OLMI, 1998b  
 Holotype: AMNH, no. DR-14-341.

*Dryinus pristinus* OLMI, 1998b  
 Holotype: AMNH, no. DR-14-1139.

*Dryinus vetustus* OLMI, 1995  
 Holotype: AMNH, no. DR-10-1424.

#### Genus *Harpactosphecion*

*Harpactosphecion sucinum* (OLMI, 1987)  
 1987 *Alphadryinus sucinus* n. sp. – OLMI  
 1995 *Dryinus sucinus* (OLMI, 1987). – OLMI  
 1998 *Pseudodryinus sucinus* (OLMI, 1987). – OLMI [1998a]  
 1999 *Harpactosphecion sucinum* (OLMI, 1987). – OLMI  
 Holotype: Museo Regionale di Scienze Naturali, Torino, Italy, without number.

#### Genus *Thaumatodryinus*

*Thaumatodryinus miocenicus* OLMI, 1995  
 Holotype: AMNH, without number.

#### Family Scolebythidae

Genus *Dominibythus* PRENTICE & POINAR, 1996 [in: PRENTICE et al. 1996]  
 Type species: *Dominibythus inopinatus* PRENTICE & POINAR, 1996

*Dominibythus inopinatus* PRENTICE & POINAR, 1996 [in: PRENTICE et al. 1996]  
 Holotype: USNM, no. 7594.

#### Family Formicidae Subfamilie Cerapachyinae

#### Genus *Acanthostichus*

*Acanthostichus hispaniolicus* DE ANDRADE, 1998a  
 Holotype: SMNS, no. DO-5205-1.

#### Genus *Cylindromyrmex*

*Cylindromyrmex antillanus* DE ANDRADE, 1998b  
 Holotype: SMNS, no. DO-4130.

*Cylindromyrmex electrinus* DE ANDRADE, 1998b  
 Holotype: MCZ, without number.

*Cylindromyrmex inopinatus* DE ANDRADE, 2001  
Holotype: Coll. POINAR, OSUC, no. H-10-138C.

### Subfamily Dolichoderinae

#### Genus *Azteca*

*Azteca alpha* WILSON, 1985c  
Holotype: MCZ, without number.

*Azteca eumeces* WILSON, 1985c  
Holotype: MCZ, without number.

#### Genus *Dolichoderus*

*Dolichoderus dibolia* WILSON, 1985c  
Holotype: Florida State Collection of Arthropods, Gainesville, USA, without number.

#### Genus *Hypoclinea*

*Hypoclinea primitiva* WILSON, 1985c  
Holotype: MCZ, without number.

#### Genus *Iridomyrmex*

*Iridomyrmex humiloides* WILSON, 1985c  
Holotype: MCZ, without number.

#### Genus *Monacis*

*Monacis caribbaea* WILSON, 1985c  
Holotype: MCZ, without number.

*Monacis prolaminata* WILSON, 1985c  
Holotype: MCZ, without number.

#### Genus *Tapinoma*

*Tapinoma trochis* WILSON, 1985c  
Holotype: MCZ, without number.

#### Genus *Technomyrmex*

*Technomyrmex caritatis* BRANDAO & BARONI-URBANI, 1999  
[In: BRANDAO et al. 1999]  
Holotype: Museu de la Ciència, Barcelona, Spain, no. 0060-16O.

*Technomyrmex hispaniolae* (WILSON, 1985c)1985 *Iridomyrmex hispaniolae*, n. sp. – WILSON [1985c]1992 *Linepithema hispaniolae* (WILSON, 1985). – SHATTUCK1999 *Technomyrmex hispaniolae* (WILSON, 1985). – BRANDAO et al.

Holotype: MCZ, without number.

**Subfamily Dorylinae****Genus *Neivamyrmex****Neivamyrmex ectopus* WILSON, 1985b

Holotype: MCZ, without number.

**Subfamily Formicinae****Genus *Acropyga****Acropyga* sp. (JOHNSON et al. 2001)

Material: AMNH; Coll. R. LARIMER, New York and Coll. M. v. TSCHIRNAUS, Frankfurt, Germany.

**Genus *Camponotus****Camponotus neotropicus* (BARONI-URBANI, 1980c)1980 *Leptomyrmex neotropicus* n. sp. – BARONI-URBANI [1980c]1985 *Camponotus neotropicus* (BARONI-URBANI, 1980). – WILSON [1985c]

Holotype: SMNS, no. DO-996-K-1.

**Subfamily Myrmicinae****Genus *Acanthognathus****Acanthognathus poinari* BARONI-URBANI, 1994 [In: BARONI-URBANI &

DE ANDRADE 1994]

Holotype: Coll. POINAR, OSUC, no. H-10-135.

**Genus *Aphaenogaster****Aphaenogaster amphioceanica* DE ANDRADE, 1995

Holotype: SMNS, no. DO-4629-B.

**Genus *Cephalotes****Cephalotes alveolatus* (VIERBERGEN & SCHEVEN, 1995)1995 *Zacryptocerus alveolatus* n. sp. – VIERBERGEN & SCHEVEN1999 *Cephalotes alveolatus* (VIERBERGEN & SCHEVEN, 1995). – DE ANDRADE & BARONI-URBANI

Holotype: SMNS, no. Do-5961 (ex Coll. SCHEVEN).

*Cephalotes bloosi* BARONI-URBANI & DE ANDRADE, 1999 [In: DE ANDRADE & BARONI-URBANI 1999]

Holotype: Coll. PONAR, OSUC, no. H-10-119.

*Cephalotes brevispinus* DE ANDRADE, 1999 [In: DE ANDRADE & BARONI-URBANI 1999]

Holotype: Coll. PONAR, OSUC, no. H-10-105.

*Cephalotes caribicus* DE ANDRADE, 1999 [In: DE ANDRADE & BARONI-URBANI 1999]

Holotype: SMNS, no. DO-5383.

*Cephalotes dieteri* BARONI-URBANI, 1999 [In: DE ANDRADE & BARONI-URBANI 1999]

Holotype: SMNS, no. DO-618.

*Cephalotes hispaniolicus* DE ANDRADE, 1999 [In: DE ANDRADE & BARONI-URBANI 1999]

Holotype: SMNS, no. DO-4163.

*Cephalotes integerrimus* (VIERBERGEN & SCHEVEN, 1995)

1995 *Zacryptocerus integerrimus* n. sp. – VIERBERGEN & SCHEVEN

1999 *Cephalotes integerrimus* (VIERBERGEN & SCHEVEN, 1995). – DE ANDRADE & BARONI-URBANI

Holotype: SMNS, no. Do-5689 (ex Coll. SCHEVEN).

*Cephalotes jansei* (VIERBERGEN & SCHEVEN, 1995)

1995 *Exocryptocerus janseni* n. sp. – VIERBERGEN & SCHEVEN

1999 *Cephalotes jansei* (VIERBERGEN & SCHEVEN, 1995). – DE ANDRADE & BARONI-URBANI

Holotype: SMNS, no. Do-5688 (ex Coll. SCHEVEN).

*Cephalotes obscurus* (VIERBERGEN & SCHEVEN, 1995)

1995 *Zacryptocerus obscurus* n. sp. – VIERBERGEN & SCHEVEN

1999 *Cephalotes obscurus* (VIERBERGEN & SCHEVEN, 1995). – DE ANDRADE & BARONI-URBANI

Holotype: MCZ, no. MCZ-9.

*Cephalotes serratus* (VIERBERGEN & SCHEVEN, 1995)

1995 *Exocryptocerus serratus* n. sp. – VIERBERGEN & SCHEVEN

1999 *Exocryptocerus elevatus* VIERBERGEN & SCHEVEN, 1995. – DE ANDRADE & BARONI-URBANI [Holotype: SMNS, no. Do-5692 (ex Coll. SCHEVEN)]

1999 *Exocryptocerus truncatus* VIERBERGEN & SCHEVEN, 1995. – DE ANDRADE & BARONI-URBANI [Holotype: SMNS, no. Do-5693 (ex Coll. SCHEVEN)]

1999 *Cephalotes serratus* (VIERBERGEN & SCHEVEN, 1995). – DE ANDRADE & BARONI-URBANI

Holotype: SMNS, no. Do-5694 (ex Coll. SCHEVEN).

*Cephalotes squamosus* (VIERBERGEN & SCHEVEN, 1995)

1995 *Zacryptocerus squamosus* n. sp. – VIERBERGEN & SCHEVEN

1999 *Zacryptocerus pseudo-aztecus* VIERBERGEN & SCHEVEN, 1995. – DE ANDRADE & BARONI-URBANI [Holotype: SMNS, no. Do-5690 (ex Coll. SCHEVEN)]

1999 *Cephalotes squamosus* (VIERBERGEN & SCHEVEN, 1995). – DE ANDRADE & BARONI-URBANI

Holotype: SMNS, no. Do-5696 (ex Coll. SCHEVEN).

*Cephalotes sucinus* DE ANDRADE, 1999 [In: DE ANDRADE & BARONI-URBANI 1999]  
Holotype: Coll. PONAR, OSUC, no. H-10-118.

Genus *Cyphomyrmex*

*Cyphomyrmex taino* DE ANDRADE, 2003  
Holotype: MCZ, without number.

Genus *Ilemomyrmex* WILSON, 1985a  
Type species: *Ilemomyrmex caecus* WILSON, 1985a

*Ilemomyrmex caecus* WILSON, 1985a  
Holotype: MCZ, without number.

Genus *Leptothorax*

*Leptothorax caritatis* DE ANDRADE [In: DE ANDRADE et al. 1999]  
Holotype: MCZ, without number.

*Leptothorax dominicanus* DE ANDRADE [In: DE ANDRADE et al. 1999]  
Holotype: Coll. PONAR, OSUC, no. H-10-208A.

*Leptothorax praecreolus* DE ANDRADE, 1992  
Holotype: Natural History Museum of Basel, Switzerland, no. PE-107.

Genus *Oxyidris* WILSON, 1985a  
Type species: *Oxyidris antillana* WILSON, 1985a

*Oxyidris antillana* WILSON, 1985a  
Holotype: MCZ, without number.

Genus *Pheidole*

*Pheidole primigenia* BARONI-URBANI, 1995  
Holotype: SMNS, no. DO-4440.

*Pheidole tethepa* WILSON, 1985a  
Holotype: MCZ, without number.

*Pheidole* sp. (BARONI-URBANI 1995)  
Material: SMNS, no. DO-1645-K.

Genus *Strumigenys*

*Strumigenys electrina* DE ANDRADE, 1994 [In: BARONI-URBANI & DE ANDRADE 1994]  
Holotype: SMNS, no. DO-3854-1.

*Strumigenys schleeorum* BARONI-URBANI, 1994 [In: BARONI-URBANI & DE ANDRADE 1994]  
Holotype: SMNS, no. DO-4909-1.

Genus *Trachymyrmex*

*Trachymyrmex primaevus* BARONI-URBANI, 1980a  
Holotype: SMNS, no. DO-377-K-1.

Subfamily Ponerinae

Genus *Anochetus*

*Anochetus ambiguus* DE ANDRADE, 1994  
Holotype: SMNS, no. DO-3346.

*Anochetus brevidentatus* MACKAY, 1991  
Holotype: MCZ, without number.

*Anochetus conisquamis* DE ANDRADE, 1994  
Holotype: SMNS, no. DO-3955.

*Anochetus corayi* BARONI-URBANI, 1980b  
Holotype: SMNS, no. DO-834-K-1.

*Anochetus dubius* DE ANDRADE, 1994  
Holotype: SMNS, no. DO-4192.

*Anochetus exstinctus* DE ANDRADE, 1994  
Holotype: SMNS, no. DO-5479.

*Anochetus intermedius* DE ANDRADE, 1994  
Holotype: BMNH, without number.

*Anochetus lucidus* DE ANDRADE, 1994  
Holotype: SMNS, no. DO-2846-1.

Genus *Discothyrea*

*Discothyrea gigas* DE ANDRADE, 1998c  
Material: Coll. POINAR, OSUC, no. H-10-178-A.

Genus *Gnamptogenys*

*Gnamptogenys levinates* BARONI-URBANI, 1980d  
Holotype: SMNS, no. DO-926-K-1.

*Gnamptogenys pristina* BARONI-URBANI, 1980d  
Holotype: SMNS, no. DO-1172-K-1.

Genus *Odontomachus*

*Odontomachus pseudobauri* DE ANDRADE, 1994

Holotype: BMNH, without number.

*Odontomachus spinifer* DE ANDRADE, 1994

Holotype: SMNS, no. DO-2215.

Genus *Paraponera*

*Paraponera dieteri* BARONI-URBANI, 1994

Holotype: SMNS, no. DO-4112.

*Paraponera* sp. (WILSON 1985d)

Material: MCZ, without number.

Genus *Platythyrea*

*Platythyrea dentata* LATTKE, 2003

Holotype: AMNH, no. DR-14-461.

*Platythyrea procera* LATTKE, 2003

Holotype: AMNH, no. DR-14-458.

*Platythyrea pumilio* DE ANDRADE, 2004

Holotype: MCZ, without number.

*Platythyrea scalprum* LATTKE, 2003

Holotype: AMNH, no. DR-14-354.

Genus *Proceratium*

*Proceratium denticulatum* LATTKE, 1990

Holotype: Instituto de Zoología Agrícola, Universidad Central de Venezuela, Maracay, Venezuela, without number.

*Proceratium poinari* BARONI URBANI & DE ANDRADE, 2003

Holotype: Coll. POINAR, OSUC, no. H-10-156.

Subfamily *Pseudomyrmicinae*

Genus *Pseudomyrmex*

*Pseudomyrmex antiquus* WARD, 1992

Holotype: Coll. POINAR, OSUC, no. H-10-147.

*Pseudomyrmex avitus* WARD, 1992

Holotype: MCZ, without number.

*Pseudomyrmex baros* WARD, 1992  
 Holotype: MCZ, without number.

*Pseudomyrmex coruscus* WARD, 1992  
 Holotype: MCZ, without number.

*Pseudomyrmex macrops* WARD, 1992  
 Holotype: MCZ, without number.

*Pseudomyrmex nexilis* WARD, 1992  
 Holotype: MCZ, without number.

*Pseudomyrmex oryctus* WARD, 1992  
 Holotype: MCZ, without number.

*Pseudomyrmex prioris* WARD, 1992  
 Holotype: MCZ, without number.

*Pseudomyrmex succinus* WARD, 1992  
 Holotype: MCZ, without number.

*Pseudomyrmex thecolor* WARD, 1992  
 Holotype: MCZ, without number.

*Pseudomyrmex vicinus* WARD, 1992  
 Holotype: Coll. POINAR, OSUC, no. H-10-114.

### Family Vespidae

Genus *Agelaia*

*Agelaia electra* CARPENTER & GRIMALDI, 1997  
 Holotype: AMNH, no. DR-14-1040.

### Family Sphecidae

Genus *Pison*

*Pison antiquum* ANTROPOV & PULAWSKI, 1996  
 Holotype: Coll. POINAR, OSUC, no. H-10-15.

Genus *Trypoxylon*

*Trypoxylon dominicanum* PRENTICE & POINAR, 1993  
 Holotype: Coll. MANUEL PÉREZ, Dominican Republic, without number.

*Trypoxylon electrum* ANTROPOV, 1995  
 Holotype: USNM, no. 8429.

*Trypoxylon eucharis* PRENTICE & POINAR, 1993  
 Holotype: Coll. POINAR, OSUC, no. H-10-57.

*Trypoxylon pallidiventre* PRENTICE & POINAR, 1993  
 Holotype: Coll. POINAR, OSUC, no. H-10-54.

### Family Colletidae

#### Genus *Chilicola*

*Chilicola electrodominicana* ENGEL, 2000  
 Holotype: AMNH, no. DR-10-1083.

*Chilicola gracilis* MICHENER & POINAR, 1996  
 Holotype: Coll. POINAR, OSUC, no. H-10-49.

### Family Halictidae

Genus *Eickwortapis* MICHENER & POINAR, 1996  
 Type species: *Eickwortapis dominicana* MICHENER & POINAR, 1996

*Eickwortapis dominicana* MICHENER & POINAR, 1996  
 Holotype: Coll. POINAR, OSUC, no. H-10-70.

Genus *Oligochlora* ENGEL, 1996  
 Type species: *Oligochlora eickwerti* ENGEL, 1996

*Oligochlora eickwerti* ENGEL, 1996  
 Holotype: Coll. ETTORE MORONE, Turin, Italy, no. 684.

*Oligochlora marquettorum* ENGEL & RIGHTMYER, 2000  
 Holotype: AMNH, no. DR-14-1448.

*Oligochlora grimaldii* ENGEL, 1997  
 Holotype: AMNH, no. DR-14-839.

*Oligochlora micheneri* ENGEL, 1996  
 Holotype: Coll. ETTORE MORONE, Turin, Italy, no. 167.

#### Genus *Neocorynura*

*Neocorynura electra* ENGEL, 1995  
 Holotype: AMNH, without number.

### Family Megachilidae

#### Genus *Megachile*

Subgenus *Chalicodomopsis* ENGEL, 1999a  
 Type species: *Megachile (Chalicodomopsis) glaesaria* ENGEL, 1999a

*Megachile (Chalicodomopsis) glaesaria* ENGEL, 1999a  
 Holotype: Coll. ETTORE MORONE, Turin, Italy, no. M-2718.

### Family Andrenidae

#### Genus *Heterosarus*

*Heterosarus eickworti* ROZEN, 1996  
 Holotype: AMNH, no. DR-10-1184.

### Family Apidae

#### Genus *Euglossa*

*Euglossa moronei* ENGEL, 1999b  
 Holotype: Coll. ETTORE MORONE, Turin, Italy, no. M-1149.

Genus *Paleoeuglossa* POINAR, 1998  
 Type species: *Paleoeuglossa melissiflora* POINAR, 1998

*Paleoeuglossa melissiflora* POINAR, 1998  
 Holotype: Coll. JIM WORK, Ashland, Oregon, USA, without number.

Genus *Proplebeia* MICHENER, 1982  
 Type species: *Trigona (Liotrigona) dominicana* WILLE & CHANDLER, 1964

*Proplebeia dominicana* (WILLE & CHANDLER, 1964)  
 1964 *Trigona (Liotrigona) dominicana* n. sp. – WILLE & CHANDLER  
 1982 *Trigona (Proplebeia) dominicana* (WILLE & CHANDLER). – MICHENER  
 Holotype: Illinois Natural History Survey, Champaign, Illinois, USA, without number.

*Proplebeia vetusta* CAMARGO, GRIMALDI & PEDRO, 2000  
 Holotype: AMNH, no. DR-14-1481.

*Proplebeia tantilla* CAMARGO, GRIMALDI & PEDRO, 2000  
 Holotype: AMNH, no. DR-14-1439.

### Order Trichoptera

#### Family Glossosomatidae

#### Genus *Cubanoptila*

*Cubanoptila poinari* WICHARD, 1989  
 Holotype: Coll. POINAR, OSUC, no. TR-2-4.

*Cubanoptila mederi* WICHARD, 1989  
 Holotype: USNM, without number.

*Cubanoptila grimaldii* WICHARD, 1995a  
 Holotype: AMNH, no. DR-10-72.

### Family Helicopsychidae

#### Genus *Helicopsyche*

*Helicopsyche scaloida* JOHANSON & WICHARD, 1996  
 Holotype: Geologisch-Paläontologisches Institut und Museum, Universität Hamburg, Germany, no. 3751.

*Helicopsyche electra* JOHANSON & WICHARD, 1996  
 Holotype: SMNS, no. 5698 (ex Coll. WICHARD).

*Helicopsyche voigti* JOHANSON & WICHARD, 1996  
 Holotype: SMNS, no. 5699 (ex Coll. WICHARD).

### Family Hydropsychidae

Genus *Palaehydropsyche* WICHARD, 1986  
 Type species: *Palaehydropsyche fossilis* WICHARD, 1986

*Palaehydropsyche fossilis* WICHARD, 1986  
 Holotype: BMNH, no. 64598.

### Family Hydroptilidae

#### Genus *Alisotrichia*

*Alisotrichia arizela* WELLS & WICHARD, 1989  
 Holotype: SMNS, no. Do-5700 (ex Coll. WICHARD).

#### Genus *Leucotrichia*

*Leucotrichia adela* WELLS & WICHARD, 1989  
 Holotype: USNM, without number.

#### Genus *Ochrotrichia*

*Ochrotrichia brodzinskyi* WELLS & WICHARD, 1989  
 Holotype: SMNS, no. Do-5701 (ex Coll. WICHARD).

*Ochrotrichia aldama* (MOSELY, 1937) [extant] (WELLS & WICHARD 1989)  
 Material: SMNS, no. Do-5702 (ex Coll. WICHARD).

*Ochrotrichia chaulioda* WELLS & WICHARD, 1989  
 Holotype: USNM, without number.

*Ochrotrichia denaia* WELLS & WICHARD, 1989  
Holotype: USNM, without number.

*Ochrotrichia doehleri* WICHARD, 1981  
Holotype: SMNS, no. Do-5703 (ex Coll. WICHARD).

*Ochrotrichia* sp. (WELLS & WICHARD 1981)  
Material: SMNS, no. Do-5704 (ex Coll. WICHARD).

### Family Leptoceridae

#### Genus *Setodes*

*Setodes resinacapta* WICHARD, 1995b  
Holotype: USNM, no. 5023 ENT-I-7049.

*Setodes aureoinclusa* WICHARD, 1995b  
Holotype: USNM, no. 9096 ENT-I-10680.

### Family Philopotamidae

#### Genus *Chimarra*

*Chimarra weitschati* WICHARD, 1983a  
Holotype: Geologisch-Paläontologisches Institut und Museum, Universität Hamburg, Germany, no. 2534.

*Chimarra resinae* WICHARD, 1983a  
Holotype: SMNS, no. Do-5705 (ex Coll. WICHARD).

*Chimarra palaeodominicana* WICHARD, 1983a  
Holotype: SMNS, no. Do-5706 (ex Coll. WICHARD).

*Chimarra dommeli* WICHARD, 1983a  
Holotype: SMNS, no. Do-5707 (ex Coll. WICHARD).

*Chimarra succini* WICHARD, 1983b  
Holotype: SMNS, no. DO-3386-M-1.

### Family Polycentropodidae

#### Genus *Antillopsyche*

*Antillopsyche oliveri* WICHARD, 1985  
Holotype: SMNS, no. Do-5708 (ex Coll. WICHARD).

**Order Lepidoptera  
Family Tortricidae**

Genus *Polyvena* POINAR & BROWN, 1993  
Type species: *Polyvena horatis* POINAR & BROWN, 1993

*Polyvena horatis* POINAR & BROWN, 1993  
Holotype: Coll. POINAR, OSUC, no. L-3-24.

**Family Riodinidae**

Genus *Voltina*

*Voltina dramba* HALL, ROBBINS & HARVEY, 2004  
Holotype: USNM, without number.

**Order Siphonaptera  
Family Pulicidae**

Genus *Pulex*

*Pulex larimerius* LEWIS & GRIMALDI, 1997  
Holotype: AMNH, no. DR-14-1140.

**Family Rhopalopsyllidae**

Genus *Rhopalopsyllus*

*Rhopalopsyllus* sp. (POINAR 1995)  
Material: Coll. POINAR, OSUC, no. SA-1-1.

**Order Diptera  
Family Limoniidae**

Genus *Austrolimnophila*

*Austrolimnophila* sp. (KRZEMINSKI 1992)  
Material: USNM.

Genus *Dicranomyia*

*Dicranomyia fera* PODENAS & POINAR, 1999  
Holotype: Coll. POINAR, OSUC, no. D-7-192.

*Dicranomyia lema* PODENAS & POINAR, 1999  
Holotype: Coll. POINAR, OSUC, no. D-7-193.

*Dicranomyia* sp. (KRZEMINSKI 1992)  
Material: USNM and AMNH.

Genus *Elephantomyia*

*Elephantomyia grata* PODENAS & POINAR, 2001  
Holotype: Coll. POINAR, OSUC, no. D-7-39C.

*Elephantomyia* sp. (KRZEMINSKI 1992)  
Material: USNM.

Genus *Epiphragma*

*Epiphragma aurora* PODENAS & POINAR, 2001  
Holotype: Coll. POINAR, OSUC, no. D-7-39A.

*Epiphragma* sp. (PODENAS & POINAR 2001)  
Material: Coll. POINAR, OSUC, no. D-7-39I.

Genus *Geranomyia*

*Geranomyia euchara* PODENAS & POINAR, 2001  
Holotype: Coll. POINAR, OSUC, no. D-7-39B.

*Geranomyia* sp. (KRZEMINSKI 1992)  
Material: USNM

Genus *Gnophomyia*

*Gnophomyia ieva* PODENAS & POINAR, 1999  
Holotype: Coll. POINAR, OSUC, no. D-7-198.

*Gnophomyia martyni* PODENAS & POINAR, 1999  
Holotype: Coll. POINAR, OSUC, no. D-7-199.

*Gnophomyia* sp. (KRZEMINSKI 1992)  
Material: AMNH.

Genus *Gonomyia*

*Gonomyia asymmetrica* PODENAS & POINAR, 1999  
Holotype: Coll. POINAR, OSUC, no. D-7-196.

*Gonomyia* sp. (PODENAS & POINAR 1999)  
Material: Coll. POINAR, OSUC, no. D-7-201 and D-7-201A.

*Gonomyia* sp. (KRZEMINSKI 1992)  
Material: AMNH.

*Genus Limonia**Limonia* sp. (KRZEMINSKI 1992)

Material: USNM.

*Genus Molophilus*Subgenus *Miomolophilus* KRZEMINSKI, 1992Type species: *Molophilus (Miomolophilus) theischingeri* KRZEMINSKI, 1992*Molophilus (Miomolophilus) theischingeri* KRZEMINSKI, 1992

Holotype: AMNH, no. 11809.

*Genus Polymera**Polymera specula* PODENAS & POINAR, 1999

Holotype: Coll. POINAR, OSUC, no. D-7-204.

*Polymera virgo* PODENAS & POINAR, 1999

Holotype: Coll. POINAR, OSUC, no. D-7-205.

*Polymera* sp. (PODENAS & POINAR 1999)

Material: Coll. POINAR, OSUC, no. D-7-203.

*Genus Rhipidia**Rhipidia mira* PODENAS & POINAR, 1999

Holotype: Coll. POINAR, OSUC, no. D-7-200.

*Rhipidia* sp. (KRZEMINSKI 1992)

Material: USNM.

*Genus Styringomyia**Styringomyia dominicana* PODENAS & POINAR, 1999

Holotype: Coll. POINAR, OSUC, no. D-7-202.

*Styringomyia optiva* PODENAS & POINAR, 2001

Holotype: Coll. POINAR, OSUC, no. D-7-39H.

*Styringomyia* sp. (KRZEMINSKI 1992)

Material: USNM and AMNH.

*Genus Toxorhina**Toxorhina* sp. (PODENAS & POINAR 2001)

Material: Coll. POINAR, OSUC, no. D-7-207.

Material: AMNH

*Toxorhina* sp. (KRZEMINSKI 1992)Genus *Trentepohlia**Trentepohlia agri* PODENAS & POINAR, 1999

Holotype: Coll. POINAR, OSUC, no. D-7-208A.

*Trentepohlia* sp. (KRZEMINSKI 1992)

Material: USNM and AMNH.

## Family Tipulidae

Genus *Brachyptremna**Brachyptremna brodzinski* KRZEMINSKI, 1996

Holotype: USNM, no. 8272.

*Brachyptremna* sp. (PODENAS & POINAR 2001)

Material: Coll. POINAR, OSUC, no. D-7-39D.

## Family Keroplatidae

Genus *Orfelia**Orfelia* sp. (PEÑALVER 1995)

Material: Coll. J. M. MARÍN, Elche, Alicante, Spain, no. RD.JMMF-301.

Genus *Proceroplatus**Proceroplatus hennigi* SCHMALFUSS, 1979

Holotype: SMNS, no. DO-45-K.

## Family Mycetophilidae

Genus *Aphrastomyia*

Aphrastomyia planistylus BAXTER, 1994 [in: BAXTER &amp; POINAR 1994]

Holotype: Coll. POINAR, OSUC, no. D-7-130.

Genus *Euceroplatus**Euceroplatus* sp. (GRIMALDI & MATHIS 1993)

Material: AMNH, no. DR-63.

Genus *Metaleia* BAXTER, 1994 [in: BAXTER & POINAR 1994]Type species: *Metaleia maculicaudata* BAXTER, 1994 [in: BAXTER & POINAR 1994]

*Metaleia maculicaudata* BAXTER, 1994 [in: BAXTER & PONAR 1994]  
 Holotype: Coll. PONAR, OSUC, no. D-7-129.

### Genus *Tetragoneura*

*Tetragoneura brevistipis* BAXTER, 1994 [in: BAXTER & PONAR 1994]  
 Holotype: Coll. PONAR, OSUC, no. D-7-128.

### Family Psychodidae

#### Genus *Pintomyia*

*Pintomyia falcorum* BRAZIL & FILHO, 2002  
 Holotype: Centro de Pesquisas René Rachou-Fiocruz, Belo Horizonte, MG Brazil,  
 without number.

#### Genus *Nemopalpus*

*Nemopalpus hennigianus* SCHLÜTER, 1978  
 Holotype: Institut für Paläontologie, Freie Universität, Berlin, Germany, no. Psy-O-Dom.

Genus *Succinarisemus* WAGNER, 2001  
 Type species: *Succinarisemus scheveni* WAGNER, 2001

*Succinarisemus scheveni* WAGNER, 2001  
 Holotype: Deutsches Schöpfungsmuseum, Hofheim am Taunus, Germany, without  
 number.

#### Genus *Trilchopygomyia*

*Trilchopygomyia killickorum* FILHO, FALCAO & BRAZIL, 2004  
 Holotype: Centro de Pesquisas René Rachou-Fiocruz, Belo Horizonte, MG Brazil,  
 without number.

### Family Anisopodiae

#### Genus *Neomesochria*

*Neomesochria neotropica* (GRIMALDI, 1991)  
 1991 *Mesochria neotropica* n. sp. – GRIMALDI  
 1994 *Neomesochria neotropica* (GRIMALDI). – AMORIM & TOZONI  
 Holotype: AMNH, no. DR-5-15.

*Neomesochria antillea* (GRIMALDI, 1991)  
 1991 *Mycetobia antillea* n. sp. – GRIMALDI  
 1994 *Neomesochria antillea* (GRIMALDI). – AMORIM & TOZONI  
 Holotype: AMNH, no. DR-2-13.

*Neomesochria cryptambra* (GRIMALDI, 1991)1991 *Mycetobia cryptambra* n. sp. – GRIMALDI1994 *Neomesochria cryptambra* (GRIMALDI). – AMORIM & TOZONI

Holotype: AMNH, no. DR-11-777.

Genus *Valeseguya**Valeseguya disjuncta* GRIMALDI, 1991

Holotype: AMNH, no. DR-11-315.

Genus *Olbiogaster**Olbiogaster perezi* GRIMALDI & AMORIM, 1995

Holotype: AMNH, no. DR-11-657.

## Family Scatopsidae

Genus *Procolobostema**Procolobostema roseni* AMORIM, 1998

Holotype: AMNH, no. DR-10-956.

Genus *Scatopse**Scatopse* sp. (PEÑALVER 1995)

Material: Coll. J. M. MARÍN, Elche, Alicante, Spain, no. RD-JMMF-302.

## Family Corethrellidae

Genus *Corethrella**Corethrella nudistyla* BORKENT & SZADZIEWSKI, 1992

Holotype: AMNH, no. W-DR-46-b.

## Family Chironomidae

## Subfamily Tanypodinae

Genus *Ablabesmyia**Ablabesmyia electrohispaniolana* GRUND, 2005

Holotype: SMNS, no. Do-5503-M.

**Family Ceratopogonidae***Genus Atrichopogon*

*Atrichopogon dominicanus* SZADZIEWSKI & GROGAN, 1998a  
Holotype: USNM, no. 7875.

*Genus Baeodasymyia*

*Baeodasymyia dominicana* SZADZIEWSKI & GROGAN, 1994  
Holotype: AMNH, no. DR-8-112.

*Genus Brachypogon*  
Subgenus *Brachypogon*

*Brachypogon (B.) americanus* SZADZIEWSKI & GROGAN, 1998b  
Holotype: Florida State Collection of Arthropods, Gainesville, USA, no. 1794a.

Subgenus *Isohelea*

*Brachypogon (Isohelea) dominicanus* SZADZIEWSKI & GROGAN, 1998b  
Holotype: AMNH, no. WV-3.a.

*Brachypogon (Isohelea) prominuloides* SZADZIEWSKI & GROGAN, 1998b  
Holotype: USNM, no. 9568.

*Genus Culicoides*  
Subgenus *Culicoides*

*Culicoides (C.) mammalicolus* SZADZIEWSKI & GROGAN, 1998b  
Holotype: USNM, no. 3742.

Subgenus *Oecacta*

*Culicoides (Oecacta) antilleanus* SZADZIEWSKI & GROGAN, 1998b  
Holotype: USNM, no. 9137.b.

*Culicoides (Oecacta) brodzinskyi* SZADZIEWSKI & GROGAN, 1998b  
Holotype: AMNH, no. W-DR-50.

*Culicoides (Oecacta) americus* SZADZIEWSKI & GROGAN, 1998b  
Holotype: USNM, no. 2905.

*Culicoides (Oecacta) hispaniculus* SZADZIEWSKI & GROGAN, 1998b  
Holotype: Florida State Collection of Arthropods, Gainesville, USA, no. 978/P.A.

Genus *Dasyhelea*

*Dasyhelea antilleana* SZADZIEWSKI & GROGAN, 1998a  
 Holotype: USNM, no. 8178.

*Dasyhelea dominicana* SZADZIEWSKI & GROGAN, 1998a  
 Holotype: Florida State Collection of Arthropods, Gainesville, USA, no. 650.

*Dasyhelea hispaniolae* SZADZIEWSKI & GROGAN, 1998a  
 Holotype: Florida State Collection of Arthropods, Gainesville, USA, no. 13005.

*Dasyhelea minuticola* SZADZIEWSKI & GROGAN, 1998a  
 Holotype: AMNH, no. DR-8-114.

Genus *Forcipomyia*  
 Subgenus *Forcipomyia*

*Forcipomyia (F.) fusiparamera* SZADZIEWSKI & GROGAN, 1998a  
 Holotype: Florida State Collection of Arthropods, Gainesville, USA, no. 1616.

*Forcipomyia (F.) grimaldii* SZADZIEWSKI & GROGAN, 1998a  
 Holotype: AMNH, no. DR-6-107.

Subgenus *Lasiohelea*

*Forcipomyia (Lasiohelea) americana* SZADZIEWSKI & GROGAN, 1998a  
 Holotype: USNM, no. 7905.

*Forcipomyia (Lasiohelea) woodruffi* SZADZIEWSKI & GROGAN, 1998a  
 Holotype: Florida State Collection of Arthropods, Gainesville, USA, no. 2289.

Subgenus *Lepidohhelea*

*Forcipomyia (Lepidohhelea) antilleana* SZADZIEWSKI & GROGAN, 1998a  
 Holotype: USNM, no. 10915.

*Forcipomyia (Lepidohhelea) chrysosuccinea* SZADZIEWSKI & GROGAN, 1998a  
 Holotype: AMNH, no. DR-6-35.

*Forcipomyia (Lepidohhelea) domibicolor* SZADZIEWSKI & GROGAN, 1998a  
 Holotype: AMNH, no. WV-1.

*Forcipomyia (Lepidohhelea) lepidosuccinea* SZADZIEWSKI & GROGAN, 1998a  
 Holotype: USNM, no. 2932.

Subgenus *Synthyridomyia*

*Forcipomyia (Synthyridomyia) tertiaricola* SZADZIEWSKI & GROGAN, 1998a  
 Holotype: USNM, no. 10039.

*Subgenus Thyridomyia*

*Forcipomyia (Thyridomyia) frutetosuccinea* SZADZIEWSKI & GROGAN, 1998a  
Holotype: USNM, no. 10549.

*Subgenus Trichohelea*

*Forcipomyia (Trichohelea)* sp. (SZADZIEWSKI & GROGAN 1998a)  
Material: USNM, no. 8968.b.

*Genus Heteromyia*

*Heteromyia dominicana* SZADZIEWSKI & GROGAN, 1997  
Holotype: SMNS, no. DO-2698.

*Genus Nannohelea*

*Nannohelea* sp. (SZADZIEWSKI & GROGAN 1998b)  
Material: USNM, no. 9256.

*Genus Palpomyia*

*Palpomyia wirthorum* SZADZIEWSKI & GROGAN, 1997  
Holotype: USNM, no. 10073b.

*Genus Phaenobezzia*

*Phaenobezzia wirthi* SZADZIEWSKI & GROGAN, 1997  
Holotype: AMNH, no. DR-8-100.

*Genus Stilobezzia**Subgenus Stilobezzia*

*Stilobezzia (S.) antilleana* SZADZIEWSKI & GROGAN, 1998b  
Holotype: USNM, no. 9501a.

*Subgenus Acanthohelea*

*Stilobezzia (Acanthohelea) dominicana* SZADZIEWSKI & GROGAN, 1998b  
Holotype: Coll. SZADZIEWSKI, Gdansk, Poland, no. 7a.

*Stilobezzia (Acanthohelea)* sp. (SZADZIEWSKI & GROGAN 1998b)  
Material: USNM, no. 11320.

**Family Culicidae****Genus *Anopheles***

*Anopheles dominicanus* ZAVORTINK & POINAR, 2000  
Holotype: Coll. POINAR, OSUC, no. D-7-6A.

**Family Tabanidae****Genus *Stenotabanus***

*Stenotabanus brodzinskyi* LANE, POINAR & FAIRCHILD, 1988  
Holotype: Coll. POINAR, OSUC, no. D-7-101.

*Stenotabanus woodruffi* FAIRCHILD & LANE, 1989  
Holotype: USNM, no. 10543.

**Family Therevidae**

Genus *Ambradolon* METZ & IRWIN, 2000  
Type species: *Ambradolon grimaldii* METZ & IRWIN, 2000

*Ambradolon grimaldii* METZ & IRWIN, 2000  
Holotype: Coll. IRWIN, Urbana, Illinois, no. 088366 (to be deposited in the California Academy of Sciences, San Francisco, USA).

**Family Acroceridae****Genus *Ogcodes***

*Ogcodes exotica* GRIMALDI, 1995b  
Holotype: AMNH, no. DR-11-8.

**Family Mythicomyiidae****Genus *Glabellula***

*Glabellula kuehnei* SCHLÜTER, 1976  
Holotype: Institut für Paläontologie, Freie Universität, Berlin, Germany, no. Bom-O-Dom.

*Glabellula brunnifrons* EVENHUIS, 2002a  
Holotype: AMNH, without number.

*Glabellula grimaldii* EVENHUIS, 2002a  
Holotype: AMNH, no. DR-11-18.

**Genus *Mythicomyia***

*Mythicomyia dominicana* EVENHUIS, 2002a  
Holotype: AMNH, no. DR-11-9.

**Genus *Pieza***

*Pieza dominicana* EVENHUIS, 2002b  
Holotype: AMNH, no. DR-11-1.

**Family Scenopinidae****Genus *Metatrichia***

*Metatrichia pria* YEATES & GRIMALDI, 1993  
Holotype: AMNH, no. DR-10-101.

**Family Asilidae****Genus *Ommatius***

*Ommatius fimbriatus* SCARBROUGH & POINAR, 1992  
Holotype: Coll. POINAR, OSUC, no. D-7-71.

*Ommatius subtus* SCARBROUGH & POINAR, 1992  
Holotype: Coll. POINAR, OSUC, no. D-7-66.

**Family Phoridae****Genus *Abaristophora***

*Abaristophora dominicamberae* DISNEY & ROSS, 1996  
Holotype: BMNH, no. Pal. PI-II-214.

**Genus *Dohrniphora***

*Dohrniphora poinari* DISNEY, 1987  
Holotype: Coll. POINAR, OSUC, no. D-7-51.

**Genus *Megaselia***

*Megaselia amberae* DISNEY, 1987  
Holotype: Coll. POINAR, OSUC, no. D-7-54.

*Megaselia bernsteinae* DISNEY, 1987  
Holotype: Coll. POINAR, OSUC, no. D-7-52.

*Megaselia dominicana* DISNEY, 1987  
Holotype: Coll. POINAR, OSUC, no. D-7-53.

Genus *Metopina*

*Metopina* sp. (GRIMALDI 1989)  
Material: AMNH, no. DR-11-848.

Genus *Puliciphora*

*Puliciphora rontaleri* DISNEY & ROSS, 1996  
Holotype: BMNH, no. Pal. PI-II-536.

Family Pipunculidae

Genus *Eudorylas*

*Eudorylas* sp. A (DE MEYER 1995)  
Material: AMNH, no. DR-11-21.

*Eudorylas* sp. B (DE MEYER 1995)  
Material: AMNH, no. DR-10-1453.

Family Anthomyiidae

Genus *Coenosopsites*

*Coenosopsites poinari* MICHELSSEN, 1996  
Holotype: Coll. POINAR, OSUC, no. D-7-46A.

Family Tephritidae

Genus *Ceratodaucus*

*Ceratodaucus priscus* NORRBOM & CONDON, 2000  
Holotype: Coll. POINAR, OSUC, no. D-7-58C.

Genus *Protortalotrypetia* NORRBOM, 1994  
Type species: *Protortalotrypetia grimaldii* NORRBOM, 1994

*Protortalotrypetia grimaldii* NORRBOM, 1994  
Holotype: AMNH, without number.

**Family Drosophilidae**Genus *Chymomyza**Chymomyza primaeva* GRIMALDI, 1987

Holotype: Coll. POINAR, OSUC, no. D-7-7H.

Genus *Drosophila*Subgenus *Drosophila**Drosophila (D.?) poinari* GRIMALDI, 1987

Holotype: Coll. POINAR, OSUC, no. D-7-7B.

*Drosophila (D.?) succini* GRIMALDI, 1987

Holotype: USNM, no. 8512.

Subgenus *Hirtodrosophila**Drosophila (Histodrosophila) paleothoracis* GRIMALDI, 1987

Holotype: AMNH, without number.

Genus *Hyalistata**Hyalistata vitrea* GRIMALDI, 1993

Holotype: AMNH, no. DR-3-24.

Genus *Miomyia**Miomyia io* GRIMALDI, 1987

Holotype: AMNH, without number.

Genus *Protochymomyza**Protochymomyza miocena* GRIMALDI, 1987

Holotype: Coll. POINAR, OSUC, no. D-7-7D.

Genus *Scaptomyza**Scaptomyza dominicana* GRIMALDI, 1987

Holotype: Coll. POINAR, OSUC, no. D-7-7F.

**Family Sphaeroceridae**Genus *Spelobia**Spelobia palaeobrevipteryx* MARSHALL, LANGSTAFF & GRIMALDI, 1999

Holotype: AMNH, no. DR-10-1441.

**Genus *Xenolimosina***

*Xenolimosina palaeospinosa* MARSHALL, LANGSTAFF & GRIMALDI, 1999  
Holotype: AMNH, no. DR-11-2.

**Family Anthomyzidae**

Genus *Grimalantha* ROHÁČEK, 1998  
Type species: *Grimalantha vulnerata* ROHÁČEK, 1998

*Grimalantha vulnerata* ROHÁČEK, 1998  
Holotype: AMNH, no. DR-10-1448.

**Family Periscelididae****Genus *Periscelis***

*Periscelis amberifera* GRIMALDI & MATHIS, 1993  
Holotype: AMNH, no. DR-8-207A.

*Periscelis brodzinskyi* GRIMALDI & MATHIS, 1993  
Holotype: AMNH, no. DR-8-207B.

*Periscelis facianota* GRIMALDI & MATHIS, 1993  
Holotype: AMNH, no. DR-11-856.

**Genus *Planinasus***

*Planinasus electrus* GRIMALDI & MATHIS, 1993  
Holotype: AMNH, no. DR-8-208.

**Genus *Stenomicra***

*Stenomicra anacrostichalis* GRIMALDI & MATHIS, 1993  
Holotype: AMNH, no. DR-63.

*Stenomicra sabroskyi* GRIMALDI & MATHIS, 1993  
Holotype: AMNH, no. DR-6-15D.

**Family Carnidae****Genus *Meoneura***

*Meoneura vieja* GRIMALDI, 1997  
Holotype: AMNH, no. DR-14-600.

### Family Muscidae

Genus *Archaeopolites* PONT & CARVALHO, 1997

Type species: *Archaeopolites tertaria* PONT & CARVALHO, 1997

*Archaeopolites tertaria* PONT & CARVALHO, 1997

Holotype: AMNH, no. DR-6-88.

### Genus *Phaonia*

*Phaonia electrica* PONT & CARVALHO, 1997

Holotype: AMNH, no. DR-11767.

*Phaonia succini* PONT & CARVALHO, 1997

Holotype: AMNH, no. DR-SH-35.

### 3. References

- AMORIM, D. S. (1998): Amber fossil Scatopsidae (Diptera: Psychodomorpha). I. Considerations on described taxa, *Procolobostema roseni*, new species, from Dominican amber, and the position of *Procolobostema* in the family. – American Museum Novitates, **3227**: 17 pp.
- AMORIM, D. S. & TOZONI, S. H. S. (1994): Phylogenetic and biogeographic analysis of the Anisopodoidea (Diptera, Bibionomorpha), with an area cladogram for intercontinental realtionships. – Revista Brasileira de Entomologia, **38** (3/4): 517–543.
- ANDERSEN, N. M. (2000): *Microvelia polhemi* n. sp. (Heteroptera: Veliidae) from Dominican amber: the first fossil phytotelmic water strider. – Journal of the New York Entomological Society, **107**: 135–144.
- ANDERSEN, N. M. (2001): Fossil water striders in the Oligocene/Miocene Dominican amber (Hemiptera: Gerromorpha). – Insect Systematics and Evolution, **31**: 411–431.
- ANDERSEN, N. M. & POINAR, Jr., G. O. (1992): Phylogeny and classification of an extinct wa- ter strider genus (Hemiptera, Gerridae) from Dominican amber, with evidence of mate guarding in a fossil insect. – Zeitschrift für zoologische Systematik und Evolutions- forschung, **30** (4): 256–267.
- ANDERSEN, N. M. & POINAR, Jr., G. O. (1998): A marine water strider (Hemiptera: Vellidae) from Dominican amber. – Entomologica Scandinavica, **29** (1): 1–9.
- ANDRADE, M. L. DE (1992): First fossil “true *Macromischa*” in amber from the Dominican Republic (Hymenoptera: Formicidae). – Mitteilungen der Schweizerischen Entomologischen Gesellschaft, **65**: 341–351.
- ANDRADE, M. L. DE (1994): Fossil Odontomachiti Ants from the Dominican Republic (Am- ber Collection Stuttgart: Hymenoptera, Formicidae. VII: Odontomachiti). – Stuttgarter Beiträge zur Naturkunde, Serie B, **199**: 28 pp.
- ANDRADE, M. L. DE (1995): The ant genus *Aphenogaster* in Dominican and Mexican Amber (Amber Collection Stuttgart: Hymenoptera, Formicidae. IX: Pheidolini). – Stuttgarter Beiträge zur Naturkunde, Serie B, **223**: 11 pp.
- ANDRADE, M. L. DE (1998a): First description of fossil *Acanthostichus* from Dominican am- ber (Hymenoptera: Formicidae). – Mitteilungen der Schweizerischen Entomologischen Gesellschaft, **71**: 269–274.
- ANDRADE, M. L. DE (1998b): Fossil and extant species of *Cylindromyrmex* (Hymenoptera: Formicidae). – Revue Suisse de Zoologie, **105** (3): 581–664.
- ANDRADE, M. L. DE (1998c): First fossil records of the ant genus *Discothyrea* in Dominican and Mexican amber. – Fragmenta Entomologica, **30** (1): 201–214.
- ANDRADE, M. L. DE (2001): A remarkable Dominican amber species of *Cylindromyrmex* with Brazilian affinities and additions to the generic revision. – Beiträge zur Entomologie, **51** (1): 51–63.

- ANDRADE, M. L. DE (2003): First descriptions of two new amber species of *Cyphomyrmex* from Mexico and the Dominican Republic. – Beiträge zur Entomologie, **53**: 131–139.
- ANDRADE, M. L. DE (2004): A new species of *Platythyrea* from Dominican amber and description of a new extant species from Honduras (Hymenoptera: Formicidae). – Revue Suisse de Zoologie, **111** (3): 643–655.
- ANDRADE, M. L. DE & BARONI-URBANI, C. (1999): Diversity and adaptation in the ant genus *Cephalotes*, past and present (Hymenoptera, Formicidae). – Stuttgarter Beiträge zur Naturkunde, Serie B, **271**: 889 pp.
- ANDRADE, M. L. DE, BARONI-URBANI, C. & BRANDAO, C. R. F. (1999): Two new species of *Leptothonax* “*Nesomyrmex*” fossils in Dominican amber. – Beiträge zur Entomologie, **49** (1): 133–140.
- ANTROPOV, A. V. (1995): A new species of the genus *Trypoxylon* LATRIELLE [sic] (Hymenoptera, Sphecidae) from Dominican amber. – Paleontological Journal, **29** (1): 172–177.
- ANTROPOV, A. V. & PULAWSKI, W. J. (1996): *Pison antiquum*, a new species from Dominican amber (Hymenoptera: Sphecidae). – Journal of Hymenoptera Research, **5**: 16–21.
- BARONI-URBANI, C. (1980a): First description of fossil gardening ants (Amber collection Stuttgart and natural History Museum Basel; Hymenoptera: Formicidae. I: Attini). – Stuttgarter Beiträge zur Naturkunde, Serie B, **54**: 13 pp.
- BARONI-URBANI, C. (1980b): *Anochetus corayi* n. sp., the first fossil Odontomachiti ant (Amber collection Stuttgart; Hymenoptera, Formicidae. II: Odontomachiti). – Stuttgarter Beiträge zur Naturkunde, Serie B, **55**: 6 pp.
- BARONI-URBANI, C. (1980c): The first fossil species of the Australian ant genus *Leptomyrmex* in amber from the Dominican Republic (Amber collection Stuttgart: Hymenoptera, Formicidae. III: Leptomyrmicinae). – Stuttgarter Beiträge zur Naturkunde, Serie B, **62**: 10 pp.
- BARONI-URBANI, C. (1980d): The ant genus *Gnamptogenys* in Dominican amber (Amber collection Stuttgart: Hymenoptera, Formicidae. IV: Ectatommini). – Stuttgarter Beiträge zur Naturkunde, Serie B, **67**: 10 pp.
- BARONI-URBANI, C. (1994): The identity of the Dominican *Paraponera* (Amber Collection Stuttgart: Hymenoptera, Formicidae. V: Ponerinae, partim). – Stuttgarter Beiträge zur Naturkunde, Serie B, **197**: 9 pp.
- BARONI-URBANI, C. (1995): Invasion and extinction in the West Indian ant fauna revised: the example of *Pheidole* (Amber Collection Stuttgart: Hymenoptera, Formicidae. VIII: Myrmicinae, partim). – Stuttgarter Beiträge zur Naturkunde, Serie B, **222**: 29 pp.
- BARONI-URBANI, C. & ANDRADE, M. L. DE (1994): First description of fossil Dacetini ants with a critical analysis of the current classification of the tribe. (Amber Collection Stuttgart: Hymenoptera, Formicidae. VI: Dacetini). – Stuttgarter Beiträge zur Naturkunde, Serie B, **198**: 65 pp.
- BARONI-URBANI, C. & ANDRADE, M. L. DE (2003): The ant genus *Proceratium* in the extant and fossil record (Hymenoptera: Formicidae). – Monografie, Museo Regionale di Scienze Naturali, Torino, **36**: 1–480.
- BAXTER, J. E. & POINAR, Jr., G. O. (1994): A new genus and a new species of fungus gnats (Diptera: Mycetophilidae) from Dominican amber. – Annales de la Société Entomologique de France, **30** (1): 93–102.
- BECHLY, G. (2000): A new fossil damselfly species (Insecta: Odonata: Zygoptera: Coenagrionidae: Ischnurinae) from Dominican amber. – Stuttgarter Beiträge zur Naturkunde, Serie B, **299**: 9 pp.
- BELLAMY, C. L. (1999): A new species of Buprestidae (Coleoptera) from Dominican amber. – Coleopterists Bulletin, **53** (4): 321–323.
- BORKENT, A. & SZADZIEWSKI, R. (1992): The first records of fossil Corethrellidae (Diptera). – Entomologica Scandinavica, **22** (4): 457–463.
- BOURGOIN, T. & LEFÈVRE, F. (2002): A new fossil Kinnaridae from Dominican amber (Hemiptera: Fulgoromorpha). – Annales Zoologici, **52** (4): 583–585.
- BRANDAO, C. R. F., BARONI-URBANI, C., WAGENBERG, J. & YAMAMOTO, C. I. (1999): New *Technomyrmex* in Dominican amber (Hymenoptera: Formicidae), with a reappraisal of the Dolichoderinae phylogeny. – Entomologica Scandinavica, **29**: 411–428.
- BRAZIL, R. P. & FILHO, J. D. A. (2002): Description of *Pintomyia (Pifanomyia) falcaorum* sp.

- n. (Diptera: Psychodidae: Phlebotominae), a fossil sand fly from Dominican amber. – Memórias do Instituto Oswaldo Cruz, **97** (4): 501–503.
- BRIGHT, D. E. & POINAR, Jr., G. O. (1994): Scolytidae and Platypodidae from Dominican amber. – Annals of the Entomological Society of America, **87** (2): 170–195.
- BROTHERS, D. J. (2003): The first fossil Ephutini (Hymenoptera: Mutillidae), a new species of *Ephuta* SAY from Dominican amber. – Acta Zoologica Cracoviensis, **46** (suppl., Fossil Insects): 101–107.
- CAMARGO, J. M. F., GRIMALDI, D. A. & PEDRO, S. R. M. (2000): The extinct fauna of stingless bees (Hymenoptera, Apidae, Meliponini) in Dominican amber: two new species and re-description of the male of *Problebeia dominicana* (WILLE and CHANDLER). – American Museum Novitates, **3293**: 24 pp.
- CARPENTER, J. M. & GRIMALDI, D. A. (1997): Social wasps in amber. – American Museum Novitates, **3203**: 7 pp.
- CURRADO, I. & OLMI, M. (1983): Primo reperto di Driinide fossile in ambra della Repubblica Dominicana (Hymenoptera, Dryinidae). – Bollettino del Museo Regionale di Scienze Naturali di Torino, **1**: 329–334.
- DARLING, D. C. (1997): A new species of *Spalangiopelta* (Hymenoptera; Pteromalidae; Ceinae) from Dominican amber: Phylogenetic and Biogeographic implications. – Journal of the Kansas Entomological Society, **69** (4): 248–259.
- DE MEYER, M. (1995): Short note on fossil Pipunculidae (Diptera) from Dominican amber. – Journal of the New York Entomological Society, **103** (2): 208–214.
- DIETRICH, C. H. & VEGA, F. E. (1995): Leafhoppers (Homoptera: Cicadellidae) from Dominican amber. – Annals of the Entomological Society of America, **88** (3): 263–270.
- DISNEY, R. H. L. (1987): Four species of scuttle flies (Diptera: Phoridae) from Dominican amber. – The Pan-Pacific Entomologist, **63** (4): 377–380.
- DISNEY, R. H. L. & ROSS, A. J. (1996): *Abaristophora* and *Puliciphora* (Diptera: Phoridae) from Dominican amber and revisionary note on modern species. – European Journal of Entomology, **93**: 127–135.
- DOYEN, J. T. & POINAR, Jr., G. O. (1994): Tenebrionidae from Dominican amber (Coleoptera). – Entomologica Scandinavica, **25**: 27–51.
- EMELJANOV, A. F. & SHCHERBAKOV, D. E. (2000): Kinnaridae and Derbidae (Homoptera, Fulgoroidea) from the Dominican amber. – Neus Jahrbuch für Geologie und Paläontologie Monatshefte, **2000** (7): 438–448.
- EMERSON, A. E. (1971): Tertiary fossil species of the Rhinotermitidae (Isoptera), phylogeny of genera, and reciprocal phylogeny of associated Flagellata (Protozoa) and the Staphylinidae (Coleoptera). – Bulletin of the American Museum of Natural History, **146** (3): 243–304.
- ENGEL, M. S. (1995): *Neocorynura electra*, a new fossil bee species from Dominican amber (Hymenoptera: Halictidae). – Journal of the New York Entomological Society, **103** (3): 317–323.
- ENGEL, M. S. (1996): New augochlorine bees (Hymenoptera: Halictidae) in Dominican amber, with a brief review of fossil Halictidae. – Journal of the Kansas Entomological Society, **69** (4): 334–345.
- ENGEL, M. S. (1997): A new fossil bee from the Oligo-Miocene Dominican amber (Hymenoptera: Halictidae). – Apidologie, **28**: 97–102.
- ENGEL, M. S. (1999a): *Megachile glaesaria*, the first megachilid bee fossil from amber (Hymenoptera: Megachilidae). – American Museum Novitates, **3276**: 13 pp.
- ENGEL, M. S. (1999b): The first fossil *Euglossa* and phylogeny of the orchid bees (Hymenoptera: Apidae; Euglossini). – American Museum Novitates, **3272**: 14 pp.
- ENGEL, M. S. (2000): A new xeromelissine bee in Tertiary amber of the Dominican Republic (Hymenoptera: Colletidae). – Entomologica Scandinavica, **30**: 453–458.
- ENGEL, M. S. (2002): The first leucospid wasp from the fossil record (Hymenoptera: Leucospidae). – Journal of Natural History, **36** (4): 435–441.
- ENGEL, M. S. & GRIMALDI, D. A. (2000): A winged *Zorotypus* in Miocene amber from the Dominican Republic (Zoraptera: Zorotypidae), with discussion on relationships of and within the order. – Acta Geologica Hispanica, **35** (1/2): 149–164.
- ENGEL, M. S. & RIGHTMYER, M. G. (2000): A new augochlorine bee species in Tertiary amber from the Dominican Republic (Hymenoptera: Halictidae). – Apidologie, **31** (3): 431–436.

- EVENHUIS, N. L. (2002a): Review of the Tertiary microbombyliids (Diptera: Mythicomyiidae) in Baltic, Bitterfeld, and Dominican amber. – *Zootaxa*, **100**: 15 pp.
- EVENHUIS, N. L. (2002b): *Pieza*, a new genus of microbombyliids from the New World (Diptera: Mythicomyiidae). – *Zootaxa*, **36**: 28 pp.
- FAIRCHILD, G. B. & LANE, R. S. (1989): A second species of fossil *Stenotabanus* (Diptera, Tabanidae) in amber from the Dominican Republic. – *The Florida Entomologist*, **72** (4): 630–632.
- FILHO, J. D. A., FALCAO, A. L. & BRAZIL, R. P. (2004): A new phlebotomine fossil species *Trilchopygomyia killickorum* sp. n. (Diptera: Psychodidae) found in the Dominican Republic amber. – *Parasite*, **11** (1): 71–73.
- FROESCHNER, R. (1992): The flat bug genus *Calisiopsis* CHAMPION: a review with descriptions of three new species including one from Dominican Republic amber (Heteroptera: Araridae). – *Proceedings of the Biological Society of Washington*, **105** (1): 32–39.
- GBICKI, C. & WEGIEREK, P. (1993): *Oligocixia electrina* gen. et sp. nov. (Homoptera, Auchenorrhyncha, Cixiidae) from Dominican amber. – *Annalen des Naturhistorischen Museums in Wien, Serie A*, **95**: 121–125.
- GOLUB, V. B. & POPOV, Y. A. (1999): Composition and evolution of Cretaceous and Cenozoic faunas of bugs of the superfamily Tingoidea (Heteroptera: Cimicomorpha). – AM-BA/AM Proceedings of the First International Palaeoentomology Conference in Moscow, 1998, Bratislava, 1999: 33–39.
- GOLUB, V. B. & POPOV, Y. A. (2000a): New cantacaderid lace bugs from Dominican amber (Heteroptera: Tingidae, Cantacaderinae). – *Acta Geologica Hispanica*, **35** (1/2): 165–169.
- GOLUB, V. B. & POPOV, Y. A. (2000b): New Cenozoic lace bugs (Heteroptera: Tingidae). – *Palaeontological Journal*, **34** (supl. 3): 290–297.
- GOLUB, V. B. & POPOV, Y. A. (2003): Two new species of lace bugs from Dominican amber (Heteroptera: Tingidae, Tinginae). – *Annals of the Upper Silesian Museum in Bytom, Entomology*, **12**: 101–110.
- GRIMALDI, D. A. (1987): Amber fossil Drosophilidae (Diptera), with particular reference to the Hispaniolan taxa. – *American Museum Novitates*, **2880**: 23 pp.
- GRIMALDI, D. A. (1989): The genus *Metopina* (Diptera: Phoridae) from Cretaceous and Tertiary ambers. – *Journal of the New York Entomological Society*, **97** (1): 65–72.
- GRIMALDI, D. A. (1991): Mycetobiine woodgnats (Diptera, Anisopodidae) from the Oligo-Miocene amber from the Dominican Republic, and Old World affinities. – *American Museum Novitates*, **3014**: 24 pp.
- GRIMALDI, D. A. (1993): Amber fossil Drosophilidae (Diptera), Part II: Review of the genus *Hyalistata*, new status (Steganinae). – *American Museum Novitates*, **3084**: 15 pp.
- GRIMALDI, D. A. (1995a): The age of Dominican amber. – In: ANDERSON, K. B. & CREELING, J. C. (eds.): *Amber, resinite and fossil resins*. – American Chemical Society, Symposium Series, **617**: 203–217.
- GRIMALDI, D. A. (1995b): A remarkable new species of *Ogcodes* (Diptera: Acroceridae) in Dominican amber. – *American Museum Novitates*, **3127**: 8 pp.
- GRIMALDI, D. A. (1997): The bird flies, genus *Carnus*: species revision, generic relationships, and a fossil *Meoneura* in amber (Diptera: Carnidae). – *American Museum Novitates*, **3190**: 30 pp.
- GRIMALDI, D. A. & AMORIM, D. S. (1995): A basal new species of *Olbiogaster* (Diptera: Anisopodidae) in Dominican amber, and its systematic placement. – *Proceedings of the Entomological Society of Washington*, **97** (3): 561–568.
- GRIMALDI, D. A. & MATHIS, W. N. (1993): Fossil Periscelididae (Diptera). – *Proceedings of the Entomological Society of Washington*, **95** (3): 383–403.
- GRIMALDI, D. A., MICHALSKI, C. & SCHMIDT, K. (1993): Amber fossil Enicocephalidae (Heteroptera) from the Lower Cretaceous of Lebanon and Oligo-Miocene of the Dominican Republic, with biogeographic analysis of *Enicocephalus*. – *American Museum Novitates*, **3071**: 30 pp.
- GRISSELL, E. E. (1980): New Torymidae from Tertiary amber of the Dominican Republic and a world list of fossil torymids (Hymenoptera, Chalcidoidea). – *Proceedings of the Entomological Society of Washington*, **82** (2): 252–259.
- GRUND, M. (2005): Chironomids (Diptera: Chironomidae) of Dominican amber. *Abla-*

- besmyia electrohispaniolana*, sp. n. and paleoecological indications due to subfamily proportions. – Insect Systematics and Evolution, **36**: 29–34.
- GUTIÉRREZ, E. & PÉREZ-GELABERT, D. E. (2000): Annotated checklist of Hispaniolan cockroaches. – Transactions of the American Entomological Society, **126** (3+4): 423–445.
- HALL, J. P. W., ROBBINS, R. K. & HARVEY, D. J. (2004): Extinction and biogeography in the Caribbean: new evidence from a fossil iroidin butterfly in Dominican amber. – Proceedings of the Royal Society of London, Series B, **271**: 797–801.
- HEIE, O. E. & POINAR, Jr., G. O. (1988): *Mindazerius dominicanus* nov. gen., nov. sp., a fossil aphid (Homoptera, Aphidoidea, Drepanosiphidae) from Dominican amber. – Psyche, **95**: 153–165.
- HEIE, O. E. & POINAR, Jr., G. O. (1999): A fossil aphid (Hemiptera: Sternorrhyncha) in Dominican amber. – Proceedings of the Entomological Society of Washington, **101** (4): 816–821.
- HEISS, E. (2000): First record of a Mezirinae flat bug from Dominican amber: *Mezira scheveni* n. sp. (Heteroptera, Aradidae). – Entomologische Nachrichten, **7**: 6–10.
- IRMLER, U. (2003): Osoriinae (Coleoptera: Staphylinidae) from Dominican amber. – Stuttgarter Beiträge zur Naturkunde, Serie B, **341**: 16 pp.
- ITURRALDE-VINENT, M. A. & MACPHEE, R. D. E. (1996): Age and paleogeographical origin of Dominican amber. – Science, **273**: 1850–1852.
- JOHANSON, K. A. & WICHARD, W. (1996): Caddis flies of Dominican amber X. Fossil species of Helicopsychidae (Trichoptera). – Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg, **79**: 195–209.
- JOHNSON, C., AGOSTI, D., DELABIE, J. H., DUMPERT, K., WILLIAMS, D. J., TSCHIRNHAUS, M. von & MASCHWITZ, U. (2001): *Acropyga* and *Azteca* ants (Hymenoptera: Formicidae) with scale insects (Sternorrhyncha: Coccoidea): 20 million years of intimate symbiosis. – American Museum Novitates, **3335**: 18 pp.
- KASZAB, Z. & SCHAWALLER, W. (1984): Eine neue Scharzkäfer-Gattung und -Art aus dominikanischem Bernstein (Coleoptera, Tenebrionidae). – Stuttgarter Beiträge zur Naturkunde, Serie B, **109**: 6 pp.
- KATHIRITHAMBY, J. & GRIMALDI, D. A. (1993): Remarkable stasis in some Lower Tertiary parasitoids: descriptions, new records, and review of Strepsiptera in the Oligo-Miocene amber of the Dominican Republic. – Entomologica Scandinavica, **24**: 31–41.
- KEILBACH, R. (1982a): Bibliographie und Liste der Arten tierischer Einschlüsse in fossilen Harzen sowie ihrer Aufbewahrungsorte. – Deutsche entomologische Zeitschrift, **29** (1/3): 129–286.
- KEILBACH, R. (1982b): Bibliographie und Liste der Arten tierischer Einschlüsse in fossilen Harzen sowie ihrer Aufbewahrungsorte. Teil 2. – Deutsche entomologische Zeitschrift, **29**: 301–391.
- KINZELBACH, R. (1979): Das erste neotropische Fossil der Fächerflügler (Stuttgarter Bernsteinsammlung: Insecta, Strepsiptera). – Stuttgarter Beiträge zur Naturkunde, Serie B, **52**: 14 pp.
- KINZELBACH, R. (1983): Fächerflügler aus dem dominikanischen Bernstein (Insecta: Strepsiptera: Myrmecolacidae). – Verhandlungen des Naturwissenschaftlichen Vereins in Hamburg, **26**: 29–36.
- KINZELBACH, R. & POHL, H. (1994): The fossil Strepsiptera (Insecta, Strepsiptera). – Annals of the Entomological Society of America, **87** (1): 59–70.
- KISTNER, D. H. (1998): New species of termitophilous Trichopseniinae (Coleoptera: Staphylinidae) found with *Mastotermes darwiniensis* in Australia and in Dominican amber. – Sociobiology, **31** (1): 51–76.
- KLIMASZEWSKI, S. M. (1995): *Succinopsylla dominicana* n. gen. n. sp., a new jumping plant louse from the Dominican amber (Insecta: Homoptera, Rhinopsyllidae). – Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg, **78**: 189–195.
- KLIMASZEWSKI, S. M. (1996): New psyllids (Homoptera, Psylloidea) from Dominican amber. – Acta Biologica Silesiana, **29** (46): 24–44.
- KLIMASZEWSKI, S. M. (1998): Further data concerning Dominican amber jumping plant lice (Homoptera, Psylloidea). – Acta Biologica Silesiana, **32**: 19–27.
- KRISHNA, K. (1996): New fossil species of Termites of the subfamily Nasutitermitidae from Dominican and Mexican amber (Isoptera, Termitidae). – American Museum Novitates, **3176**: 13 pp.

- KRISHNA, K. & BACCHUS, S. (1987): A new fossil species from Dominican amber, *Cryptotermes yamini* (Isoptera, Kalotermitidae). – American Museum Novitates, **2884**: 5 pp.
- KRISHNA, K. & GRIMALDI, D. A. (1991): A new fossil species from Dominican amber of the living Australian termite genus *Mastotermes* (Isoptera, Mastotermitidae). – American Museum Novitates, **3021**: 10 pp.
- KRZEMINSKI, W. (1992): Limoniidae (Diptera, Nematocera) from Dominican amber. I. Genus *Molophilus* CURTIS, 1833. – Acta Zoologica Cracoviensis, **35** (1): 107–111.
- KRZEMINSKI, W. (1996): A revision of fossil *Megistocera* and *Brachypremna* (Diptera: Tipulidae). – Polskie pismo entomologiczne, **65**: 275–278.
- LANE, R. S., POINAR, Jr., G. O. & FAIRCHILD, G. B. (1988): A fossil horsefly (Diptera, Tabanidae) in Dominican amber. – The Florida Entomologist, **71** (4): 593–596.
- LATTKE, J. (1990): The genus *Proceratium* in Dominican amber (Hymenoptera: Formicidae). – Caribbean Journal of Science, **26**: 101–103.
- LATTKE, J. E. (2003): The genus *Platythyrea* ROGER, 1863 in Dominican amber (Hymenoptera: Formicidae: Ponerinae). – Entomotropica, **18** (2): 107–111.
- LEWIS, R. E. & GRIMALDI, D. A. (1997): A pulicid flea in Miocene amber from the Dominican Republic (Insecta: Siphonaptera: Pulicidae). – American Museum Novitates, **3205**: 9 pp.
- MACKAY, W. P. (1991): *Anochetus brevidentatus*, new species, a second fossil Odontomachiti ant (Hymenoptera: Formicidae). – Journal of the New York Entomological Society, **99**(1): 138–140.
- MALDONADO CAPRILES, J. & POINAR, Jr., G. O. (1995a): *Reuterescopuss carvalhoi* n. sp., a new fossil plant bug (Heteroptera: Miridae: Phylinae). – Proceedings of the Entomological Society of Washington, **97** (2): 346–349.
- MALDONADO CAPRILES, J. & POINAR, Jr., G. O. (1995b): *Stomatomiris*, a new fossil mirid genus in Dominican amber (Heteroptera: Miridae). – Caribbean Journal of Science, **31** (3–4): 281–283.
- MALDONADO CAPRILES, J., SANTIAGO-BLAY, J. & POINAR, Jr., G. O. (1993a): *Paleoploiariola venosa*, a new fossil Emesinae (Heteroptera, Reduviidae) genus and species from Dominican amber. – The journal of agriculture of the University of Puerto Rico, **77**: 95–100.
- MALDONADO CAPRILES, J., SANTIAGO-BLAY, J. A. & POINAR, Jr., G. O. (1993b): *Apicrenus fossilis* gen. & sp. n. (Heteroptera: Reduviidae: Apiomerinae) from Dominican amber (lower Oligocene – upper Eocene). – Entomologica Scandinavica, **24**: 139–142.
- MALDONADO CAPRILES, J., SANTIAGO-BLAY, J. A. & POINAR, Jr., G. O. (1996): *Paralienates hyalinus* n. gen., n. sp. (Enicocephalidae: Heteroptera): A fossil gnat bug from Dominican amber (lower Miocene – upper Eocene). – The journal of agriculture of the University of Puerto Rico, **80**: 47–54.
- MANLEY, D. G. & POINAR, Jr., G. O. (1991): A new species of fossil *Dasymutilla* (Hymenoptera: Mutillidae) from Dominican amber. – The Pan-Pacific Entomologist, **67** (3): 200–205.
- MANLEY, D. G. & POINAR, Jr., G. O. (1999): A second species of fossil *Dasymutilla* (Hymenoptera: Mutillidae) from Dominican amber. – The Pan-Pacific Entomologist, **75** (1): 48–51.
- MANLEY, D. G. & POINAR, Jr., G. O. (2003): A new specimen of fossil Mutillidae (Hymenoptera) from Dominican amber. – Proceedings of the Entomological Society of Washington, **105** (4): 1069–1071.
- MARI-MUTT, J. A. (1983): Collembola in amber from the Dominican Republic. – Proceedings of the Entomological Society of Washington, **85** (3): 575–587.
- MARSHALL, S. A., LANGSTAFF, R. & GRIMALDI, D. A. (1999): New species of Sphaeroceridae (Insecta, Diptera) in Dominican amber. – Studia dipterologica, **6** (2): 295–304.
- MARTINS, U. R. & GALILEO, M. H. M. (1999): *Paleohemilophus*, a new genus of fossil Cerambycidae from Hispaniola Island (Coleoptera). – Revista Brasileira de Entomologia, **43** (3/4): 309–313.
- MEINANDER, M. (1998): Coniopterygidae (Neuroptera) in amber from the Dominican Republic. – Journal of neuropterology, **1**: 33–36.
- MENDES, L. F. (1997): First contribution to the study of the Dominican amber Zygentoma (Insecta). Family Ateluridae. – Pedobiologia, **41** (1–3): 40–43.
- MENDES, L. F. (1998): Second contribution to the study of the Dominican amber Zygentoma (Insecta). Family Lepismatidae. – The Canadian Entomologist, **130**: 899–904.

- MENDES, L. F. & POINAR, Jr., G. O. (2004): A new fossil Nicoletiidae (Zygentoma, "Apterygota") in Dominican amber. – Proceedings of the Entomological Society of Washington, **106** (1): 102–119.
- METZ, M. A. & IRWIN, M. E. (2000): Revision of *Lindneria* KROEBER, with the description of two new genera *Insulatitan* and *Ambradolon*, a fossil from Dominican amber (Diptera: Therevidae: Thereviniae). – Annals of the Entomological Society of America, **93** (5): 977–1018.
- MICHELSSEN, V. (1996): First reliable record of a fossil species of Anthomyiidae (Diptera), with comments on the definition of recent and fossil clades in phylogenetic classification. – Biological Journal of the Linnean Society, **58** (4): 441–451.
- MICHENER, C. D. (1982): A new interpretation of fossil social bees from the Dominican Republic. – Sociobiology, **7** (1): 37–46.
- MICHENER, C. D. & POINAR, Jr., G. O. (1996): The known bee fauna of the Dominican amber. – Journal of the Kansas Entomological Society, **69** (4): 353–361.
- MILLER, K. B. & BALKE, M. (2003): The unusual occurrence of aquatic beetles in amber, *Copelatus aphrodite* BALKE, n. sp. and *C. predaveterus* MILLER, n. sp., (Coleoptera: Dytiscidae: Copelatinae). – Proceedings of the Entomological Society of Washington, **105** (4): 809–815.
- NAGEL, P. (1987): Fossil ant nest beetles (Coleoptera, Carabidae, Paussinae). – Entomologische Arbeiten aus dem Museum George Frey, **35/36**: 137–170.
- NAGEL, P. (1997): New fossil paussids from Dominican amber with notes on the phylogenetic systematics of the paussine complex (Coleoptera: Carabidae). – Systematic Entomology, **22** (4): 345–362.
- NEL, A., MARTÍNEZ-DELCLÒS, X. & AZAR, D. (2002): A new ensign-fly from the Lower-Middle Miocene Dominican amber (Hymenoptera, Evaniidae). – Bulletin de la Société Entomologique de France, **107** (3): 217–221.
- NORRBOM, A. L. (1994): New genera of Tephritidae (Diptera) from Brazil and Dominican amber, with phylogenetic analysis of the tribe Ortalotrypetini. – Insecta Mundi, **8** (1/2): 1–15.
- NORRBOM, A. L. & CONDON, M. A. (2000): Phylogeny of the subfamily Blepharoneurinae. – In: ALIYA, M. & NORRBOM, A. L. (eds.): Fruit flies (Tephritidae) phylogeny and evolution of behavior: 135–155; Boca Raton (CRC Press).
- OCAMPO, F. C. (2002): *Procoilodes adrastus* OCAMPO, a new genus and species of Miocene Hybosorid in amber from the Dominican Republic (Coleoptera: Scarabaeoidea: Hybosoridae). – Coleopterists Bulletin, **56** (1): 123–126.
- OLMI, M. (1987): New species of Dryinidae, with description of a new subfamily from Florida and a new species from Dominican amber (Hymenoptera, Chrysidoidea). – Bollettino del Museo Regionale di Scienze Naturali di Torino, **5**: 211–238.
- OLMI, M. (1989): Supplement to the revision of the world Dryinidae (Hymenoptera, Chrysidoidea). – Frustula entomologica, **12** (25): 109–395.
- OLMI, M. (1995): Dryinids and embolemidns in amber (Hymenoptera Dryinidae et Embolemidae). – Redia, **78** (2): 253–271.
- OLMI, M. (1998a): New Oriental and Neotropic Dryinidae (Hymenoptera Chrysidoidea). – Frustula entomologica, N. S., **20**: 152–167.
- OLMI, M. (1998b): New Embolemididae and Dryinidae (Hymenoptera Chrysidoidea). – Frustula entomologica, N. S., **20**: 30–118.
- OLMI, M. (1999): New fossil Dryinidae from Baltic and Lebanese amber (Hymenoptera, Chrysidoidea). – Frustula entomologica, N. S., **21**: 48–67.
- OSWALD, J. D. (1999): The brown lacewing genus *Notiobiella* (Neuroptera: Hemerobiidae) from Dominican amber. – Journal of the New York Entomological Society, **107**(4): 297–303.
- PEÑALVER, E. (1995): Insectos Dípteros (Diptera: Keroplatidae y Scatopsidae) en el ámbar de la República Dominicana. – Cidaris, **4**: 55–65.
- PÉREZ-GELABERT, D. E. (1999): Catálogo Sistemático y Bibliografía de la Biota Fósil en ámbar de la República Dominicana. – Hispaniolana, **1**: 1–65.
- PÉREZ-GELABERT, D. E., DOMINICI, G., HIERRO, B. & OTTE, D. (1997): New eumastacid grasshopper taxa (Orthoptera: Eumastacidae: Episactinae) from the Dominican Republic, including a fossil new genus and species from Dominican amber. – Journal of Orthoptera Research, **6**: 139–151.

- PERKOVSKY, E. E. (2000): The first find of leiodid tribe Scotocryptini (Coleoptera: Leiodidae: Leiodinae) in fossil resin (Dominican Amber). – Paleontological Journal, **34** (supl. 3): 331–332.
- PODENAS, S. & POINAR, Jr., G. O. (1999): New crane flies (Diptera: Limoniidae) from Dominican amber. – Proceedings of the Entomological Society of Washington, **101**: 595–610.
- PODENAS, S. & POINAR, Jr., G. O. (2001): New crane flies (Diptera: Tipulidae, Limoniidae) from Dominican and Mexican amber. – Proceedings of the Entomological Society of Washington, **103**: 863–878.
- POINAR, Jr., G. O. (1988): *Zorotypus palaeus*, new species, a fossil Zoraptera (Insecta) in Dominican amber. – Journal of the New York Entomological Society, **96** (3): 253–259.
- POINAR, Jr., G. O. (1991a): *Hymenaea protera* sp. n. (Leguminosae, Caesalpinoideae) from Dominican amber has African affinities. – Experientia, **47**: 1075–1082.
- POINAR, Jr., G. O. (1991b): *Praecoris dominicana* gen. n., sp. n. (Hemiptera, Reduviidae, Holoptilinae) from Dominican amber, with an interpretation of past behavior based on functional morphology. – Entomologica Scandinavica, **22**: 193–199.
- POINAR, Jr., G. O. (1995): Fleas (Insecta: Siphonaptera) in Dominican amber. – Medical Science Research, **23**: 789.
- POINAR, Jr., G. O. (1996): A fossil stalk-winged damselfly, *Diceratobasis worki* spec. nov., from Dominican amber, with possible ovipositional behaviour in tank bromeliads (Zygoptera: Coenagrionidae). – Odonatologica, **25** (4): 381–385.
- POINAR, Jr., G. O. (1998): *Paleoeuglossa melissiflora* gen. n., sp. n. (Euglossinae: Apidae), fossil orchid bees in Dominican amber. – Journal of the Kansas Entomological Society, **71** (1): 29–34.
- POINAR, Jr., G. O. (1999): A fossil palm bruchid, *Caryobruchus dominicanus* sp. n. (Pachymerini: Bruchidae) in Dominican amber. – Entomologica Scandinavica, **30** (1): 219–224.
- POINAR, Jr., G. O. & BROWN, J. W. (1993): A new fossil tortricid (Lepidoptera: Tortricidae) from Dominican amber. – Entomologica Scandinavica, **24** (1): 25–29.
- POINAR, Jr., G. O. & SANTIAGO-BLAY, J. A. (1997): *Paleodoris lattini* gen. n., sp. n., a fossil palm bug (Hemiptera: Thaumastocoridae, Xylastodorinae) in Dominican amber, with habits discernible by comparative functional morphology. – Entomologica Scandinavica, **28** (3): 307–310.
- POINAR, Jr., G. O. & STANGE, L. A. (1996): A new antlion from Dominican amber (Neuroptera: Myrmeleontidae). – Experientia, **52**: 383–386.
- POINAR, Jr., G. O. & VOISIN, J. F. (2003): A Dominican weevil, *Velatis dominicana* gen. n., sp. n. and key to the genera of the Anchonini (Molytinae, Curculionidae). – Nouvelle revue d'entomologie, **19** (4): 373–381.
- PONT, A. J. & CARVALHO, C. J. B. (1997): Three new species of Muscidae (Diptera) from Dominican amber. – Studia dipterologica, **4** (1): 173–181.
- POPOV, Y. A. (1987): Synopsis of the Neotropical bug genus *Malacopus* STÅL, with the description of a new fossil species from Dominican amber (Heteroptera: Reduviidae, Emesinae). – Stuttgarter Beiträge zur Naturkunde, Serie B, **130**: 15 pp.
- POPOV, Y. A. (1989): *Alumeda* n. g., a new bug genus erected for three fossil species from Dominican amber (Heteroptera: Reduviidae: Emesinae). – Stuttgarter Beiträge zur Naturkunde, Serie B, **150**: 14 pp.
- POPOV, Y. A. (1993): A new genus of Emesinae from Dominican Amber (Heteroptera: Reduviidae). – Acta Zoologica Cracoviensia, **35** (3): 435–443.
- PRENTICE, M. A. & POINAR, Jr., G. O. (1993): Three species of *Trypoxylon* LATREILLE from Dominican amber (Hymenoptera, Sphecidae). – Journal of the Kansas Entomological Society, **66** (3): 280–291.
- PRENTICE, M. A., POINAR, Jr., G. O. & MILKI, R. (1996): Fossil scolebythids (Hymenoptera: Scolebythidae) from Lebanese and Dominican amber. – Proceedings of the Entomological Society of Washington, **98** (4): 802–811.
- RATCLIFFE, B. C. & OCAMPO, F. C. (2001): *Tyrannasorus rex* RATCLIFFE and OCAMPO, a new genus and species of Miocene Hybosorid in amber from the Dominican Republic (Coleoptera: Scarabaeoidea: Hybosoridae). – Coleopterists Bulletin, **55** (3): 351–355.
- ROHAČEK, J. (1998): Taxonomic limits, phylogeny and higher classification of Anthomyzidae

- (Diptera), with special regard to fossil record. – European Journal of Entomology, **95** (1): 141–177.
- ROZEN, Jr., J. G. (1996): A new species of the bee *Heterosarus* from Dominican amber (Hymenoptera; Andrenidae; Panurginae). – Journal of the Kansas Entomological Society, **69** (4): 346–352.
- SANTIAGO-BLAY, J. A. & CRAIG, P. R. (1999): Preliminary analysis of chrysomelid paleodiversity, with a new record and new species from Dominican amber (early to middle Miocene). – In: COX, M. L. (ed.): Advances in Chrysomelidae Biology: 17–24; Amsterdam (SPB Academic Publishing).
- SANTIAGO-BLAY, J. A. & POINAR, Jr., G. O. (1993): Classification of *Diphleps* (Heteroptera, Miridae, Isometopinae) with description of *D. yenli*, a new species from Dominican amber (Lower Oligocene – Upper Eocene). – Proceedings of the Entomological Society of Washington, **95** (1): 70–73.
- SANTIAGO-BLAY, J. A., POINAR, Jr., G. O. & CRAIG, P. R. (1996): Dominican and Mexican amber chrysomelids, with descriptions of two new species. – In: JOLIVET, P. H. A. & COX, M. L. (eds.): Chrysomelidae Biology, Vol. 1. The Classification, Phylogeny, and Genetics: 413–424; Amsterdam (SPB Academic Publishing).
- SANTIAGO-BLAY, J. A., SAVINI, V., ZURTH, D. G., CRAIG, P. R. & POINAR, Jr., G. O. (2004): *Wanderbiltiana wawasita*: A new species of flea beetle (Apticinae) from Dominican amber (Lower Oligocene to Lower Miocene). – In: JOLIVET, P., SANTIAGO-BLAY, J. A. & SCHMITT, M. (eds.): New Developments in the Biology of Chrysomelidae: 275–277; Amsterdam (SPB Academic Publishing).
- SCARBROUGH, A. G. & POINAR, Jr., G. O. (1992): Upper Eocene robber flies of the genus *Ommatius* (Diptera: Asilidae) in Dominican amber. – Insecta Mundi, **6** (1): 13–18.
- SCHAWALLER, W. (1981): Pseudoskorpone (Cheliferidae) phoretisch auf Käfern (Platypodidae) in Dominikanischem Bernstein (Stuttgarter Bernsteinsammlung: Pseudoscorpionida und Coleoptera). – Stuttgarter Beiträge zur Naturkunde, Serie B, **71**: 17 pp.
- SCHLEMMERMAYER, T. & CANCELLA, E. M. (2000): New fossil termite species: *Dolichorhinotermes dominicanus* from Dominican amber (Isoptera, Rhinotermitidae, Rhinotermitinae). – Papéis avulsos de zoologia (Sao Paulo), **41** (20): 303–311.
- SCHLÜTER, T. (1976): Die Wollschauber-Gattung *Glabellula* (Diptera: Bombyliidae) aus dem oligozänen Harz der Dominikanischen Republik. – Entomologica Germanica, **2** (4): 355–363.
- SCHLÜTER, T. (1978): Die Schmetterlingsmücken-Gattung *Nemopalpus* (Diptera: Psychodidae). – Entomologica Germanica, **4**: 242–249.
- SCHMALFUSS, H. (1979): *Proceroplatus hennigi* n. sp., die erste Pilzmücke aus dem Dominikanischen Bernstein (Stuttgarter Bernsteinsammlung: Diptera, Mycetophiloidea, Keroplatidae). – Stuttgarter Beiträge zur Naturkunde, Serie B, **49**: 9 pp.
- SHATTUCK, S. O. (1992): Revision of the dolichoderine ant genus *Iridomyrmex* MAYR with description of three new genera (Hymenoptera: Formicidae). – Journal of the Australian Entomological Society, **31**: 13–18.
- SKELLEY, P. E. (1997): A new species of *Dacne* LATREILLE from Dominican amber, with a key and checklist to the known species of *Dacne* (Erotylidae: Dacninae). – Annales Zoologici, **47** (1–2): 49–53.
- SLATER, J. A. & BARANOWSKI, R. M. (2000): *Discocoris dominicanus*, a new species of palm bug from Dominican amber (Heteroptera: Thaumastocoridae). – The Florida Entomologist, **83** (3): 349–353.
- SMITH, D. R. & POINAR, Jr., G. O. (1992): Sawflies (Hymenoptera: Argidae) from Dominican amber. – Entomological News, **103** (4): 117–124.
- SPAHR, U. (1981a): Bibliographie der Bernstein- und Kopal-Käfer (Coleoptera). – Stuttgarter Beiträge zur Naturkunde, Serie B, **72**: 21 pp.
- SPAHR, U. (1981b): Systematischer Katalog der Bernstein- und Kopal-Käfer (Coleoptera). – Stuttgarter Beiträge zur Naturkunde, Serie B, **80**: 107 pp.
- SPAHR, U. (1985): Ergänzungen und Berichtigungen zu R. KEILBACHS Bibliographie und Liste der Bernsteinfossilien – Ordnung Diptera. – Stuttgarter Beiträge zur Naturkunde, Serie B, **111**: 146 pp.
- SPAHR, U. (1987): Ergänzungen und Berichtigungen zu R. KEILBACHS Bibliographie und Liste der Bernsteinfossilien – Ordnung Hymenoptera. – Stuttgarter Beiträge zur Naturkunde, Serie B, **127**: 121 pp.

- SPAHR, U. (1988): Ergänzungen und Berichtigungen zu R. KEILBACHS Bibliographie und Liste der Bernsteinfossilien – Überordnung Hemipteroidea. – Stuttgarter Beiträge zur Naturkunde, Serie B, **144**: 60 pp.
- SPAHR, U. (1989): Ergänzungen und Berichtigungen zu R. KEILBACHS Bibliographie und Liste der Bernsteinfossilien – Überordnung Mecopteroidea. – Stuttgarter Beiträge zur Naturkunde, Serie B, **157**: 87 pp.
- SPAHR, U. (1990): Ergänzungen und Berichtigungen zu R. KEILBACHS Bibliographie und Liste der Bernsteinfossilien – “Apterygota”. – Stuttgarter Beiträge zur Naturkunde, Serie B, **166**: 23 pp.
- SPAHR, U. (1992): Ergänzungen und Berichtigungen zu R. KEILBACHS Bibliographie und Liste der Bernsteinfossilien – Klasse Insekta. – Stuttgarter Beiträge zur Naturkunde, Serie B, **182**: 102 pp.
- SPAHR, U. (1993): Ergänzungen und Berichtigungen zu R. KEILBACHS Bibliographie und Liste der Bernsteinfossilien – Verschiede Tiergruppen, ausgenommen Insecta und Araneae. – Stuttgarter Beiträge zur Naturkunde, Serie B, **194**: 77 pp.
- STAINES, C. L. & SAMUELSON, G. A. (2000): A new *Sceloenopla* (Coleoptera, Chrysomelidae, Hispinae) from Dominican amber. – Deutsche Entomologische Zeitschrift, **47**: 61–63.
- STANICZEK, A. H. (2003): New fossil mayflies from Dominican amber (Insecta: Ephemeroptera: Leptophlebiidae: Atalophlebiinae). – Stuttgarter Beiträge zur Naturkunde, Serie B, **341**: 22 pp.
- STARK, B. P. & LENTZ, D. L. (1992): *Dominiperla antigua* (Plecoptera, Perlidae) the first stonefly from Dominican amber. – Journal of the Kansas Entomological Society, **65** (1): 93–95.
- STURM, H. & MENDES, L. F. (1998): Two new species of Nicoletiidae (Zygentoma, “Apterygota”, Insecta) in Dominican amber. – American Museum Novitates, **3226**: 11 pp.
- STURM, H. & POINAR, Jr., G. O. (1997): A new *Neomachilellus* species from Miocene amber of the Dominican Republic and its phylogenetic relationships (Archaeognatha: Meinertellidae). – Entomologia Generalis, **22** (2): 157–170.
- SZADZIEWSKI, R. & GROGAN, Jr., W. L. (1994): Biting midges from Dominican amber. I. A new fossil species of *Baeodasymyia* (Diptera: Ceratopogonidae). – Proceedings of the Entomological Society of Washington, **96** (2): 219–229.
- SZADZIEWSKI, R. & GROGAN, Jr., W. L. (1997): Biting midges from Dominican amber. II. Species of the tribes Heteromyiini and Palpomyiini (Diptera: Ceratopogonidae). – Memoirs of the Entomological Society of Washington, **18**: 254–260.
- SZADZIEWSKI, R. & GROGAN, Jr., W. L. (1998a): Biting midges from Dominican amber. IV. Species of the tribes Dasyheleini and Forcipomyiini (Diptera: Ceratopogonidae). – Polskie pismo entomologiczne, **67** (3/4): 255–290.
- SZADZIEWSKI, R. & GROGAN, Jr., W. L. (1998b): Biting midges from Dominican amber III. Species of the tribes Culicoidini and Ceratopogonini (Diptera: Ceratopogonidae). – Insecta Mundi, **12**: 39–52.
- SZUMIK, C. A (1994): *Oligembia vetusta*, a new fossil teratombiid (Embioptera) from Dominican amber. – Journal of the New York Entomological Society, **102** (1): 67–73.
- SZUMIK, C. A (1998): Una nueva especie de Anisembidiidae (Insecta, Embioptera) en ámbar dominicano. – Revista Brasileira de Entomologia, **42** (1/2): 7–8.
- SZWEDO, J. (2000): *Oliarus kulickae* sp. n. from Dominican amber (Hemiptera: Fulgoroidea: Cixiidae). – Polskie pismo entomologiczne, **69** (2): 161–166.
- SZWEDO, J. & STROINSKI, A. (2001): *Tainosia quisqueyae* gen. and sp. nov. from the Oligocene/Miocene Dominican amber (Hemiptera, Fulgoroidea, Nogodinidae). – Genus, **12** (1): 29–34.
- THOMAS, D. B. (1994): Fossil Cydnidae (Heteroptera) in the Dominican amber. – Journal of the New York Entomological Society, **102** (3): 303–309.
- VICKERY, V. R. & POINAR, Jr., G. O. (1994): Crickets (Grylloptera: Grylloidea) in Dominican amber. – The Canadian Entomologist, **126**: 13–22.
- VIERBERGEN, G. & SCHEVEN, J. (1995): Nine new species and a new genus of Dominican amber ants of the tribe Cephalotini (Hymenoptera: Formicidae). – Creation Research Society quarterly, **32** (3): 158–170.
- WAGNER, R. (2001): A remarkable new species and genus of moth-flies (Diptera, Psychodidae, Psychodinae) from Dominican amber. – Studia dipterologica, **8** (2): 423–426.

- WARD, P. S. (1992): Ants of the genus *Pseudomyrmex* (Hymenoptera, Formicidae) from Dominican amber, with a synopsis of the extant antillean species. – *Psyche*, **99** (1): 55–85.
- WEGIEREK, P. (2001): *Quisqueyaaphis heiei* gen. and sp. nov. (Hemiptera: Aphidinea: Greenideidae) new species of aphid from Dominican amber. – *Annales Zoologici*, **51**: 409–415.
- WELLS, A. & WICHARD, W. (1989): Caddisflies of Dominican amber VI. Hydroptilidae (Trichoptera). – *Studies on neotropical fauna and environment*, **24** (1): 41–51.
- WICHARD, W. (1981): Köcherfliegen des Dominikanischen Bernsteins I. *Ochotricha doehleri* sp. nov. (Trichoptera, Hydroptilidae). – *Mitteilungen der Münchner Entomologischen Gesellschaft*, **71**: 161–162.
- WICHARD, W. (1983a): Köcherfliegen des Dominikanischen Bernsteins II. Fossile Arten der Gattung *Chimarra* (Trichoptera, Philopotamidae). – *Mitteilungen der Münchner Entomologischen Gesellschaft*, **72**: 137–145.
- WICHARD, W. (1983b): Köcherfliegen des Dominikanischen Bernsteins III. – *Chimarra succini* n. sp. (Stuttgarter Bernsteinsammlung: Trichoptera, Philopotamidae). – *Stuttgarter Beiträge zur Naturkunde, Serie B*, **95**: 8 pp.
- WICHARD, W. (1985): Köcherfliegen des Dominikanischen Bernsteins. IV. *Antillopsyche oliveri* spec. nov. (Trichoptera, Polycentropidae). – *Studies on neotropical fauna and environment*, **20**: 117–124.
- WICHARD, W. (1986): Köcherfliegen des Dominikanischen Bernsteins. V. *Palaeohydropsyche fossilis* gen. n. sp. n. (Trichoptera, Hydropsychidae). – *Studies on neotropical fauna and environment*, **21**: 189–195.
- WICHARD, W. (1989): Köcherfliegen des Dominikanischen Bernsteins. VII. Fossile Arten der Gattung *Cubanoptila* SYKORA, 1973. – *Mitteilungen der Münchner Entomologischen Gesellschaft*, **79**: 91–100.
- WICHARD, W. (1995a): Köcherfliegen des Dominikanischen Bernsteins VIII. *Cubanoptila grimaldii* n. sp., eine weitere fossile Art der Glossosomatidae (Insecta, Trichoptera). – *Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg*, **78**: 159–166.
- WICHARD, W. (1995b): Köcherfliegen des Dominikanischen Bernsteins IX. Fossile Leptoceridae der Gattung *Setodes* RAMBUR, 1842 (Insecta, Trichoptera). – *Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg*, **78**: 167–178.
- WILLE, A. & CHANDLER, L. C. (1964): A new stingless bee from the Tertiary of the Dominican Republic (Hymenoptera; Meliponini). – *Revista de biología tropical*, **12** (2): 187–195.
- WILSON, E. O. (1985a): Ants of the Dominican amber (Hymenoptera: Formicidae). 1. Two new myrmicine genera and an aberrant *Pheidole*. – *Psyche*, **92** (1): 1–9.
- WILSON, E. O. (1985b): Ants of the Dominican amber (Hymenoptera: Formicidae). 2. The first fossil army ants. – *Psyche*, **92** (1): 11–16.
- WILSON, E. O. (1985c): Ants of the Dominican amber (Hymenoptera: Formicidae). 3. The subfamily Dolichoderinae. – *Psyche*, **92** (1): 17–37.
- WILSON, E. O. (1985d): Ants of the Dominican amber (Hymenoptera: Formicidae). 4. A giant ponerine in the genus *Paraponera*. – *Israel Journal of Entomology*, **19**: 197–200.
- YEATES, D. & GRIMALDI, D. A. (1993): A new *Metratrichia* window fly (Diptera, Scenopinidae) in Dominican amber, with a review of the systematics and biogeography of the genus. – *American Museum Novitates*, **3078**: 8 pp.
- ZAVORTINK, T. J. & POINAR, Jr., G. O. (2000): *Anopheles (Nyssorhynchus) dominicanus* sp. n. (Diptera: Culicidae) from Dominican amber. – *Annals of the Entomological Society of America*, **93** (6): 1230–1235.
- ZUPARKO, R. L. & POINAR, Jr., G. O. (1997): *Aivalykus dominicanus* (Hymenoptera: Braconidae), a new species from Dominican amber. – *Proceedings of the Entomological Society of Washington*, **99** (4): 744–747.

## Addresses of the authors:

Dr. ANTONIO ARIILLO, Dpto. de Zoología y Antropología Física, Facultad de Biología, Universidad Complutense, 28040 Madrid, Spain.

e-mail: aarillo@teleline.es

Dr. VICENTE M. ORTUÑO, Dpto. de Biología Animal, Universidad de Alcalá, 28871 Alcalá de Henares, Madrid, Spain.

e-mail: vicente.ortuno@uah.es

Manuscript received: 23.11.2004, accepted: 28.2.2005

---

ISSN 0341-0153

Autoren-Richtlinien: <http://www.naturkundemuseum-bw.de/stuttgart/schriften>

Schriftleitung: Dr. Ronald Böttcher, Rosenstein 1, 70191 Stuttgart

Gesamtherstellung: Gulde-Druck, 72072 Tübingen