

## **ACROPYGA**

**acutiventris.** *Acropyga acutiventris* Roger, 1862a: 243 (w.q.) SRI LANKA.

Imai, *et al.* 1984: 68 (k.).

Combination in *Plagiolepis*: Mayr, 1863: 442,  
combination in *Acropyga*: Roger, 1863b: 11.

**Status as species:** Mayr, 1862: 769; Roger, 1863b: 11; Mayr, 1863: 442; Smith, F. 1871a: 319; Emery, 1888a: 530; Dalla Torre, 1893: 174; Forel, 1894c: 418; Mayr, 1897: 432; Emery, 1900d: 697; Emery, 1901f: 121; Emery, 1901g: 567; Bingham, 1903: 333; Forel, 1903d: 407; Forel, 1909e: 395; Forel, 1911e: 286; Forel, 1913e: 663; Emery, 1925b: 28; Wheeler, W.M. 1929g: 57; Karavaiev, 1933a: 308; Chapman & Capco, 1951: 210; Taylor, 1992a: 58; Bolton, 1995b: 57; Terayama, Fellowes & Zhou, 2002: 23 (redescription); LaPolla, 2004a: 31 (redescription); Jaitrong & Nabhitabhata, 2005: 10; Mohanraj, *et al.* 2010: 6; Pfeiffer, *et al.* 2011: 36; Ran & Zhou, 2011: 65; Guénard & Dunn, 2012: 27; Sarnat, *et al.* 2013: 69; Bharti, Guénard, *et al.* 2016: 23.

**Senior synonym of australis:** Taylor, 1992a: 58; Bolton, 1995b: 57; Terayama, Fellowes & Zhou, 2002: 23; LaPolla, 2004a: 31.

**Senior synonym of carinata:** LaPolla, 2004a: 31.

**Senior synonym of crassicornis:** LaPolla, 2004a: 31.

**Senior synonym of flava:** Forel, 1894c: 418; Bolton, 1995b: 57; Terayama, Fellowes & Zhou, 2002: 23; LaPolla, 2004a: 31.

**Senior synonym of indosinensis:** LaPolla, 2004a: 31.

**Senior synonym of javana:** LaPolla, 2004a: 31.

**Senior synonym of moluccana:** LaPolla, 2004a: 31.

**Senior synonym of mysolensis:** LaPolla, 2004a: 31.

**Senior synonym of occipitalis:** LaPolla, 2004a: 31.

**Senior synonym of opaca:** LaPolla, 2004a: 31.

**Senior synonym of papuana:** LaPolla, 2004a: 31.

**Senior synonym of undecemus:** LaPolla, 2004a: 31.

**ambigua.** *Acropyga (Atopodon) ambigua* Emery, 1922d: 107, fig. 1a-b (w.q.) NEW GUINEA (Papua New Guinea).

**Status as species:** Emery, 1925b: 30; Stärcke, 1930: 376 (in key); Chapman & Capco, 1951: 211; Bolton, 1995b: 57; LaPolla, 2004a: 60 (redescription); Pfeiffer, *et al.* 2011: 36.

*amblyops.* *Acropyga (Atopodon) amblyops* Forel, 1915a: 34 (w.) INDONESIA (Sumatra).

Status as species: Emery, 1925b: 30; Stärcke, 1930: 376 (in key); Chapman & Capco, 1951: 211; Bolton, 1995b: 57.

Junior synonym of *butteli*: LaPolla, 2004a: 36.

**arnoldi.** *Acropyga (Malacomyrma) arnoldi* Santschi, 1926b: 245 (w.q.) SOUTH AFRICA.

Prins, 1982: 245 (m.).

**Status as species:** Prins, 1982: 238 (redescription); Bolton, 1995b: 57; LaPolla, 2004a: 35 (redescription); LaPolla & Fisher, 2005: 605 (in key).

**Senior synonym of rhodesiana:** Prins, 1982: 238; Bolton, 1995b: 57; LaPolla, 2004a: 35.

*australis.* *Acropyga moluccana* var. *australis* Forel, 1902h: 477 (w.) AUSTRALIA (Queensland).

Wheeler, G.C. & Wheeler, J. 1968: 209 (l.).

Subspecies of *acutiventris*: Forel, 1911e: 286; Emery, 1925b: 28.

Subspecies of *moluccana*: Forel, 1910b: 58; Taylor & Brown, 1985: 108; Taylor, 1987a: 5.

Junior synonym of *acutiventris*: Taylor, 1992a: 58; Bolton, 1995b: 57; Terayama, Fellowes & Zhou, 2002: 23; LaPolla, 2004a: 31.

**ayanganna**. *Acropyga ayanganna* LaPolla, 2004a: 71, figs. 29, 45 (w.q.m.) GUYANA.

**bakwele**. *Acropyga bakwele* LaPolla & Fisher, 2005: 602, figs. 1-4 (w.) GABON.

*baodaoensis*. *Acropyga (Atopodon) baodaoensis* Terayama, 1985b: 284, figs. 1-13 (w.q.m.) TAIWAN.

Status as species: Wang, C. & Wu, 1992a: 228 (in key); Bolton, 1995b: 57; Terayama, Fellowes & Zhou, 2002: 28 (redescription); Lin & Wu, 2003: 62.

Junior synonym of *butteli*: LaPolla, 2004a: 36; Terayama, 2009: 204.

*berwicki*. *Acropyga (Rhizomyrma) berwicki* Wheeler, W.M. 1935f: 325, fig. 1 (w.) TRINIDAD.

Status as species: Donisthorpe, 1936b: 110 (in list); Weber, 1944: 107 (redescription); Kempf, 1972a: 17; Bolton, 1995b: 57.

Junior synonym of *fuhrmanni*: LaPolla, 2004a: 42.

*borgmeieri*. *Acropyga (Rhizomyrma) borgmeieri* Donisthorpe, 1939c: 153 (m.) GUYANA.

Status as species: Weber, 1944: 111 (redescription); Kempf, 1972a: 17; Bolton, 1995b: 57.

Junior synonym of *goeldii*: LaPolla, 2004a: 50.

*bruchi*. *Acropyga (Rhizomyrma) bruchi* Santschi, 1929d: 308 (w.) ARGENTINA (Santa Fe).

Status as species: Wheeler, W.M. 1935f: 327; Donisthorpe, 1936b: 110 (in list); Weber, 1944: 103 (redescription); Kempf, 1972a: 17; Bolton, 1995b: 57.

Junior synonym of *exsanguis*: LaPolla, 2004a: 47.

*bugnioni*. *Acropyga acutiventris* subsp. *bugnioni* Forel, 1911i: 226 (w.q.) SRI LANKA.

Subspecies of *acutiventris*: Emery, 1925b: 28; Chapman & Capco, 1951: 211; Bolton, 1995b: 57.

Junior synonym of *rubescens*: LaPolla, 2004a: 33.

**butteli**. *Acropyga (Atopodon) butteli* Forel, 1912m: 772 (q.) WEST MALAYSIA.

[Also described as new by Forel, 1913k: 101.]

**Status as species**: Emery, 1925b: 30; Stärcke, 1930: 375 (in key); Chapman & Capco, 1951: 211; Bolton, 1995b: 57; LaPolla, 2004a: 36 (redescription); Terayama, 2009: 204; Pfeiffer, *et al.* 2011: 36; Ran & Zhou, 2011: 66; Jaitrong, Guénard, *et al.* 2016: 26.

**Senior synonym of amblyops**: LaPolla, 2004a: 36.

**Senior synonym of baodaoensis**: LaPolla, 2004a: 36; Terayama, 2009: 204.

**Senior synonym of distinguenda**: LaPolla, 2004a: 36.

**Senior synonym of meermohri**: LaPolla, 2004a: 36.

**Senior synonym of termitobia**: LaPolla, 2004a: 36.

*carinata*. *Acropyga acutiventris* var. *carinata* Karavaiev, 1933a: 310 (w.) INDONESIA (Sumatra).

Subspecies of *acutiventris*: Chapman & Capco, 1951: 210; Bolton, 1995b: 57.

Junior synonym of *acutiventris*: LaPolla, 2004a: 32.

*columbica*. *Rhizomyrma goeldii* var. *columbica* Forel, 1912i: 61 (w.) COLOMBIA.

Combination in *Acropyga (Rhizomyrma)*: Emery, 1925b: 29.

Subspecies of *goeldii*: Emery, 1925b: 29; Weber, 1944: 94 (redescription); Kempf, 1972a: 17; Bolton, 1995b: 57.

Junior synonym of *goeldii*: LaPolla, 2004a: 49.

*crassicornis*. *Acropyga crassicornis* Emery, 1900d: 698 (footnote), fig. 13 (w.) NEW GUINEA (no state data).

Status as species: Forel, 1911e: 286; Viehmeyer, 1914c: 530; Emery, 1925b: 28; Chapman & Capco, 1951: 211; Bolton, 1995b: 57.

Junior synonym of *acutiventris*: LaPolla, 2004a: 31.

**decedens**. *Brachymyrmex decedens* Mayr, 1887: 521 (w.q.m.) BRAZIL (Santa Catarina).

[Misspelled as *decidens* by Borgmeier, 1927c: 137.]

Combination in *Rhizomyrma*: Emery, 1906c: 184;

combination in *Acropyga (Rhizomyrma)*: Emery, 1925b: 29.

**Status as species**: Dalla Torre, 1893: 174; Forel, 1895b: 106; Emery, 1925b: 29; Borgmeier, 1927c: 137; Wheeler, W.M. 1935f: 327; Donisthorpe, 1936b: 110 (in list); Weber, 1944: 92 (redescription); Kempf, 1972a: 17; Bolton, 1995b: 57; LaPolla, 2004a: 40 (redescription).

*distinguenda*. *Acropyga (Atopodon) distinguenda* Karavaiev, 1935a: 110, fig. 28 (w.q.m.) VIETNAM.

Status as species: Chapman & Capco, 1951: 212; Bolton, 1995b: 57.

Junior synonym of *butteli*: LaPolla, 2004a: 36.

**donisthorpei**. *Acropyga (Rhizomyrma) donisthorpei* Weber, 1944: 118, figs. 9, 20, 21 (w.) GUYANA.

LaPolla, 2004a: 58 (q.m.).

**Status as species**: Kempf, 1972a: 17; Bolton, 1995b: 57; LaPolla, 2004a: 58 (redescription); Bezdečková, *et al.* 2015: 111.

Senior synonym of *oko*: LaPolla, 2004a: 58.

Senior synonym of *paludis*: LaPolla, 2004a: 58.

**dubia**. *Acropyga (Rhizomyrma) dubia* Karavaiev, 1933a: 311, fig. 3 (w.m.) INDONESIA (Sumatra).

LaPolla, 2004a: 62 (q.).

**Status as species**: Chapman & Capco, 1951: 212; Bolton, 1995b: 57; LaPolla, 2004a: 61 (redescription); Pfeiffer, *et al.* 2011: 36.

**dubitata**. *Rhizomyrma dubitata* Wheeler, W.M. & Mann, 1914: 47 (m.) DOMINICAN REPUBLIC.

[Misspelled as *dubita* by Donisthorpe, 1936b: 110 (in list).]

Combination in *Acropyga (Rhizomyrma)*: Emery, 1925b: 29.

**Status as species**: Emery, 1925b: 29; Donisthorpe, 1936b: 110 (in list); Weber, 1944: 98 (redescription); Kempf, 1972a: 17; Bolton, 1995b: 57; LaPolla, 2004a: 45 (redescription); Lubertazzi, 2019: 67.

*emeryi* Forel, 1915 [*Rhizomyrma*]: see under **PSEUDOLASIUS**.

**epedana**. *Acropyga epedana* Snelling, R.R. 1973a: 7, fig. 1 (w.) U.S.A. (Arizona).

LaPolla, Cover & Mueller, 2002: 369 (q.m.).

**Status as species**: Hunt & Snelling, 1975: 22; Smith, D.R. 1979: 1423; Bolton, 1995b: 57; LaPolla, Cover & Mueller, 2002: 369; LaPolla, 2004a: 46 (redescription).

**exsanguis**. *Rhizomyrma exsanguis* Wheeler, W.M. 1909b: 238 (w.) MEXICO (Veracruz).

Combination in *Acropyga (Rhizomyrma)*: Mann, 1922: 53.

**Status as species**: Mann, 1922: 53; Emery, 1925b: 29; Wheeler, W.M. 1935f: 327; Donisthorpe, 1936b: 110 (in list); Weber, 1944: 96 (redescription); Kempf, 1972a: 17; Bolton, 1995b: 57; LaPolla, 2004a: 47 (redescription); Branstetter & Sáenz, 2012: 255.

**Senior synonym of *bruchi*:** LaPolla, 2004a: 47.

**Senior synonym of *paramaribensis*:** LaPolla, 2004a: 47.

**Senior synonym of *robae*:** LaPolla, 2004a: 47.

**Senior synonym of *wheeleri*:** LaPolla, 2004a: 47.

*flava*. *Plagiolepis flava* Mayr, 1862: 699 (q.m.) INDIA (Nicobar Is).

Combination in *Acropyga*: Mayr, 1862: 769.

Status as species: Roger, 1863b: 11; Mayr, 1863: 442; Mayr, 1865: 53 (redescription); Emery, 1889b: 510; Dalla Torre, 1893: 174; Emery, 1895k: 476.

Subspecies of *acutiventris*: Forel, 1913k: 100; Emery, 1925b: 28; Wheeler, W.M. 1935g: 38; Chapman & Capco, 1951: 210.

Junior synonym of *acutiventris*: Forel, 1894c: 418; Bolton, 1995b: 57; Terayama, Fellowes & Zhou, 2002: 23; LaPolla, 2004a: 31.

***fuhrmanni*.** *Rhizomyrma fuhrmanni* Forel, 1914e: 12 (w.q.) COLOMBIA.

Weber, 1944: 97 (m.l.).

Combination in *Acropyga (Rhizomyrma)*: Emery, 1925b: 29.

**Status as species:** Emery, 1925b: 29; Wheeler, W.M. 1935f: 327; Donisthorpe, 1936b: 110 (in list); Weber, 1944: 96 (redescription); Kempf, 1972a: 17; Bolton, 1995b: 57; LaPolla, 2004a: 42 (redescription); Branstetter & Sáenz, 2012: 255; Bezděcková, *et al.* 2015: 111; Fernández & Ortiz-Sepúlveda, 2019: 732.

**Senior synonym of *berwicki*:** LaPolla, 2004a: 42.

***gelasis*.** *Acropyga gelasis* LaPolla, 2004a: 62, fig. 26 (w.) INDONESIA (Banggai Archipelago).

**\**glaesaria*.** \**Acropyga glaesaria* LaPolla, 2005: 22, figs. 1-3 (q.m.) DOMINICAN AMBER (Dominican Republic, Miocene).

***goeldii*.** *Acropyga (Rhizomyrma) goeldii* Forel, 1893g: 348 (footnote) (w.) BRAZIL (Rio de Janeiro).

Combination in *Rhizomyrma*: Forel, 1912i: 60;

combination in *Acropyga (Rhizomyrma)*: Emery, 1925b: 29.

Junior synonym of *decedens*: Costa Lima, 1931: 7.

**Status as species:** Forel, 1895b: 107; Forel, 1912i: 60; Emery, 1925b: 29; Borgmeier, 1927c: 137; Wheeler, W.M. 1935f: 327; Donisthorpe, 1936b: 110 (in list); Weber, 1944: 93 (redescription); Kempf, 1972a: 17; Bolton, 1995b: 57; LaPolla, 2004a: 49 (redescription); Wild, 2007b: 27; Guénard & Economo, 2015: 227; Wetterer, *et al.* 2016: 5; Fernández & Ortiz-Sepúlveda, 2019: 732.

**Senior synonym of *borgmeieri*:** LaPolla, 2004a: 49.

**Senior synonym of *columbica*:** LaPolla, 2004a: 49.

**Senior synonym of *marshalli*:** LaPolla, 2004a: 49.

**Senior synonym of *pachycera*:** LaPolla, 2004a: 49.

**Senior synonym of *pickeli*:** LaPolla, 2004a: 49.

**Senior synonym of *quadriceps*:** LaPolla, 2004a: 49.

**Senior synonym of *rutgersi*:** LaPolla, 2004a: 49.

**Senior synonym of *tridentata*:** LaPolla, 2004a: 49.

**Senior synonym of *trinitatis*:** LaPolla, 2004a: 49.

***gowdeyi*.** *Acropyga gowdeyi* Gowdey, 1917: 187 UGANDA. *Nomen nudum*.

[Note: these specimens were later described as *Pseudolasius gowdeyi*, (Bolton, 1995b: 57); now in genus *Paraparatrechina*.]

*guangxiensis*. *Acropyga (Rhizomyrma) guangxiensis* Terayama, Fellowes & Zhou, 2002: 23, figs. 4-6 (w.) CHINA (Guangxi).

Junior synonym of *yaeyamensis*: LaPolla, 2004a: 74.

**guianensis**. *Acropyga (Rhizomyrma) guianensis* Weber, 1944: 120, fig. 1 (w.) GUYANA.

LaPolla, 2004a: 76 (q.).

**Status as species**: Kempf, 1972a: 17; Bolton, 1995b: 57; LaPolla, 2004a: 75 (redescription); Fernández & Ortiz-Sepúlveda, 2019: 732.

**hirsutula**. *Acropyga hirsutula* LaPolla, 2004a: 52, figs. 21, 40 (w.q.m.) PERU, ECUADOR.

**Status as species**: Bezděčková, *et al.* 2015: 111.

**hystrix**. *Acropyga hystrix* LaPolla, 2004a: 63, figs. 26, 43 (w.q.m.) BORNEO (East Malaysia: Sarawak).

**Status as species**: Pfeiffer, *et al.* 2011: 36.

*indistincta*. *Acropyga indistincta* Crawley, 1923b: 178 (w.) AUSTRALIA (Western Australia).

Status as species: Taylor & Brown, 1985: 107; Taylor, 1987a: 5; Taylor, 1992a: 59; Bolton, 1995b: 57.

Junior synonym of *myops*: LaPolla, 2004a: 66.

*indosinensis*. *Acropyga (Rhizomyrma) indosinensis* Wheeler, W.M. 1935c: 72.

Replacement name for *Acropyga (Rhizomyrma) silvestrii* Wheeler, W.M. 1927h: 100.

[Junior primary homonym of *Acropyga silvestrii* Emery, 1915g: 21.]

Status as species: Chapman & Capco, 1951: 212; Bolton, 1995b: 57.

Junior synonym of *acutiventris*: LaPolla, 2004a: 32.

**inezae**. *Acropyga (Atopodon) inezae* Forel, 1912m: 772 (w.) INDONESIA (Sumatra).

[Also described as new by Forel, 1913k: 102.]

Karavaiev, 1933a: 314 (q.m.).

**Status as species**: Emery, 1925b: 30; Stärcke, 1930: 376 (in key); Karavaiev, 1933a: 312; Chapman & Capco, 1951: 212; Bolton, 1995b: 57; LaPolla, 2004a: 38 (redescription); Pfeiffer, *et al.* 2011: 36.

*javana*. *Acropyga (Acropyga) acutiventris* var. *javana* Karavaiev, 1933a: 308 (w.m.) INDONESIA (Java).

Subspecies of *acutiventris*: Chapman & Capco, 1951: 211; Bolton, 1995b: 57.

Junior synonym of *acutiventris*: LaPolla, 2004a: 31.

*jiangxiensis*. *Acropyga (Atopodon) jiangxiensis* Wang, C. & Wu, 1992a: 226, figs. 1-4 (w.m.) CHINA (Jiangxi).

Status as species: Wu, J. & Wang, 1995: 128; Bolton, 1995b: 57; Terayama, Fellowes & Zhou, 2002: 29 (redescription).

Junior synonym of *nipponensis*: LaPolla, 2004a: 39.

*kathrynae*. *Acropyga (Rhizomyrma) kathrynae* Weber, 1944: 114, fig. 12 (w.) TRINIDAD.

Status as species: Kempf, 1972a: 17; Bolton, 1995b: 57.

Junior synonym of *smithii*: LaPolla, 2004a: 43.

**keira**. *Acropyga keira* LaPolla, 2004a: 53, figs. 22, 41 (w.m.) COSTA RICA.

**kinomurai**. *Acropyga (Rhizomyrma) kinomurai* Terayama & Hashimoto, 1996: 7, figs. 16-18 (w.) JAPAN (Yaeyama Is.).

LaPolla, 2004a: 65 (q.).

**Status as species**: Terayama, Fellowes & Zhou, 2002: 25 (redescription); Imai, *et al.* 2003: 82; LaPolla, 2004a: 64 (redescription).

**lauta**. *Acropyga (Rhizomyrma) lauta* Mann, 1919: 365 (w.q.) SOLOMON IS (San Cristoval I., Malaita I.).

**Status as species:** Emery, 1925b: 30; Wheeler, W.M. 1935g: 38; Bolton, 1995b: 57; LaPolla, 2004a: 65 (redescription); Sarnat & Economo, 2012: 42; Sarnat, *et al.* 2013: 69.

**major.** *Acropyga (Rhizomyrma) major* Donisthorpe, 1949c: 755 (m.) NEW GUINEA (Indonesia).

**Status as species:** Chapman & Capco, 1951: 212; Bolton, 1995b: 57.

*Nomen dubium:* LaPolla, 2004a: 22.

*marshalli.* *Rhizomyrma marshalli* Crawley, 1921: 93, figs. 2, 2a (w.) BARBADOS.

Combination in *Acropyga (Rhizomyrma)*: Emery, 1925b: 30.

**Status as species:** Emery, 1925b: 30; Wheeler, W.M. 1935f: 327; Donisthorpe, 1936b: 110 (in list); Weber, 1944: 101 (redescription); Kempf, 1972a: 17; Bolton, 1995b: 57.

Junior synonym of *goeldii*: LaPolla, 2004a: 49.

*meermohri.* *Atopodon meermohri* Stärcke, 1930: 375, pl. 18, fig. oben (w.) INDONESIA (Palau I.).

Combination in *Acropyga*: Bolton, 1995b: 57.

**Status as species:** Bolton, 1995b: 57.

Junior synonym of *butteli*: LaPolla, 2004a: 36.

*mesonotalis.* *Acropyga (Rhizomyrma) mesonotalis* Weber, 1944: 111, fig. 13 (w.q.) HAITI.

**Status as species:** Kempf, 1972a: 17; Bolton, 1995b: 57.

Junior synonym of *parvidens*: LaPolla, 2004a: 56.

*moluccana.* *Acropyga moluccana* Mayr, 1879: 658 (w.) INDONESIA (Seram I.).

Karavaiev, 1933a: 310 (m.); Wheeler, G.C. & Wheeler, J. 1953c: 137 (l.).

**Status as species:** Emery, 1887a: 247; Dalla Torre, 1893: 174; Emery, 1900d: 697 (footnote); Forel, 1901b: 24; Dahl, 1901: 12; Forel, 1905c: 24; Emery, 1925b: 29; Karavaiev, 1933a: 310; Chapman & Capco, 1951: 211; Taylor & Brown, 1985: 107; Bolton, 1995b: 57.

Junior synonym of *acutiventris*: LaPolla, 2004a: 31.

**myops.** *Acropyga myops* Forel, 1910b: 59 (w.m.) AUSTRALIA (New South Wales).

LaPolla, 2004a: (q.).

Combination in *Acropyga (Rhizomyrma)*: Emery, 1925b: 30.

**Status as species:** Emery, 1925b: 30; Santschi, 1928e: 476; Taylor & Brown, 1985: 108; Taylor, 1987a: 5; Taylor, 1992a: 58; Bolton, 1995b: 57; LaPolla, 2004a: 66 (redescription); Heterick, 2009: 60.

**Senior synonym of *indistincta*:** LaPolla, 2004a: 66.

*mysolensis.* *Acropyga moluccana* subsp. *mysolensis* Forel, 1911e: 285 (w.) INDONESIA (Misool I.).

Subspecies of *moluccana*: Chapman & Capco, 1951: 211; Bolton, 1995b: 57.

Junior synonym of *acutiventris*: LaPolla, 2004a: 31.

**nipponensis.** *Acropyga (Atopodon) nipponensis* Terayama, 1985b: 287, figs. 14-18 (w.) JAPAN.

LaPolla, 2004a: 39 (q.m.).

**Status as species:** Morisita, *et al.* 1991: 15; Bolton, 1995b: 57; Terayama, Fellowes & Zhou, 2002: 30 (redescription); Imai, *et al.* 2003: 83; LaPolla, 2004a: 39 (redescription); Pfeiffer, *et al.* 2011: 36; Ran & Zhou, 2011: 66; Guénard & Dunn, 2012: 27.

**Senior synonym of *jiangxiensis*:** LaPolla, 2004a: 39.

*occipitalis.* *Acropyga moluccana* var. *occipitalis* Stitz, 1912: 510, fig. 12 (w.) NEW GUINEA (no state data).

Subspecies of *moluccana*: Chapman & Capco, 1951: 211; Bolton, 1995b: 57.

Junior synonym of *acutiventris*: LaPolla, 2004a: 31.

***oceania***. *Acropyga (Rhizomyrma) oceanica* Emery, 1900c: 333, pl. 8, fig. 44 (w.q.m.) NEW GUINEA (Papua New Guinea).

**Status as species:** Emery, 1925b: 30; Chapman & Capco, 1951: 212; Bolton, 1995b: 57; LaPolla, 2004a: 76 (redescription); Pfeiffer, *et al.* 2011: 36; Guénard & Dunn, 2012: 27; Sarnat, *et al.* 2013: 69.

**Senior synonym of *septemstruma*:** LaPolla, 2004a: 76.

***oko***. *Acropyga (Rhizomyrma) oko* Weber, 1944: 119, fig. 16 (w.) GUYANA.

Status as species: Kempf, 1972a: 17; Bolton, 1995b: 57.

Junior synonym of *donisthorpei*: LaPolla, 2004a: 58.

***opaca***. *Acropyga moluccana* var. *opaca* Stitz, 1911a: 370 (w.) NEW GUINEA (Papua New Guinea).

Donisthorpe, 1948g: 139 (m.).

Subspecies of *moluccana*: Mann, 1919: 365; Wheeler, W.M. 1935g: 38; Donisthorpe, 1948g: 139; Chapman & Capco, 1951: 211; Bolton, 1995b: 57.

Junior synonym of *acutiventris*: LaPolla, 2004a: 31.

***oreithauma***. *Acropyga oreithauma* LaPolla, Williams & Fan, 2017: 2, figs. 1-4 (w.) PANAMA.

***pachycera***. *Rhizomyrma pachycera* Emery, 1906c: 182 (w.q.) PARAGUAY.

Combination in *Acropyga (Rhizomyrma)*: Emery, 1925b: 30.

Status as species: Bruch, 1914: 227; Emery, 1925b: 30; Borgmeier, 1927c: 138; Wheeler, W.M. 1935f: 327; Donisthorpe, 1936b: 110 (in list); Weber, 1944: 95 (redescription); Kempf, 1972a: 17; Bolton, 1995b: 58.

Junior synonym of *goeldii*: LaPolla, 2004a: 49.

***palaga***. *Acropyga palaga* LaPolla, 2004a: 54, figs. 22, 41 (w.m.) COSTA RICA.

***paleartica***. *Acropyga (Rhizomyrma) paleartica* Menozzi, 1936d: 298, fig. XVII (w.) GREECE (Scarpanto I.).

LaPolla, 2004a: 78 (q.), LaPolla, 2006a: 171 (m.).

**Status as species:** Agosti & Collingwood, 1987a: 57; Agosti & Collingwood, 1987b: 279 (in key); Bolton, 1995b: 58; LaPolla, 2004a: 77 (redescription); LaPolla, 2006a: 171; Petrov, 2006: 103 (in key); Legakis, 2011: 26; Borowiec, L. & Salata, 2012: 462; Borowiec, L. 2014: 7; Lebas, *et al.* 2016: 232; Salata & Borowiec, 2018c: 42.

***pallida***. *Bothriomyrmex pallidus* Donisthorpe, 1938d: 598 (w.) NEW GUINEA (Indonesia).

LaPolla, 2004a: 70 (q.m.).

Combination in *Acropyga*: Shattuck, 1992c: 60.

**Status as species:** Bolton, 1995b: 58; LaPolla, 2004a: 69; Heterick, 2009: 60; Pfeiffer, *et al.* 2011: 36; Sarnat, *et al.* 2013: 69.

***paludis***. *Acropyga (Rhizomyrma) paludis* Weber, 1944: 121, fig. 15 (w.m.) GUYANA.

Status as species: Kempf, 1972a: 17; Bolton, 1995b: 58.

Junior synonym of *donisthorpei*: LaPolla, 2004a: 58.

***panamensis***. *Acropyga (Rhizomyrma) panamensis* Weber, 1944: 113, fig. 24 (w.) PANAMA (Barro Colorado I.).

LaPolla, 2004a: 73 (q.m.).

**Status as species:** Kempf, 1972a: 17; Bolton, 1995b: 58; LaPolla, 2004a: 72 (redescription); Branstetter & Sáenz, 2012: 255.

***papuana***. *Acropyga (Acropyga) moluccana* subsp. *papuana* Mann, 1919: 364 (w.) SOLOMON IS (Ugi I., Malaita I., San Cristoval I., Isabel I.).

Wheeler, G.C. & Wheeler, J. 1953c: 136 (l.).

Subspecies of *moluccana*: Wheeler, W.M. 1935g: 38; Bolton, 1995b: 58.

Junior synonym of *acutiventris*: LaPolla, 2004a: 31.

*paramaribensis*. *Acropyga paramaribensis* Borgmeier, 1933c: 263 (w.q.) SURINAME.

Borgmeier, 1934: 111 (m.); Bünzli, 1935: 519 (l.).

Combination in *Acropyga (Rhizomyrma)*: Borgmeier, 1934: 109; Kempf, 1972a: 17.

Status as species: Borgmeier, 1934: 109 (redescription); Bünzli, 1935: 459 (redescription); Wheeler, W.M. 1935f: 327; Donisthorpe, 1936b: 110 (in list); Weber, 1944: 103 (redescription); Kempf, 1961b: 521; Kempf, 1972a: 17; Bolton, 1995b: 58.

Junior synonym of *exsanguis*: LaPolla, 2004a: 47.

*parvidens*. *Rhizomyrma parvidens* Wheeler, W.M. & Mann, 1914: 46 (w.) HAITI.

Combination in *Acropyga (Rhizomyrma)*: Emery, 1925b: 30.

**Status as species**: Emery, 1925b: 30; Wheeler, W.M. 1935f: 327; Donisthorpe, 1936b: 110 (in list); Weber, 1944: 100 (redescription); Kempf, 1972a: 18; Bolton, 1995b: 58; LaPolla, 2004a: 56 (redescription); Lubertazzi, 2019: 70.

**Senior synonym of mesonotalis**: LaPolla, 2004a: 56.

*pickeli*. *Acropyga (Rhizomyrma) pickeli* Borgmeier, 1927a: 287, figs. 1, 2 (w.q.) BRAZIL (Paraiba).

Weber, 1944: 102 (m.).

Status as species: Borgmeier, 1927c: 138; Borgmeier, 1932a: 238; Wheeler, W.M. 1935f: 327; Donisthorpe, 1936b: 110 (in list); Weber, 1944: 102 (redescription); Kempf, 1972a: 18; Bolton, 1995b: 58.

Junior synonym of *decedens*: Costa Lima, 1931: 7.

Junior synonym of *goeldii*: LaPolla, 2004a: 50.

*pubescens*, misspelling, see under *rubescens*.

*quadriceps*. *Acropyga (Rhizomyrma) quadriceps* Weber, 1944: 113, fig. 5 (w.) TRINIDAD.

Status as species: Kempf, 1972a: 18; Bolton, 1995b: 58.

Junior synonym of *goeldii*: LaPolla, 2004a: 50.

*rhodesiana*. *Acropyga (Malacomyrma) rhodesiana* Santschi, 1928f: 211 (w.) ZIMBABWE.

Junior synonym of *arnoldi*: Prins, 1982: 238; Bolton, 1995b: 58; LaPolla, 2004a: 35.

*robae*. *Acropyga (Rhizomyrma) robae* Donisthorpe, 1936b: 108, figs. 1-3 (w.q.m.) COLOMBIA.

Status as species: Weber, 1944: 110 (redescription); Kempf, 1972a: 18; Bolton, 1995b: 58.

Junior synonym of *exsanguis*: LaPolla, 2004a: 47.

*romeo*. *Acropyga romeo* LaPolla, 2004a: 57, fig. 23 (w.) GUYANA.

*rubens*. *Acropyga acutiventris* subsp. *rubens* Forel, 1911e: 286 (w) (no state data).

[Note: this name most probably in error for *rubescens*.]

Junior synonym of *rubescens*: Emery, 1925b: 28; Bolton, 1995b: 58; LaPolla, 2004a: 33.

*rubescens*. *Acropyga acutiventris* var. *rubescens* Forel, 1894c: 418 (w.q.m.) INDIA (Karnataka), SRI LANKA.

[Misspelled as *pubescens* by Chapman & Capco, 1951: 211.]

**Subspecies of acutiventris**: Viehmeyer, 1916a: 146; Emery, 1925b: 28; Chapman & Capco, 1951: 211; Bolton, 1995b: 58.

**Status as species**: LaPolla, 2004a: 33 (redescription); Bharti, Guénard, et al. 2016: 23.

**Senior synonym of bugnioni**: LaPolla, 2004a: 33.

**Senior synonym of rubens**: Emery, 1925b: 28; Bolton, 1995b: 58; LaPolla, 2004a: 33.

*rutgersi*. *Acropyga (Rhizomyrma) rutgersi* Bünzli, 1935: 464, figs. 3bC, 6-11, 12J,K, 13B, 14E-H, 15B, 16A,B,D, 18, 20, 24A (w.q.m.) SURINAME.

Status as species: Donisthorpe, 1936b: 110 (in list); Weber, 1944: 104 (redescription); Kempf, 1961b: 521; Kempf, 1972a: 18; Bolton, 1995b: 58.

Junior synonym of *goeldii*: LaPolla, 2004a: 50.

**sauteri**. *Acropyga (Rhizomyrma) sauteri* Forel, 1912a: 72 (w.) TAIWAN.

Wheeler, W.M. 1928c: 31 (q.); Santschi, 1928b: 36 (q.m.).

**Status as species**: Emery, 1925b: 30; Santschi, 1928b: 36; Wheeler, W.M. 1928c: 31; Wheeler, W.M. 1929g: 62; Wheeler, W.M. 1930h: 75; Teranishi, 1940: 59; Azuma, 1951: 88; Chapman & Capco, 1951: 212; Onoyama, 1980: 199; Morisita, *et al.* 1991: 14; Wang, C. & Wu, 1992a: 227 (in key); Bolton, 1995b: 58; Terayama, Fellowes & Zhou, 2002: 25 (redescription); Imai, *et al.* 2003: 83; Lin & Wu, 2003: 62; LaPolla, 2004a: 68; Terayama, 2009: 204; Ran & Zhou, 2011: 66; Guénard & Dunn, 2012: 27.

*septemstruma*. *Acropyga (Rhizomyrma) septemstruma* Terayama, Fellowes & Zhou, 2002: 24, figs. 7-10 (w.) CHINA (Hong Kong).

Junior synonym of *oceanica*: LaPolla, 2004a: 76.

**silvestrii**. *Acropyga silvestrii* Emery, 1915g: 21, fig. 11 (w.) ERITREA.

Combination in *Acropyga (Malacomyrma)*: Emery, 1922d: 109.

**Status as species**: Wheeler, W.M. 1922a: 928; Emery, 1925b: 30; Finzi, 1939a: 166; Bolton, 1995b: 58; LaPolla, 2004a: 78 (redescription); LaPolla & Fisher, 2005: 605 (in key); Hita Garcia, *et al.* 2013: 204; Madl, 2019: 13.

*silvestrii*. *Acropyga (Rhizomyrma) silvestrii* Wheeler, W.M. 1927h: 100, fig. 7 (w.) VIETNAM.

[Junior primary homonym of *Acropyga silvestrii* Emery, 1915g: 21.]

**Replacement name**: *Acropyga (Rhizomyrma) indosinensis* Wheeler, W.M. 1935c: 72.

**smithii**. *Acropyga (Rhizomyrma) smithii* Forel, 1893g: 349 (q.) ST VINCENT & THE GRENADINES (St Vincent I.).

**Status as species**: Wheeler, W.M. 1905b: 132; Emery, 1925b: 30; Wheeler, W.M. 1935f: 328; Donisthorpe, 1936b: 110 (in list); Weber, 1944: 95 (redescription); Kempf, 1972a: 18; Bolton, 1995b: 58; LaPolla, 2004a: 43 (redescription); Branstetter & Sáenz, 2012: 255; Fernández & Ortiz-Sepúlveda, 2019: 732.

**Senior synonym of kathrynae**: LaPolla, 2004a: 43.

**Senior synonym of urichi**: LaPolla, 2004a: 43.

**stenotes**. *Acropyga stenotes* LaPolla, 2004a: 79, fig. 33 (w.) GUYANA.

*termitobia*. *Acropyga (Atopodon) termitobia* Forel, 1912m: 773 (q.) WEST MALAYSIA.

[Also described as new by Forel, 1913k: 101.]

Status as species: Emery, 1925b: 30; Chapman & Capco, 1951: 212; Bolton, 1995b: 58.

Junior synonym of *butteli*: LaPolla, 2004a: 36.

**tricuspis**. *Acropyga tricuspis* LaPolla, 2004a: 59, figs. 24, 42 (w.q.m.) BRAZIL (Amazonas).

*tridentata*. *Rhizomyrma goeldii* var. *tridentata* Forel, 1912i: 61 (q.m.) PANAMA.

Combination in *Acropyga (Rhizomyrma)*: Emery, 1925b: 29.

Subspecies of *goeldii*: Emery, 1925b: 29; Weber, 1944: 94 (redescription); Kempf, 1972a: 17; Bolton, 1995b: 58.

Junior synonym of *goeldii*: LaPolla, 2004a: 49.

*trinitatis*. *Acropyga (Rhizomyrma) trinitatis* Weber, 1944: 117, figs. 7, 8, 17-19 (w.q.) TRINIDAD.

Status as species: Kempf, 1972a: 18; Bolton, 1995b: 58.

Junior synonym of *goeldii*: LaPolla, 2004a: 50.

*undecemus*. *Pseudolasius undecemus* Donisthorpe, 1949c: 756 (w.) NEW GUINEA (Indonesia).

Combination in *Acropyga*: Bolton, 1995b: 58.

Status as species: Chapman & Capco, 1951: 207; Bolton, 1995b: 58.

Junior synonym of *acutiventris*: LaPolla, 2004a: 32.

*urichi*. *Acropyga (Rhizomyrma) urichi* Weber, 1944: 115, figs. 2,3 (w.q.m.) TRINIDAD.

Status as species: Kempf, 1972a: 18; Bolton, 1995b: 58.

Junior synonym of *smithii*: LaPolla, 2004a: 43.

*wheeleri*. *Acropyga (Rhizomyrma) wheeleri* Mann, 1922: 52 (w.q.) HONDURAS.

Status as species: Emery, 1925b: 30; Wheeler, W.M. 1935f: 327; Donisthorpe, 1936b:

110 (in list); Weber, 1944: 101 (redescription); Kempf, 1972a: 18; Bolton, 1995b: 58.

Junior synonym of *exsanguis*: LaPolla, 2004a: 47.

**yaeyamensis**. *Acropyga (Rhizomyrma) yaeyamensis* Terayama & Hashimoto, 1996: 5, figs. 13-15 (w.) JAPAN (Yaeyama Is.).

**Status as species**: Terayama, Fellowes & Zhou, 2002: 26 (redescription); Imai, *et al.* 2003: 83; Lin & Wu, 2003: 62; LaPolla, 2004a: 74 (redescription); Terayama, 2009: 204; Ran & Zhou, 2011: 66; Guénard & Dunn, 2012: 27.

**Senior synonym of *guangxiensis***: LaPolla, 2004a: 74.

**Senior synonym of *yunnanensis***: LaPolla, 2004a: 74.

*yunnanensis*. *Acropyga (Rhizomyrma) yunnanensis* Terayama, Fellowes & Zhou, 2002: 27, figs. 20-26 (w.m.) CHINA (Yunnan).

Junior synonym of *yaeyamensis*: LaPolla, 2004a: 74.

**yushi**. *Acropyga yushi* Terayama, 2009: 205, figs. 317, 318 (w.) TAIWAN.

**Status as species**: Ran & Zhou, 2011: 66.