

## **COLOBOPSIS**

[Note: combinations in *Colobopsis* by McArthur, 2012: 234 pp. are ignored, but his page references to species are included. This is because his concept of *Colobopsis* included, without argument or justification, a selection of species from 21 other subgenera of *Camponotus*, including the type-species of six of those subgenera.]

**abditus.** *Camponotus (Colobopsis) abditus* Forel, 1899c: 158 (q.) GUATEMALA.

Wheeler, W.M. 1934g: 216 (s.w.m.); Wheeler, G.C. & Wheeler, J. 1991b: 96 (l.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Wheeler, W.M. 1904b: 149; Wheeler, W.M. 1910g: 572; Wheeler, W.M. 1917a: 562; Emery, 1925b: 147; Wheeler, W.M. 1934g: 216; Kempf, 1972a: 42; Bolton, 1995b: 83; Branstetter & Sáenz, 2012: 255; McArthur, 2012: 146; Mackay & Mackay, 2018: 82 (redescription).

**acuta.** *Colobopsis acuta* Mackay, W., in Mackay & Mackay, 2018: 90, figs. 11, 30, 34, 39, 42, 48, 50, 100-106, pls 4-7 (s.w.q.m.) U.S.A. (Arizona, Texas).

**adlerzii.** *Prenolepis adlerzii* Forel, 1886f: 209 (w.) AUSTRALIA (Queensland: Darnley I.).

Status as species: Dalla Torre, 1893: 177.

Junior synonym of *vitrea*: Forel, 1894b: 70; Forel, 1895e: 458 (in text); Emery, 1925b: 148; Taylor & Brown, 1985: 121; Taylor, 1987a: 15; Bolton, 1995b: 84; McArthur & Shattuck, 2001: 41.

**albiventris.** *Camponotus mutilatus* var. *albiventris* Baroni Urbani, 1971b: 361; unavailable name.  
[Unavailable replacement name (variety proposed after 1960) for *luteiventris* Stitz, 1938: 116 (Bolton, 1995b: 84).]

*albocincta* Ashmead, 1905; see under **CAMPONOTUS**.

**anderseni.** *Camponotus anderseni* McArthur & Shattuck, 2001: 28, figs. 3, 4 (s.w.) AUSTRALIA (Northern Territory).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** McArthur, 2007a: 304; McArthur, 2012: 30; McArthur, 2014: 40.

**angulata.** *Formica angulata* Smith, F. 1859a: 139 (w.) INDONESIA (Aru Is.).

Combination in *Hypoclinea*: Roger, 1863b: 14;

combination in *Camponotus*: Emery, 1887a: 217.

Status as species: Mayr, 1863: 411; Roger, 1863b: 14; Smith, F. 1871a: 307; Emery, 1887a: 217; Dalla Torre, 1893: 221.

Junior synonym of *quadriceps*: Emery, 1896d: 375; Emery, 1925b: 150; Donisthorpe, 1932c: 453; Bolton, 1995b: 85.

**angustata.** *Colobopsis angustata* Mayr, 1870b: 942 (q.) SINGAPORE.

[**Junior secondary homonym** of *Formica angustata* Latreille, 1798: 34.]

Forel, 1913k: 133 (w.m.); Viehmeyer, 1916a: 160 (s.m.).

Combination in *Camponotus*: Dalla Torre, 1893: 221;

combination in *C. (Colobopsis)*: Forel, 1893b: 435.

Status as species: Forel, 1893b: 436; Dalla Torre, 1893: 221; Emery, 1896d: 374 (in list); Bingham, 1903: 345; Chapman & Capco, 1951: 222 (error).

Subspecies of *vitrea*: Forel, 1895e: 455 (in text); Emery, 1900d: 708; Forel, 1909d: 229; Forel, 1911d: 391; Forel, 1912n: 67; Forel, 1913k: 133; Viehmeyer, 1916a: 160; Wheeler, W.M. 1924b: 253; Wheeler, W.M. 1937a: 24; Chapman & Capco, 1951: 228.

**Replacement name:** *Camponotus (Colobopsis) vitreus* var. *angustula* Emery, 1925b: 148.

**angustula.** *Camponotus (Colobopsis) vitreus* var. *angustula* Emery, 1925b: 148.

**Replacement name for** *Camponotus angustata* Mayr, 1870b: 942. [Junior secondary homonym of *Formica angustata* Latreille, 1798: 34.]

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of vitrea:** Menozzi, 1930a: 4; Bolton, 1995b: 85; McArthur, 2012: 84; Bharti, Guénard, *et al.* 2016: 26.

Material of the unavailable name *continentalis* referred here by Viehmeyer, 1925b: 145; Bolton, 1995b: 85.

**annetteae.** *Camponotus annetteae* McArthur & Shattuck, 2001: 29, figs. 5, 6 (w.) AUSTRALIA (Queensland).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** McArthur, 2007a: 302; McArthur, 2012: 56; McArthur, 2014: 42.

**apostemata.** *Colobopsis apostemata* Mackay, W., in Mackay & Mackay, 2018: 100, figs. 18, 19, 107-112, pls 8-9 (s.w.) MEXICO (Baja California).

**aruensis.** *Camponotus (Colobopsis) aruensis* Karavaiev, 1933a: 317, fig. 5 (w.) INDONESIA (Aru Is.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Chapman & Capco, 1951: 222; Bolton, 1995b: 86; McArthur, 2012: 20; Klimes & McArthur, 2014: 153 (redescription).

**augulatus.** *Camponotus quadriceps augulatus* McArthur, 2012: 50, figs. (on p. 51) (w.) NEW GUINEA (Papua New Guinea: New Britain).

**augustulus.** *Camponotus (Colobopsis) fictor* subsp. *augustulus* Viehmeyer, 1925b: 145 (s.w.q.) AUSTRALIA (New South Wales).

Subspecies of *fictor*: Taylor & Brown, 1985: 114; Taylor, 1987a: 12.

Subspecies of *macrocephala*: Bolton, 1995b: 87.

Junior synonym of *macrocephala*: McArthur & Shattuck, 2001: 38; McArthur, 2007a: 294; McArthur, 2010: 32.

Material of the unavailable name *continentalis* referred here by Viehmeyer, 1925b: 145; Bolton, 1995b: 87.

**aurata.** *Camponotus (Colobopsis) auratus* Karavaiev, 1935a: 113 (w.) VIETNAM.

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Chapman & Capco, 1951: 222; Bolton, 1995b: 87; McArthur, 2012: 32; Bharti, Guénard, *et al.* 2016: 23.

**aurelianu**s. *Camponotus (Colobopsis) aurelianu*s Forel, 1912n: 68 (w.) INDONESIA (Sumatra).

Combination in *C. (Myrmotemnus)*: Emery, 1920b: 258;

combination in *C. (Colobopsis)*: Emery, 1925b: 148;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 148; Chapman & Capco, 1951: 222; Bolton, 1995b: 87; McArthur, 2012: 92.

**badia.** *Formica badia* Smith, F. 1857a: 54 (w.) SINGAPORE, BORNEO (East Malaysia: Sarawak).

[Unresolved junior primary homonym of *Formica badia* Latreille, 1802c: 238 (Emery, 1921a: 25; Bolton, 1995b: 87).]

Viehmeyer, 1916a: 161 (m.); Laciny, Zettel, Kopchinskiy, *et al.* 2018: 26 (m.).

Combination in *Camponotus*: Roger, 1863b: 3;

combination in *C. (Colobopsis)*: Forel, 1913k: 133;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Smith, F. 1858b: 22; Mayr, 1863: 412; Roger, 1863b: 3; Smith, F. 1871a: 304; Mayr, 1886c: 354; Dalla Torre, 1893: 222; Emery, 1896d: 375 (in list); Emery, 1900d: 706; Bingham, 1903: 358; Forel, 1913k: 133; Viehmeyer, 1916a: 161; Wheeler, W.M. 1919e: 115; Crawley, 1924: 407; Emery, 1925b: 150; Santschi, 1928h: 133; Donisthorpe, 1929a: 448; Donisthorpe, 1932c: 443; Menozzi, 1939a: 316 (in key); Chapman & Capco, 1951: 222; Bolton, 1995b: 87; Tang, Li, *et al.* 1995: 113; Karmaly & Narendran, 2006: 45; Mohanraj, *et al.* 2010: 6; Pfeiffer, *et al.* 2011: 36; Ran & Zhou, 2011: 66; Guénard & Dunn, 2012: 27; McArthur, 2012: 32; Bharti, Guénard, *et al.* 2016: 23; Laciny, Zettel, Kopchinskiy, *et al.* 2018: 24.

Current subspecies: nominal plus *krama*.

*baronii*. *Camponotus baronii* Alayo & Zayas Montero, 1977: 1, fig. 1A-C (w.) CUBA.

Combination in *C. (Manniella)*: Brandão, 1991: 332.

Status as species: Brandão, 1991: 332; Bolton, 1995b: 88.

Junior synonym of *riehlii*: Mackay & Mackay, 2018: 202.

*belli*. *Camponotus (Colobopsis) loa* var. *belli* Mann, 1919: 375 (s.w.) SOLOMON IS (Florida I).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of *loa*:** Emery, 1925b: 148; Wheeler, W.M. 1935g: 42; Bolton, 1995b: 88; McArthur, 2012: 211; Sarnat, *et al.* 2013: 70.

*brachycephala*. *Camponotus (Colobopsis) brachycephalus* Santschi, 1920g: 182 (q.) VIETNAM.

[Misspelled as *branchicephala* by Santschi, 1920h: 174, Santschi, 1924c: 115.]

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Santschi, 1920h: 174; Santschi, 1924c: 115; Emery, 1925b: 145; Chapman & Capco, 1951: 223; Bolton, 1995b: 89; McArthur, 2012: 34.

\**brodiei*. \**Camponotus (Colobopsis) brodiei* Donisthorpe, 1920: 93, pl. 5, fig. 13 (s.) GREAT BRITAIN (Isle of Wight, Eocene).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

Status as species: Burnham, 1979: 116; Bolton, 1995b: 89.

Unidentifiable taxon, *incertae sedis* in Formicidae: Dlussky & Perfilieva, 2014: 433.

*bryani*. *Camponotus (Condylomyrma) bryani* Santschi, 1928c: 72, fig. 2a-d (w.) FIJI IS (Viti Levu).

Combination in *C. (Colobopsis)*: Wheeler, W.M. 1934e: 423;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Wheeler, W.M. 1935g: 41; Bolton, 1995b: 90; McArthur, 2012: 12; Sarnat & Economo, 2012: 54.

*buxtoni*. *Camponotus (Colobopsis) buxtoni* Santschi, 1928a: 56, fig. 9 (w.) SAMOA (Upolu I.).

Status as species: Wheeler, W.M. 1935g: 41.

Junior synonym of *flavolimbata*: Wilson & Taylor, 1967: 97; Bolton, 1995b: 90.

*caloratus*. *Camponotus (Colobopsis) gasseri* subsp. *caloratus* Wheeler, W.M. 1934d: 162 (s.w.q.m.) AUSTRALIA (Western Australia).

[Misspelled as *coloratus* by McArthur, 2010: 32.]

Subspecies of *gasseri*: Taylor & Brown, 1985: 114; Taylor, 1987a: 12; Bolton, 1995b: 90.

Junior synonym of *gasseri*: McArthur & Shattuck, 2001: 31; McArthur, 2007a: 294; McArthur, 2010: 32.

*calva*. *Camponotus (Colobopsis) calvus* Emery, 1920c: 32 (q.) WEST MALAYSIA.

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 149; Chapman & Capco, 1951: 223; Bolton, 1995b: 90; McArthur, 2012: 170.

**camelus.** *Camponotus camelus* Emery, 1883: 146, fig. (w.) NEW CALEDONIA.

Combination in *C. (Myrmosiphincta)*: Forel, 1914a: 273;

combination in *C. (Myrmotemnus)*: Emery, 1920b: 258;

combination in *C. (Colobopsis)*: Emery, 1925b: 149;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Dalla Torre, 1893: 223; Emery, 1896d: 374 (in list); Emery, 1914f: 394; Emery, 1925b: 149; Wheeler, W.M. 1935g: 41; Taylor, 1987a: 16; Bolton, 1995b: 90; McArthur, 2012: 58.

**carinata.** *Colobopsis carinata* Mayr, 1870b: 943 (s.) FIJI IS.

[Junior secondary homonym of *Formica carinata* Brullé, 1840: 84.]

Combination in *Camponotus (Colobopsis)*: Emery, 1889b: 517;

combination in *C. (Myrmamblys)*: Forel, 1914a: 271;

combination in *C. (Myrmotemnus)*: Emery, 1920b: 258.

Status as species: Mayr, 1876: 67; Dalla Torre, 1893: 223.

**Replacement name:** *Camponotus polynesianus* Emery, 1896d: 374.

**carinata.** *Camponotus (Colobopsis) vitreus* r. *carinata* Stitz, 1938: 116 (q.) NEW GUINEA (Papua New Guinea).

[Unresolved junior secondary homonym of *Colobopsis carinata* Mayr, 1870b: 943.]

[*Camponotus vitreus* var. *neocarinata* Baroni Urbani, 1971b: 361. Unavailable replacement name (variety proposed after 1960) for *carinata* Stitz (Bolton, 1995b: 91).]

**Subspecies of vitrea:** Chapman & Capco, 1951: 228; Bolton, 1995b: 91; McArthur, 2012: 86.

**cavibregma.** *Colobopsis cavibregma* Mackay, W., in Mackay & Mackay, 2018: 107, figs. 113-118 (w.q.) U.S.A. (California).

**cerberula.** *Camponotus (Colobopsis) cerberulus* Emery, 1920c: 34 (q.) MEXICO (Michoacan).

Wheeler, W.M. 1934g: 214 (s.m.), Mackay & Mackay, 2018: 115 (w.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 147; Wheeler, W.M. 1934g: 214; Creighton, 1950a: 392; Smith, M.R. 1951a: 846; Smith, M.R. 1958c: 145; Kempf, 1972a: 42; Bolton, 1995b: 91; Branstetter & Sáenz, 2012: 255; McArthur, 2012: 148; Mackay & Mackay, 2018: 115 (redescription).

**ceylonica.** *Camponotus (Colobopsis) ceylonicus* Emery, 1925b: 145.

**Replacement name for** *Colobopsis testacea* Bingham, 1903: 347. [Junior secondary homonym of *Camponotus extensus testaceus* Emery, 1894f: 3.]

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Chapman & Capco, 1951: 223; Bolton, 1995b: 91; McArthur, 2012: 202.

**clerodendri.** *Colobopsis clerodendri* Emery, 1887a: 241, fig. (s.w.) BORNEO (East Malaysia: Sarawak).

Combination in *Camponotus (Colobopsis)*: Emery, 1889b: 517; Forel, 1912i: 90;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Dalla Torre, 1893: 225; Emery, 1896d: 375 (in list); Wheeler, W.M. 1919e: 116; Emery, 1925b: 149; Chapman & Capco, 1951: 223; Bolton, 1995b: 92; Pfeiffer, *et al.* 2011: 36; McArthur, 2012: 36, 204.

*coloratus*, misspelling, see under *caloratus*.

**concavitruncata.** *Colobopsis concavitruncata* Mackay, W., in Mackay & Mackay, 2018: 126, figs. 47, 127-129, pl. 13 (q.) MEXICO (Nayarit).

**conica.** *Colobopsis conica* Mayr, 1876: 67 (w.) TONGA IS.

Combination in *Camponotus*: Dalla Torre, 1893: 226;

combination in *C. (Myrmotemnus)*: Emery, 1920b: 258;

combination in *C. (Colobopsis)*: Forel, 1914a: 272; Emery, 1925b: 148;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Dalla Torre, 1893: 226; Emery, 1896d: 374 (in list); Emery, 1925b: 148; Wheeler, W.M. 1935g: 42; Wilson & Taylor, 1967: 96; Dlussky, 1994: 55; Bolton, 1995b: 93; Wetterer, 2002: 128; McArthur, 2012: 12, 204.

**conithorax.** *Camponotus (Colobopsis) conithorax* Emery, 1914f: 430, pl. 13, fig. 18 (w.q.m.) VANUATU.

Combination in *C. (Myrmotemnus)*: Emery, 1920b: 258;

combination in *C. (Colobopsis)*: Emery, 1925b: 148;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 148; Wheeler, W.M. 1935g: 42; Bolton, 1995b: 93; McArthur & Shattuck, 2001: 30 (redescription); McArthur, 2007a: 304; McArthur, 2012: 22; McArthur, 2014: 42, 205.

**continentalis.** *Camponotus (Colobopsis) sommeri* subsp. *continentalis* Viehmeyer, 1925b: 145; unavailable name.

[Unavailable name (published as junior synonym) (Bolton, 1995b: 94).]

Material referred to *augustulus* by Viehmeyer, 1925b: 145; Bolton, 1995b: 94.

**convexior.** *Camponotus (Colobopsis) quadriceps* var. *convexior* Viehmeyer, 1914a: 115, fig. (s.w.) INDONESIA (Seram I.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of quadriceps:** Emery, 1925b: 150; Chapman & Capco, 1951: 226; Bolton, 1995b: 94; McArthur, 2012: 50.

**corallina.** *Colobopsis corallina* Roger, 1863a: 159 (w.) PHILIPPINES (Luzon I.).

Combination in *Camponotus*: Dalla Torre, 1893: 226;

combination in *C. (Myrmamblys)*: Forel, 1914a: 271;

combination in *C. (Myrmotemnus)*: Emery, 1920b: 258;

combination in *C. (Colobopsis)*: Emery, 1925b: 150;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Roger, 1863b: 10; Mayr, 1863: 459; Smith, F. 1871a: 307; Dalla Torre, 1893: 226; Emery, 1896d: 374 (in list); Wheeler, W.M. 1909d: 343; Emery, 1925b: 150; Chapman & Capco, 1951: 223; Baltazar, 1966: 269; Bolton, 1995b: 94; McArthur, 2012: 36; Laciny, Zettel, Kopchinskiy, *et al.* 2018: 29.

**Senior synonym of solenobius:** Laciny, Zettel, Kopchinskiy, *et al.* 2018: 29 (in text).

**cotesii.** *Camponotus (Colobopsis) cotesii* Forel, 1893b: 438 (w.) INDIA (Uttarakhand).

[Misspelled as *cottesi* by Emery, 1925b: 147.]

Bingham, 1903: 345 (s.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1896d: 374 (in list); Bingham, 1903: 345; Chapman & Capco, 1951: 223; Bolton, 1995b: 94; Mathew & Tiwari, 2000: 351; Karmaly & Narendran, 2006: 61; Guénard & Dunn, 2012: 28; McArthur, 2012: 38; Bharti, Guénard, *et al.* 2016: 24.

**cristata.** *Camponotus cristatus* Mayr, 1866a: 489, fig. 3 (w.) FIJI IS (Ovalau I.).

Mann, 1921: 479 (s.q.m.).

Combination in *C. (Myrmogonia)*: Forel, 1912i: 92;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Mayr, 1876: 59 (in key); Dalla Torre, 1893: 227; Emery, 1896d: 375 (in list); Mann, 1921: 479; Emery, 1925b: 144; Wheeler, W.M. 1935g: 41; Dlussky, 1994: 55; Bolton, 1995b: 94; McArthur, 2012: 22; Sarnat & Economo, 2012: 57.

**Senior synonym of nagasau:** Sarnat & Economo, 2012: 57.

**culmicola.** *Camponotus (Colobopsis) culmicola* Wheeler, W.M. 1905b: 117, figs. V, W; pl. 7, figs. 10, 11 (s.w.q.m.) BAHAMAS (Andros I., New Providence I.).

Wheeler, G.C. & Wheeler, J. 1953e: 190 (l.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Mann, 1920: 439; Emery, 1925b: 147; Smith, M.R. 1954c: 12; Kempf, 1972a: 42; Bolton, 1995b: 95; McArthur, 2012: 60.

**Junior synonym of impressa:** Mackay & Mackay, 2018: 144.

**curvata.** *Camponotus quadriceps* var. *curvatus* Stitz, 1911a: 372, fig. 18 (w.) NEW GUINEA (Papua New Guinea: Bismarck Archipelago).

Combination in *C. (Colobopsis)*: Emery, 1925b: 150;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of quadriceps:** Emery, 1925b: 150; Wheeler, W.M. 1935g: 43; Chapman & Capco, 1951: 226; Bolton, 1995b: 95; McArthur, 2012: 216.

**custodula.** *Camponotus (Colobopsis) custodus* Emery, 1911b: 537 (q.) NEW GUINEA (Indonesia).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 145; Chapman & Capco, 1951: 223; Bolton, 1995b: 95.

**cylindrica.** *Formica cylindrica* Fabricius, 1798: 280 (q.) INDIA (no state data, “Habitat in India”)

[Note: Latreille, 1802c: 122 gives “l’Isle-de-France” (= Mauritius) as locality; Emery, 1925b: 149, gives Borneo and Sumatra as localities.]

Combination in *Colobopsis*: Mayr, 1862: 691;

combination in *Camponotus (Colobopsis)*: Emery, 1889b: 517;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Latreille, 1802c: 121; Fabricius, 1804: 404; Smith, F. 1858b: 15; Mayr, 1863: 403; Roger, 1863b: 9; Smith, F. 1871a: 303; Forel, 1891b: 77 (redescription); Dalla Torre, 1893: 227; Emery, 1896d: 374 (in list); Emery, 1917a: 97; Wheeler, W.M. 1922a: 1054; Emery, 1925b: 149; Menozzi, 1932d: 9; Chapman & Capco, 1951: 223; Bolton, 1995b: 95; Jaitrong & Nabhitabhata, 2005: 14; Pfeiffer, *et al.* 2011: 36; McArthur, 2012: 38, 206.

**Senior synonym of doriae:** Emery, 1917a: 97; Emery, 1925b: 149; Chapman & Capco, 1951: 223, 224; Bolton, 1995b: 95.

**dentata.** *Colobopsis dentata* Mayr, 1866a: 492, fig. 5 (w.) FIJI IS (Ovalau I.).

Mann, 1921: 491 (s.q.m.).

Combination in *Camponotus*: Dalla Torre, 1893: 228;

combination in *C. (Myrmamblys)*: Forel, 1914a: 271;  
combination in *C. (Myrmotemnus)*: Emery, 1920b: 258;  
combination in *C. (Colobopsis)*: Mann, 1921: 491;  
combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Mayr, 1870b: 941 (in key); Mayr, 1876: 67; Dalla Torre, 1893: 228; Emery, 1896d: 374 (in list); Mann, 1921: 491; Emery, 1925b: 148; Mann, 1925b: 6; Wheeler, W.M. 1934e: 416; Wheeler, W.M. 1935g: 42; Dlussky, 1994: 55; Bolton, 1995b: 96; McArthur, 2012: 14; Sarnat & Economo, 2012: 53.

***desecta*.** *Formica desecta* Smith, F. 1860b: 97 (q.) NEW GUINEA (Indonesia).

Combination in *Colobopsis*: Mayr, 1862: 691;  
combination in *Camponotus*: Dalla Torre, 1893: 228;  
combination in *C. (Colobopsis)*: Forel, 1914a: 272;  
combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Mayr, 1863: 403; Roger, 1863b: 10; Smith, F. 1871a: 308; Dalla Torre, 1893: 228; Emery, 1896d: 374 (in list); Emery, 1920c: 33; Emery, 1925b: 145; Donisthorpe, 1932c: 459; Donisthorpe, 1947c: 590; Chapman & Capco, 1951: 224; Bolton, 1995b: 96; McArthur, 2012: 40.

***doriae*.** *Colobopsis doriae* Mayr, 1872: 137 (w.) BORNEO (East Malaysia: Sarawak).

Emery, 1900d: 707 (s.q.).

Combination in *Camponotus*: Dalla Torre, 1893: 228;  
combination in *C. (Colobopsis)*: Forel, 1913k: 133.

Status as species: Emery, 1887a: 217; Dalla Torre, 1893: 228; Emery, 1896d: 375 (in list); Emery, 1900d: 707; Emery, 1901g: 568; Forel, 1911d: 377; Forel, 1912n: 67; Forel, 1913k: 133; Wheeler, W.M. 1919e: 116.

Junior synonym of *cylindrica*: Emery, 1917a: 97; Emery, 1925b: 149; Chapman & Capco, 1951: 223, 224; Bolton, 1995b: 97.

***elysii*.** *Camponotus (Colobopsis) elysii* Mann, 1919: 372 (s.w.) SOLOMON IS (Three Sisters Is, San Cristoval I.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 146; Wheeler, W.M. 1935g: 42; Bolton, 1995b: 97; McArthur, 2012: 170; Sarnat, et al. 2013: 70.

***equus*.** *Camponotus (Colobopsis) equus* Stitz, 1932b: 734, fig. 2 (q.) INDONESIA (Sumatra).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Chapman & Capco, 1951: 224; Bolton, 1995b: 97; McArthur, 2012: 172, 207.

***etiolata*.** *Camponotus (Colobopsis) abditus* var. *etiolatus* Wheeler, W.M. 1904b: 150, fig. 5 (s.w.q.m.) U.S.A. (Texas).

Wheeler, G.C. & Wheeler, J. 1970: 650 (l.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of *abditus*:** Wheeler, W.M. 1910d: 352; Wheeler, W.M. 1917a: 562; Emery, 1925b: 147; McArthur, 2012: 148 (error).

**Status as species:** Wheeler, W.M. 1927f: 31; Wheeler, W.M. 1934g: 216; Creighton, 1950a: 393; Smith, M.R. 1951a: 846; Smith, D.R. 1979: 1433; Bolton, 1995b: 98; McArthur, 2012: 152; Mackay & Mackay, 2018: 131 (redescription).

***excavata*.** *Camponotus (Colobopsis) excavatus* Donisthorpe, 1948e: 121, figs. a, b (q.) NEW GUINEA (Indonesia).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Donisthorpe, 1948g: 140; Donisthorpe, 1949b: 501; Chapman & Capco, 1951: 224; Bolton, 1995b: 98; McArthur, 2012: 42.

***explodens*.** *Colobopsis explodens* Laciny & Zettel, in Laciny, Zettel, Kopchinskiy, et al. 2018: 10, figs. 2-7, suppl. material 1: S1a,b, 3: S3d (s.w.q.m.) BRUNEI, THAILAND, WEST MALAYSIA.

*fasciata* Mayr, 1867; see under **CAMPONOTUS**.

*fictor*. *Camponotus (Colobopsis) fictor* Forel, 1902h: 508 (s.w.) AUSTRALIA (New South Wales).

Wheeler, G.C. & Wheeler, J. 1968: 217 (l.).

Status as species: Emery, 1925b: 146; Taylor & Brown, 1985: 114; Taylor, 1987a: 12.

Junior synonym of *macrocephala*: Shattuck & McArthur, 1995: 122; Bolton, 1995b: 99; McArthur & Shattuck, 2001: 38; McArthur, 2007a: 294; McArthur, 2010: 32.

***fijiana*.** *Camponotus dentatus fijianus* Ozdikmen, 2010a: 523.

**Replacement name for** *Camponotus (Colobopsis) dentatus* subsp. *humeralis* Wheeler, W.M., 1934e: 416. [Junior primary homonym of *Camponotus (Myrmeurynota) humeralis* Emery, 1920c: 47.]

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Sarnat & Economo, 2012: 52.

***flava*.** *Colobopsis flava* Mackay, W., in Mackay & Mackay, 2018: 140, figs. 46, 136-138, pl. 17 (q.) MEXICO (Chiapas).

***flavolimbata*.** *Camponotus (Colobopsis) flavolimbatus* Viehmeyer, 1922: 218 (q.) SAMOA.

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 150; Wheeler, W.M. 1935g: 42; Wilson & Taylor, 1967: 97; Dlussky, 1994: 55; Bolton, 1995b: 100; Wetterer & Vargo, 2003: 416; McArthur, 2012: 26.

**Senior synonym of *buxtoni*:** Wilson & Taylor, 1967: 97; Bolton, 1995b: 100.

**Senior synonym of *nautarum*:** Wilson & Taylor, 1967: 97; Bolton, 1995b: 100.

*fraxinicola*. *Camponotus (Colobopsis) pylartes* subsp. *fraxinicola* Smith, M.R. 1923a: 86 (s.w.) U.S.A. (Mississippi).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

Subspecies of *pylartes*: Creighton, 1950a: 394; Smith, M.R. 1951a: 846; Carter, 1962a: 7 (in list); Smith, M.R. 1967: 367; Smith, D.R. 1979: 1433; Bolton, 1995b: 100; McArthur, 2012: 158.

Junior synonym of *impressa*: Deyrup, 2017: 192 (in text); Mackay & Mackay, 2018: 144.

*fuscipes*. *Formica fuscipes* Mayr, 1853c: 280 (w.) AUSTRIA.

[Misspelled as *fustipes* by Radchenko, 1997d: 811, Radchenko, 2016: 338.]

Combination in *Colobopsis*: Mayr, 1861: 38 (in key).

Status as species: Mayr, 1855: 317 (redescription); Nylander, 1856b: 57; Smith, F. 1858b: 12; Mayr, 1861: 38 (in key); Mayr, 1863: 403; Roger, 1863b: 9; Dours, 1873: 164; André, 1874: 178 (in key).

Junior synonym of *truncata*: Forel, 1874: 97 (in list); Emery & Forel, 1879: 449; Dalla Torre, 1893: 255; Emery, 1896d: 376; Ruzsky, 1905b: 260; Forel, 1915d: 73 (in key); Emery, 1925b: 147; Bolton, 1995b: 101; Radchenko, 1997d: 811; Casevitz-Weulersse & Galkowsky, 2009: 480; Radchenko, 2016: 338.

***gasseri*.** *Colobopsis gasseri* Forel, 1894e: 233 (s.w.) AUSTRALIA (Western Australia).

Forel, 1902h: 507 (q.); Wheeler, G.C. & Wheeler, J. 1953e: 190 (l.).

Combination in *Camponotus (Colobopsis)*: Forel, 1902h: 507; Forel, 1912i: 90.

**Status as species:** Emery, 1896d: 374 (in list); Forel, 1902h: 507; Forel, 1907a: 38; Emery, 1925b: 148; Taylor & Brown, 1985: 114; Taylor, 1987a: 12; Bolton, 1995b: 101; McArthur & Shattuck, 2001: 31 (redescription); McArthur, 2007a: 304; Heterick, 2009: 60; McArthur, 2010: 32; McArthur, 2012: 66; McArthur, 2014: 44.

**Senior synonym of** *caloratus*: McArthur & Shattuck, 2001: 31; McArthur, 2007a: 294; McArthur, 2010: 32.

**Senior synonym of** *lysias*: McArthur & Shattuck, 2001: 31; McArthur, 2007a: 294; McArthur, 2010: 32.

**Senior synonym of** *obtusitruncatus*: McArthur & Shattuck, 2001: 31; McArthur, 2007a: 294; McArthur, 2010: 32.

**gracilenta.** *Camponotus (Colobopsis) pilosus* subsp. *gracilentus* Viehmeyer, 1916a: 161 (q.) SINGAPORE.

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of** *pilosus*: Stitz, 1925: 127; McArthur, 2012: 214 (error).

**Subspecies of** *leonardi*: Emery, 1925b: 149; Chapman & Capco, 1951: 225; Baltazar, 1966: 269; Bolton, 1995b: 102; McArthur, 2012: 46, 210.

**grisea.** *Camponotus (Colobopsis) leonardi* var. *grisea* Karavaiev, 1929c: 243 (s.w.) INDONESIA (Java).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of** *leonardi*: Chapman & Capco, 1951: 225; Bolton, 1995b: 102; McArthur, 2012: 46.

**guppyi.** *Camponotus (Colobopsis) guppyi* Mann, 1919: 370, figs. 43, 44 (s.w.) SOLOMON IS (Malaita I.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 148; Wheeler, W.M. 1935g: 42; Bolton, 1995b: 102; McArthur, 2012: 26; Sarnat, et al. 2013: 70.

**hawesi.** *Camponotus (Colobopsis) culmicola* var. *hawesi* Mann, 1920: 439 (s.q.) BAHAMAS.

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

Subspecies of *culmicola*: Emery, 1925b: 147; Kempf, 1972a: 42; Bolton, 1995b: 103; McArthur, 2012: 60.

Junior synonym of *riehlii*: Mackay & Mackay, 2018: 201.

**horrens.** *Camponotus horrens* Forel, 1910d: 127 (w.) PHILIPPINES (Luzon I., Negros I.).

Combination in *C. (Myrmosphincta)*: Forel, 1912i: 92;

combination in *C. (Colobopsis)*: Emery, 1925b: 149; Bolton, 1995b: 131;

combination in *C. (Karavaievia)*: Chapman & Capco, 1951: 229 (error);

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 149; Chapman & Capco, 1951: 229; Baltazar, 1966: 271; Bolton, 1995b: 103; McArthur, 2012: 68.

**horripilus.** *Camponotus horripilus* Emery, 1900d: 708 (w.) INDONESIA (Sumatra).

Combination in *C. (Colobopsis)*: Forel, 1914a: 272;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 149; Chapman & Capco, 1951: 224; Bolton, 1995b: 103; McArthur, 2012: 68.

**hosei.** *Camponotus hosei* Forel, 1911a: 55 (w.) BORNEO (no state data).

Combination in *C. (Colobopsis)*: Forel, 1914a: 272.

**Status as species:** Wheeler, W.M. 1919e: 119; Emery, 1925b: 148; Chapman & Capco, 1951: 224; Bolton, 1995b: 103; Pfeiffer, *et al.* 2011: 37; McArthur, 2012: 42.

Current subspecies: nominal plus *mima*.

**howensis.** *Camponotus (Colobopsis) howensis* Wheeler, W.M. 1927i: 152, fig. 12 (w.) AUSTRALIA (Lord Howe I.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Wheeler, W.M. 1935g: 42; Taylor & Brown, 1985: 115; Taylor, 1987a: 13; Bolton, 1995b: 104; McArthur & Shattuck, 2001: 33 (redescription); McArthur, 2012: 140; McArthur, 2014: 44.

*humeralis.* *Camponotus (Colobopsis) dentatus* subsp. *humeralis* Wheeler, W.M. 1934e: 416 (in text), figs. 3g, 3h (w.) FIJI IS (Nadarivatu I.).

[**Junior primary homonym** of *Camponotus (Myrmecynota) humeralis* Emery, 1920c: 47 (Bolton, 1995b: 104).]

Subspecies of *dentata*: Wheeler, W.M. 1935g: 42; McArthur, 2012: 16 (error).

**Replacement name:** *Camponotus dentatus fijianus* Özdikmen, 2010a: 523.

*hunteri.* *Camponotus (Colobopsis) pylartes* var. *hunteri* Wheeler, W.M. 1910d: 353 (s.w.) U.S.A. (Texas).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

Subspecies of *pylartes*: Wheeler, W.M. 1917a: 562; Emery, 1925b: 147; Smith, M.R. 1951a: 846.

Status as species: Creighton, 1950a: 393; Smith, M.R. 1958c: 145; Smith, D.R. 1979: 1433; Bolton, 1995b: 104; McArthur, 2012: 152.

Junior synonym of *impressa*: Mackay & Mackay, 2018: 144.

**impressa.** *Colobopsis impressa* Roger, 1863a: 160 (w.) U.S.A. (no state data).

Mayr, 1886d: 423 (s.q.); Emery, 1893i: 681 (m.).

Combination in *Camponotus (Colobopsis)*: Emery, 1889b: 517;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Roger, 1863b: 10; Mayr, 1863: 459; Mayr, 1886d: 423; Cresson, 1887: 255; Dalla Torre, 1893: 235; Emery, 1893i: 681; Emery, 1896d: 376 (in list); Wheeler, W.M. 1904b: 144 (redescription); Wheeler, W.M. 1910d: 353; Wheeler, W.M. 1910g: 572; Wheeler, W.M. 1913c: 117; Emery, 1925b: 147; Smith, M.R. 1930a: 6; Wheeler, W.M. 1932a: 16; Creighton, 1950a: 394; Smith, M.R. 1951a: 846; Smith, M.R. 1955b: 1; Smith, M.R. 1958c: 145; Smith, D.R. 1979: 1433; DuBois & LaBerge, 1988: 146; Deyrup, *et al.* 1989: 100; Bolton, 1995b: 104; Deyrup, 2003: 44; Covert, 2005: 172; MacGown & Forster, 2005: 66; MacGown, *et al.* 2007: 12; McArthur, 2012: 70; Deyrup, 2017: 191 Mackay & Mackay, 2018: 144 (redescription).

**Senior synonym of culmicola:** Mackay & Mackay, 2018: 144.

**Senior synonym of fraxinicola:** Deyrup, 2017: 192 (in text); Mackay & Mackay, 2018: 144.

**Senior synonym of hunteri:** Mackay & Mackay, 2018: 144.

**Senior synonym of pylartes:** Deyrup, 2017: 192 (in text); Mackay & Mackay, 2018: 144.

*impropria* Forel, 1879; see under **CAMPONOTUS**.

*incursor.* *Formica incursor* Smith, F. 1860b: 95 (w.) INDONESIA (Bacan I.).

Status as species: Mayr, 1863: 416; Smith, F. 1871a: 308; Dalla Torre, 1893: 199; Chapman & Capco, 1951: 199 (error).

Junior synonym of *vitrea*: Donisthorpe, 1932c: 459; Bolton, 1995b: 104.

*janus*. *Camponotus (Colobopsis) janus* Mann, 1921: 498 (s.w.) FIJI IS (Kadavu I.).

[Junior primary homonym of *Camponotus petersi* var. *janus* Forel, 1911e: 228.]

Status as species: Emery, 1925b: 146; Wheeler, W.M. 1935g: 42; Dlussky, 1994: 55.

**Replacement name:** *Camponotus janussus* Bolton, 1995b: 106.

*janussus*. *Camponotus janussus* Bolton, 1995b: 106.

Replacement name for *Camponotus (Colobopsis) janus* Mann, 1921: 498. [Junior primary homonym of *Camponotus petersi* var. *janus* Forel, 1911e: 228.]

Status as species: McArthur, 2012: 184.

Junior synonym of *polynesica*: Sarnat & Economo, 2012: 48.

*kadi*. *Camponotus (Myrmogonia) schmeltzii* var. *kadi* Mann, 1921: 485 (s.w.m.) FIJI IS (Vanua Levu).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of** *schmeltzii*: Emery, 1925b: 144; Wheeler, W.M. 1935g: 41; Bolton, 1995b: 106; McArthur, 2012: 188.

**Status as species:** Sarnat & Economo, 2012: 61.

**Senior synonym of** *trotteri*: Sarnat & Economo, 2012: 61.

*karawaiewi*. *Camponotus (Colobopsis) karawaiewi* Menozzi, 1926e: 96 (q.) PHILIPPINES (Luzon I.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Chapman & Capco, 1951: 224; Baltazar, 1966: 269; Bolton, 1995b: 106; McArthur, 2012: 116.

*krafti*. *Camponotus (Colobopsis) rothneyi* r. *krafti* Forel, 1901h: 66 (q.) SINGAPORE.

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of** *rothneyi*: Emery, 1925b: 146; Chapman & Capco, 1951: 227; Bolton, 1995b: 107.

*krama*. *Camponotus (Colobopsis) badius* var. *krama* Forel, 1912d: 110 (s.) INDONESIA (Java).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of** *saudersi*: Emery, 1925b: 150; Bolton, 1995b: 107; McArthur, 2012: 54.

**Subspecies of** *badia*: Chapman & Capco, 1951: 223; Laciny, Zettel, Kopchinskiy, et al. 2018: 30 (in text).

*loloma*, misspelling, see under *loloma*.

*laminata*. *Camponotus laminatus* Mayr, 1866a: 489, fig. 4 (w.) FIJI IS (Ovalau I.).

Mann, 1921: 477 (s.q.m.).

Combination in *C. (Myrmogonia)*: Forel, 1912i: 92;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Mayr, 1876: 59 (in key); Dalla Torre, 1893: 237; Emery, 1896d: 375 (in list); Mann, 1921: 477; Emery, 1925b: 144; Mann, 1925b: 6; Santschi, 1928c: 71; Wheeler, W.M. 1935g: 41; Dlussky, 1994: 55; Bolton, 1995b: 107; McArthur, 2012: 28; Sarnat & Economo, 2012: 58.

*laotsei*. *Camponotus (Colobopsis) laotsei* Wheeler, W.M. 1921c: 545 (s.w.) CHINA (Zhejiang).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 146; Wheeler, W.M. 1930h: 77; Chapman & Capco, 1951: 224; Bolton, 1995b: 107; Ran & Zhou, 2011: 68; Guénard & Dunn, 2012: 29; McArthur, 2012: 196.

***latinota***. *Camponotus (Colobopsis) vitreus* var. *latinota* Stitz, 1925: 127 (q.) BORNEO (East Malaysia: Sabah).

[Unresolved junior primary homonym of *Camponotus iheringi* var. *latinota* Forel, 1907c: 144 (Bolton, 1995b: 107).]

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of *vitreata***: Chapman & Capco, 1951: 228; Bolton, 1995b: 107; Pfeiffer, *et al.* 2011: 38.

***lauensis***. *Camponotus (Myrmogonia) lauensis* Mann, 1921: 488, fig. 35 (w.) FIJI IS (Lau I.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species**: Emery, 1925b: 144; Santschi, 1928c: 72; Wheeler, W.M. 1935g: 41; Dlussky, 1994: 55; Bolton, 1995b: 107; McArthur, 2012: 211; Sarnat & Economo, 2012: 62.

***leonardi***. *Camponotus (Colobopsis) leonardi* Emery, 1889b: 515, pl. 11, figs. 22, 23 (s.w.) MYANMAR.

**Replacement name for *Colobopsis pubescens*** Mayr, 1862: 691. [Junior secondary homonym of *Formica pubescens* Fabricius, 1775: 392.]

[Note: an earlier senior synonym of *Colobopsis pubescens* Mayr, *Formica pilosa* Smith, F. 1857a: 54 (synonymy by Emery, 1900d: 706), is itself a junior primary homonym (of *Formica pilosa* Olivier, 1792: 498); hence *pilosa* Smith, F. is unavailable as a replacement name for *pubescens* Mayr, and *leonardi* becomes the first available name (Emery, 1921a: 25).]

[Misspelled as *leonadi* by Jaitrong & Nabhitabhata, 2005: 15.]

Karavaiev, 1929c: 243 (m.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

Junior synonym of *pubescens*: Forel, 1893b: 437; Emery, 1896d: 375; Bingham, 1903: 344; Emery, 1921a: 25.

Junior synonym of *pilosus*: Wheeler, W.M. 1919e: 115.

**Status as species**: Dalla Torre, 1893: 248; Emery, 1895k: 480; Emery, 1896d: 375; Emery, 1900d: 706; Wheeler, W.M. 1919e: 115; Emery, 1921a: 25; Emery, 1925b: 149; Wheeler, W.M. 1927b: 46; Santschi, 1928h: 133; Karavaiev, 1929c: 242; Wheeler, W.M. 1929g: 57; Menozzi, 1930d: 328; Donisthorpe, 1932c: 443; Karavaiev, 1933a: 317; Chapman & Capco, 1951: 225; Baltazar, 1966: 269; Bolton, 1995b: 108; Jaitrong & Nabhitabhata, 2005: 15; Mohanraj, *et al.* 2010: 6; Pfeiffer, *et al.* 2011: 37; Ran & Zhou, 2011: 68; Guénard & Dunn, 2012: 29; McArthur, 2012: 44; Bharti, Guénard, *et al.* 2016: 25; Jaitrong, Guénard, *et al.* 2016: 28.

Current subspecies: nominal plus *gracilenta*, *grisea*.

***leucopa***. *Camponotus (Colobopsis) rufifrons* var. *leucopus* Emery, 1914f: 427, pl. 13, fig. 17 (s.w.) NEW CALEDONIA.

Santschi, 1928a: 58 (q.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of *rufifrons***: Emery, 1925b: 146; Santschi, 1928a: 58; Wheeler, W.M. 1935g: 43; Taylor, 1987a: 16; Bolton, 1995b: 108; McArthur, 2012: 78.

***levuana***. *Camponotus (Myrmogonia) laminatus* var. *levuanus* Mann, 1921: 479 (w.) FIJI IS (Vanua Levu).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of *laminata***: Emery, 1925b: 144; Wheeler, W.M. 1935g: 41; Bolton, 1995b: 108; McArthur, 2012: 28.

**Status as species**: Sarnat & Economo, 2012: 59.

**loa.** *Camponotus (Colobopsis) loa* Mann, 1919: 373, figs. 45, 46 (s.w.) SOLOMON IS (San Cristoval I, Santa Cruz I., Three Sisters Is, Ugi I., Malaita I.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 148; Wheeler, W.M. 1935g: 42; Bolton, 1995b: 109; McArthur, 2012: 30; Sarnat, *et al.* 2013: 70.

Current subspecies: nominal plus *belli*.

**loloma.** *Camponotus (Myrmogonia) schmeltzii* var. *loloma* Mann, 1921: 486, fig. 33 (w.) FIJI IS (Lau I.).

[Misspelled as *laloma* by McArthur, 2012: 190.]

Subspecies of *schmeltzii*: Emery, 1925b: 144; Wheeler, W.M. 1935g: 41; Bolton, 1995b: 109; McArthur, 2012: 190.

Junior synonym of *schmeltzii*: Sarnat & Economo, 2012: 63.

**longi.** *Camponotus (Colobopsis) longi* Forel, 1902d: 284 (s.w.) INDIA (Assam, Meghalaya).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Forel, 1903a: 710; Emery, 1925b: 147; Chapman & Capco, 1951: 225; Bolton, 1995b: 109; Karmaly & Narendran, 2006: 82; Bharti, Guénard, *et al.* 2016: 25.

**luteiventris.** *Camponotus (Colobopsis) mutilatus* var. *luteiventris* Stitz, 1938: 116 (q.) NEW GUINEA (Papua New Guinea).

[**Junior primary homonym** of *Camponotus luteiventris* Emery, 1897d: 574 (Bolton, 1995b: 109).]

[*mutilatus* var. *albiventris* Baroni Urbani, 1971b: 361. Unavailable replacement name (variety proposed after 1960) for *luteiventris* Stitz.]

Subspecies of *mutilatus*: Chapman & Capco, 1951: 225; Bolton, 1995b: 109; McArthur, 2012: 212 (error).

**Replacement name:** *Camponotus mutilatus stitzi* Özdkmen, 2010a: 531.

**lysias.** *Camponotus (Colobopsis) gasseri* var. *lysias* Forel, 1913g: 193 (w.) AUSTRALIA (Tasmania).

Subspecies of *gasseri*: Emery, 1925b: 148; Taylor & Brown, 1985: 114; Taylor, 1987a: 12; Bolton, 1995b: 109.

Junior synonym of *gasseri*: McArthur & Shattuck, 2001: 31; McArthur, 2007a: 294; McArthur, 2010: 32.

**maafui.** *Camponotus (Myrmogonia) maafui* Mann, 1921: 482, fig. 31 (s.w.) FIJI IS (Vanua Levu).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 144; Wheeler, W.M. 1935g: 41; Dlussky, 1994: 55; Bolton, 1995b: 109; Sarnat & Economo, 2012: 60.

**macarangae.** *Camponotus macarangae* Dumper, 1996: 38, fig. 5 (w.q.m.) BORNEO (East Malaysia: Sarawak).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**macrocephala.** *Formica macrocephala* Erichson, 1842: 259 (q.) AUSTRALIA (Tasmania).

Combination in *Iridomyrmex*: Taylor & Brown, 1985: 100;

combination in *Camponotus*: Shattuck & McArthur, 1995: 122;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Smith, F. 1858b: 37; Mayr, 1863: 417; Dalla Torre, 1893: 201; Taylor & Brown, 1985: 100; Shattuck, 1992a: 16; Shattuck, 1994: 107; Shattuck & McArthur,

1995: 122; McArthur & Shattuck, 2001: 38 (redescription); McArthur, 2007a: 304; McArthur, 2010: 32; McArthur, 2012: 142; McArthur, 2014: 48.

**Senior synonym of** *augustulus*: McArthur & Shattuck, 2001: 38; McArthur, 2007a: 294; McArthur, 2010: 32.

**Senior synonym of** *fictor*: Shattuck & McArthur, 1995: 122; Bolton, 1995b: 109; McArthur & Shattuck, 2001: 38; McArthur, 2007a: 294; McArthur, 2010: 32.

**Senior synonym of** *semicarinata*: McArthur & Shattuck, 2001: 38; McArthur, 2007a: 294; McArthur, 2010: 32.

**makilingi**. *Camponotus (Colobopsis) rothneyi* var. *makilingi* Viehmeyer, 1916b: 286 (q.) PHILIPPINES (Luzon I.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of** *rothneyi*: Emery, 1925b: 146; Chapman & Capco, 1951: 226; Baltazar, 1966: 270; Bolton, 1995b: 110; McArthur, 2012: 217.

**manni**. *Camponotus (Colobopsis) manni* Wheeler, W.M. 1934e: 418, fig. 4a,c,h (w.) FIJI IS (Taveuni I.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species**: Wheeler, W.M. 1935g: 42; Bolton, 1995b: 110; McArthur, 2012: 18; Sarnat & Economo, 2012: 55.

**manula**, misspelling, see under *nanula*.

**markli**. *Camponotus (Colopopsis) markli* Dumper, in Maschwitz, Fiala & Dumper, 2004: 44, figs. 2-5 (s.w.q.m.) THAILAND.

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species**: McArthur, 2012: 72.

**mathildeae**. *Camponotus (Colobopsis) mathildeae* Smith, M.R. 1949d: 178, figs. 1-3 (s.w.) U.S.A (Texas), MEXICO (San Luis Potosi).

[Note: Texas material originates in Mexico, intercepted in quarantine at Laredo, Texas.]

Mackay & Mackay, 2018: 165 (q.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species**: Kempf, 1972a: 42; Bolton, 1995b: 110; McArthur, 2012: 72; Mackay & Mackay, 2018: 159 (redescription).

**maudella**. *Camponotus (Colobopsis) maudella* Mann, 1921: 496, fig. 38 (s.w.q.m.) FIJI IS (Viti Levu, Taveuni I.).

Status as species: Emery, 1925b: 146; Wheeler, W.M. 1935g: 42; Dlussky, 1994: 55; Bolton, 1995b: 110; McArthur, 2012: 116.

Junior synonym of *polynesica*: Sarnat & Economo, 2012: 48.

**mayriella**. *Camponotus (Colobopsis) mayriella* Mann, 1921: 494.

Unnecessary (second) replacement name for *carinata* Mayr, 1870b: 943.

Status as species: Emery, 1925b: 146; Dlussky, 1994: 55.

Junior synonym of *polynesica*: Bolton, 1995b: 110.

**mima**. *Camponotus hosei* subsp. *mimus* Forel, 1911a: 56 (q.) BORNEO (no state data).

Combination in *C. (Colobopsis)*: Wheeler, W.M. 1919e: 119.

**Subspecies of** *hosei*: Wheeler, W.M. 1919e: 119; Emery, 1925b: 148; Chapman & Capco, 1951: 224; Bolton, 1995b: 111; Pfeiffer, et al. 2011: 37.

**minuscula**. *Camponotus mutilatus* var. *minuscula* Dahl, 1901: 18 (diagnosis in key) (q.) NEW GUINEA (Papua New Guinea: Bismarck Archipelago) (attributed to Emery).

[*Camponotus mutilatus* var. *minusculus* Forel, 1901b: 27. *Nomen nudum* (attributed to Emery).]

[Misspelled as *miniscula* by McArthur, 2012: 142.]

***mississippiensis***. *Camponotus (Colobopsis) mississippiensis* Smith, M.R. 1923a: 83 (s.w.) U.S.A. (Mississippi).

Wheeler, G.C. & Wheeler, J. 1953e: 188 (l.); Mackay & Mackay, 2018: 175 (q.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Dennis, 1938: 303; Creighton, 1950a: 394; Smith, M.R. 1951a: 846; Smith, M.R. 1958c: 145; Carter, 1962a: 7 (in list); Smith, M.R. 1967: 367; Smith, D.R. 1979: 1433; DuBois & LaBerge, 1988: 146; Bolton, 1995b: 111; Coover, 2005: 174; MacGown & Forster, 2005: 66; MacGown, *et al.* 2007: 13; McArthur, 2012: 154; Deyrup, 2017: 194; Mackay & Mackay, 2018: 169 (redescription).

***mutilata***. *Formica mutilata* Smith, F. 1859a: 137 (w.) INDONESIA (Aru Is.).

Mayr, 1876: 68 (q.).

Combination in *Colobopsis*: Mayr, 1862: 691;

combination in *Camponotus (Colobopsis)*: Dalla Torre, 1893: 244; Emery, 1896d: 376;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Mayr, 1863: 403; Roger, 1863b: 10; Smith, F. 1871a: 307; Mayr, 1876: 67; Emery, 1887a: 241; Dalla Torre, 1893: 244; Emery, 1896d: 376 (in list); Emery, 1925b: 146; Donisthorpe, 1932c: 452; Wheeler, W.M. 1935g: 43; Clark, 1938: 380; Chapman & Capco, 1951: 225; Bolton, 1995b: 112; McArthur, 2012: 48.

Current subspecies: nominal plus *minuscula*, *stitzi*.

***nagasau***. *Camponotus (Myrmogonia) cristatus* var. *nagasau* Mann, 1921: 482 (s.w.) FIJI IS (Taveuni I.).

[Misspelled as *nagasan* by Emery, 1925b: 144.]

Subspecies of *cristata*: Emery, 1925b: 144; Wheeler, W.M. 1935g: 41; Bolton, 1995b: 113; McArthur, 2012: 24.

Junior synonym of *cristata*: Sarnat & Economo, 2012: 57.

***nana***. *Camponotus quadriceps* var. *nana* Emery, 1911b: 537 (s.w.) NEW GUINEA (Indonesia).

[Junior secondary homonym of *Formica nana* Smith, F. 1858b: 41.]

**Replacement name:** *Camponotus (Colobopsis) quadriceps* var. *nanula* Emery, 1925b: 150.

***nanula***. *Camponotus (Colobopsis) quadriceps* var. *nanula* Emery, 1925b: 150.

[Misspelled as *manula* by Chapman & Capco, 1951: 226.]

**Replacement name for** *Camponotus quadriceps* var. *nana* Emery, 1911b: 537. [Junior secondary homonym of *Formica nana* Smith, F. 1858b: 41.]

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of** *quadriceps*: Chapman & Capco, 1951: 226; Bolton, 1995b: 113; McArthur, 2012: 52.

***nautarum***. *Camponotus (Colobopsis) conithorax* var. *nautarum* Santschi, 1919a: 327 (w.) SAMOA.

Santschi, 1928a: 57 (q.).

Subspecies of *conithorax*: Emery, 1925b: 148; Santschi, 1928a: 57; Wheeler, W.M. 1935g: 42.

Junior synonym of *flavolimbata*: Wilson & Taylor, 1967: 97; Bolton, 1995b: 113.

***neocarinata***. *Camponotus vitreus* var. *neocarinata* Baroni Urbani, 1971b: 361; unavailable name.

[Unavailable replacement name (variety proposed after 1960) for *carinata* Stitz, 1938: 116; Bolton, 1995b: 113.]

***newzealandica***. *Camponotus (Colobopsis) newzealandicus* Donisthorpe, 1940a: 47 (q.) NEW ZEALAND.

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Brown, 1958h: 45; Wilson & Taylor, 1967: 103; Taylor, 1987a: 16; Bolton, 1995b: 113; Don, 2007: 193; McArthur, 2012: 144.

***nigrifrons***. *Colobopsis nigrifrons* Mayr, 1870b: 943 (q.) TONGA.

Combination in *Camponotus (Colobopsis)*: Dalla Torre, 1893: 244;

combination in *C. (Myrmamblys)*: Forel, 1914a: 272;

combination in *C. (Colobopsis)*: Emery, 1925b: 146.

**Status as species:** Mayr, 1876: 67; Dalla Torre, 1893: 244; Emery, 1896d: 374 (in list); Emery, 1925b: 146; Wheeler, W.M. 1935g: 43; Wilson & Taylor, 1967: 97; Dlussky, 1994: 56; Bolton, 1995b: 113; Wetterer, 2002: 128; McArthur, 2012: 186, 213.

***nipponica***. *Camponotus (Colobopsis) nipponicus* Wheeler, W.M. 1928d: 118 (s.q.) JAPAN.

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Azuma, 1951: 88; Chapman & Capco, 1951: 225; Azuma, 1977: 116; Onoyama, 1980: 201; Morisita, *et al.* 1991: 44; Wang, C. & Wu, 1994: 28 (in key); Bolton, 1995b: 113; Wu, J. & Wang, 1995: 170; Radchenko, 1997d: 811; Terayama, 1999b: 28 (in key); Zhou, 2001b: 201; Imai, *et al.* 2003: 34; Ran & Zhou, 2011: 69; McArthur, 2012: 198.

***nitida***. *Formica nitida* Smith, F. 1859a: 138 (w.) INDONESIA (Aru Is.).

[Unresolved junior primary homonym of *Formica nitida* Razoumowsky, 1789: 427 (Emery, 1921a: 26; Bolton, 1995b: 113).]

Combination in *Camponotus*: Roger, 1863b: 4.

**Status as species:** Smith, F. 1863: 13; Roger, 1863b: 4; Smith, F. 1871a: 307; Emery, 1896d: 374 (in list).

Junior synonym of *vitrea*: McArthur, 2007a: 294 (error).

Junior synonym of *quadriceps*: Mayr, 1863: 403; Dalla Torre, 1893: 249; Emery, 1925b: 150; Bolton, 1995b: 113.

***nitida***. *Tapinoma nitida* Smith, F. 1860a: 69 (q.) INDONESIA (Sulawesi).

[**Junior secondary homonym** of *Formica nitida* Smith, F. 1859a: 138.]

Combination in *Camponotus (Colobopsis)*: Donisthorpe, 1932c: 457.

**Status as species:** Roger, 1863b: 14; Mayr, 1863: 455; Smith, F. 1871a: 309; Dalla Torre, 1893: 166; Emery, 1901g: 567; Emery, 1913a: 42; Donisthorpe, 1932c: 457; Chapman & Capco, 1951: 193.

**Replacement name:** *Camponotus perneser* Bolton, 1995b: 117.

***obliqua***. *Camponotus (Colobopsis) obliquus* Smith, M.R. 1930c: 567 (s.) U.S.A. (Mississippi).

[Misspelled as *obliquis* by McArthur, 2012: 76.]

Mackay & Mackay, 2018: 185 (w.q.m.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Smith, M.R. 1931a: 23; Creighton, 1950a: 394; Smith, M.R. 1951a: 846; Smith, D.R. 1979: 1433; Bolton, 1995b: 114; McArthur, 2012: 76; MacGown & Forster, 2005: 66; MacGown, *et al.* 2007: 14; Deyrup, 2017: 196; Mackay & Mackay, 2018: 179 (redescription).

*obtusitruncatus*. *Camponotus (Colobopsis) gasseri* r. *obtusitruncatus* Forel, 1902h: 508 (s.w.q.m.) AUSTRALIA (Queensland).

[Justified emendation of spelling to *obtusitruncatus*: Emery, 1925b: 148.]

Subspecies of *gasseri*: Emery, 1925b: 148; Taylor & Brown, 1985: 115; Taylor, 1987a: 12; Bolton, 1995b: 115.

Junior synonym of *gasseri*: McArthur & Shattuck, 2001: 31; McArthur, 2007a: 294; McArthur, 2010: 32.

***oceanica***. *Colobopsis oceanica* Mayr, 1870b: 943 (q.) FIJI IS (Ovalau I.).

Combination in *Camponotus*: Dalla Torre, 1893: 245;

combination in *C. (Myrmamblys)*: Forel, 1914a: 272;

combination in *C. (Myrmotemnus)*: Emery, 1920b: 258;

combination in *C. (Colobopsis)*: Emery, 1925b: 146;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species**: Mayr, 1876: 67; Dalla Torre, 1893: 245; Emery, 1896d: 374 (in list); Mann, 1921: 495; Emery, 1925b: 146; Wheeler, W.M. 1935g: 43; Dlussky, 1994: 56; Bolton, 1995b: 115; Sarnat & Economo, 2012: 47.

***oebalis***. *Camponotus (Colobopsis) vitreus* var. *oebalis* Forel, 1911b: 208 (w.) INDONESIA (Java).

[Misspelled as *oebalus* by McArthur, 2012: 86.]

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of *vitreus***: Emery, 1925b: 149; Stärcke, 1930: 379; Chapman & Capco, 1951: 228; Bolton, 1995b: 115; McArthur, 2012: 86.

***papago***. *Camponotus (Colobopsis) papago* Creighton, 1953c: 153, figs. 1, 2; pl. 13, figs. 1-3 (s.w.q.m.) U.S.A. (Arizona).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species**: Smith, M.R. 1958c: 145; Hunt & Snelling, 1975: 22; Smith, D.R. 1979: 1433; Snelling, R.R. & George, 1979: 187; Bolton, 1995b: 116; Mackay & Mackay, 2002: 300; McArthur, 2012: 156, 213; Mackay & Mackay, 2018: 190 (redescription).

*paradoxa* Mayr, 1866; see under **CAMPONOTUS**.

***perneser***. *Camponotus perneser* Bolton, 1995b: 117.

**Replacement name for *Tapinoma nitida*** Smith, F. 1860a: 69. [Junior secondary homonym of *Formica nitida* Smith, F. 1859a: 138.]

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

***phragmaticola***. *Camponotus (Colobopsis) phragmaticola* Donisthorpe, 1943b: 205 (q.) INDIA (Kerala).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species**: Chapman & Capco, 1951: 225; Bolton, 1995b: 117; Tiwari, 1999: 72; Karmaly & Narendran, 2006: 102; Bharti, Guénard, *et al.* 2016: 25.

*pilosa*. *Formica pilosa* Smith, F. 1857a: 54 (w.) BORNEO (East Malaysia: Sarawak).

[**Junior primary homonym** of *Formica pilosa* Olivier, 1792: 498 (Emery, 1921a: 25).]

Combination in *Colobopsis*: Mayr, 1862: 691;

combination in *Camponotus*: Emery, in Dalla Torre, 1893: 247;

combination in *C. (Colobopsis)*: Forel, 1912i: 90.

**Status as species**: Smith, F. 1858b: 24; Mayr, 1863: 403; Roger, 1863b: 10; Smith, F. 1871a: 305; Dalla Torre, 1893: 247; Emery, 1896d: 378 (in list); Emery, 1900d: 706;

Forel, 1912d: 110; Forel, 1913k: 133; Viehmeyer, 1914a: 115; Forel, 1915a: 42; Viehmeyer, 1916a: 161; Wheeler, W.M. 1919e: 115; Stitz, 1925: 127.

**Replacement name:** *Camponotus (Colobopsis) leonardi* Emery, 1889b: 515.

***politae*.** *Dolophra politae* Wu, J. & Wang, 1994: 37, figs. 1-3 (w.) CHINA (Yunnan).

Combination in *Camponotus*: Bolton, 1995b: 118;

combination in *C. (Colobopsis)*: Bolton, 2003: 268;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Bolton, 1995b: 118; Wu, J. & Wang, 1995: 158; Ran & Zhou, 2011: 69; Guénard & Dunn, 2012: 29.

***polynesica*.** *Camponotus polynesianus* Emery, 1896d: 374.

**Replacement name for** *Colobopsis carinata* Mayr, 1870b: 943. [Junior secondary homonym of *Formica carinata* Brullé, 1840: 84.]

Combination in *C. (Colobopsis)*: Emery, 1925b: 146 (as *mayriella*);

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Mann, 1921: 494 (redescription, as *mayriella*); Bolton, 1995b: 118; McArthur, 2012: 176; Sarnat & Economo, 2012: 48.

**Senior synonym of** *janussus*: Sarnat & Economo, 2012: 48.

**Senior synonym of** *maudella*: Sarnat & Economo, 2012: 48.

**Senior synonym of** *mayriella* (unnecessary (second) replacement name for *carinata* Mayr): Bolton, 1995b: 118.

**Senior synonym of** *seemanni*: Sarnat & Economo, 2012: 48.

***praelutea*.** *Camponotus (Colobopsis) vitreus* var. *praelutea* Karavaiev, 1929c: 242 (s.) INDONESIA (Sumatra).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of** *vitreata*: Chapman & Capco, 1951: 228; Bolton, 1995b: 118.

***praerufa*.** *Camponotus vitreus* var. *praerufa* Emery, 1900d: 707 (s.w.) INDONESIA (Sumatra: Mentawai Is.).

Combination in *C. (Colobopsis)*: Emery, 1925b: 149;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of** *vitreata*: Emery, 1925b: 149; Chapman & Capco, 1951: 228; Bolton, 1995b: 118; Pfeiffer, et al. 2011: 38; McArthur, 2012: 88.

***pubescens*.** *Colobopsis pubescens* Mayr, 1862: 691 (q.) INDONESIA (Sulawesi).

[Misspelled as *pubens* by Santschi, 1920h: 174, Santschi, 1924c: 115, Santschi, 1928h: 133.]

[**Junior secondary homonym of** *Formica pubescens* Fabricius, 1775: 392.]

Mayr, 1867a: 68 (w.).

**Status as species:** Mayr, 1863: 403; Roger, 1863b: 10; Mayr, 1867a: 68 (redescription); Mayr, 1870b: 941 (in key); Forel, 1886f: 193; Emery, 1888a: 529; Forel, 1893b: 437; Dalla Torre, 1893: 248; Emery, 1893g: 267; Emery, 1896d: 375; Bingham, 1903: 344; Forel, 1903d: 408; Forel, 1907e: 19; Wheeler, W.M. 1909d: 343; Forel, 1910d: 127; Forel, 1911d: 382; Santschi, 1920h: 174; Santschi, 1924c: 115; Santschi, 1928h: 133; Mathew & Tiwari, 2000: 351 (error).

**Junior synonym of** *pilosa*: Emery, 1900d: 706; Wheeler, W.M. 1919e: 115; Bolton, 1995b: 118.

**Replacement name:** *Camponotus (Colobopsis) leonardi* Emery, 1889b: 515.

[Note: an earlier senior synonym of *Colobopsis pubescens* Mayr, *Formica pilosa* Smith, F. 1857a: 54 (synonymy by Emery, 1900d: 706), is itself a junior primary homonym (of *Formica pilosa* Olivier, 1792:

498); hence *pilosa* Smith, F. is unavailable as a replacement name for *pubescens* Mayr, and *leonardi* becomes the first available name (Emery, 1921a: 25).]

*punctaticeps* Mayr, 1867; see under **CAMPONOTUS**.

*pylartes*. *Camponotus (Colobopsis) pylartes* Wheeler, W.M. 1904b: 147, fig. 4 (s.w.q.) U.S.A. (Texas).

Petralia & Vinson, 1980: 386 (l.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species**: Wheeler, W.M. 1910d: 353; Wheeler, W.M. 1910g: 572; Wheeler, W.M. 1917a: 562; Emery, 1925b: 147; Smith, M.R. 1930a: 6; Wheeler, W.M. 1932a: 16; Creighton, 1950a: 394; Smith, M.R. 1951a: 846; Smith, D.R. 1979: 1434; Bolton, 1995b: 119; Deyrup, 2003: 44; McArthur, 2012: 156.

Junior synonym of *impressa*: Deyrup, 2017: 192 (in text); Mackay & Mackay, 2018: 144.

*pyloria*. *Camponotus (Colobopsis) pylorus* Santschi, 1920g: 184 (q.) VIETNAM.

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species**: Santschi, 1920h: 174; Santschi, 1924c: 115; Emery, 1925b: 146; Chapman & Capco, 1951: 226; Bolton, 1995b: 119; McArthur, 2012: 178.

*quadriceps*. *Formica quadriceps* Smith, F. 1859a: 137 (s.w.) INDONESIA (Aru Is).

Mayr, 1862: 692 (q.); Karavaiev, 1929c: 243 (m.).

Combination in *Colobopsis*: Mayr, 1862: 692;

combination in *Camponotus*: Dalla Torre, 1893: 249;

combination in *C. (Myrmamblys)*: Forel, 1914a: 272;

combination in *C. (Colobopsis)*: Emery, 1920b: 259;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species**: Smith, F. 1861b: 36; Mayr, 1862: 692; Smith, F. 1863: 12; Mayr, 1863: 403; Roger, 1863b: 10; Mayr, 1863: 403; Smith, F. 1865: 68; Mayr, 1867a: 67 (redescription); Mayr, 1870b: 941 (in key); Smith, F. 1871a: 307; Dalla Torre, 1893: 249; Emery, 1896d: 375 (in list); Emery, 1897d: 577; Forel, 1901b: 27; Dahl, 1901: 17 (in key); Emery, 1901g: 568; Stitz, 1911a: 372; Viehmeyer, 1914c: 531; Emery, 1925b: 150; Santschi, 1928h: 133; Karavaiev, 1929c: 243; Karavaiev, 1930a: 213; Donisthorpe, 1932c: 452; Wheeler, W.M. 1935g: 43; Donisthorpe, 1948g: 140; Chapman & Capco, 1951: 226; Bolton, 1995b: 119; McArthur, 2012: 48.

**Senior synonym of angulata**: Emery, 1896d: 375; Emery, 1925b: 150; Donisthorpe, 1932c: 453; Bolton, 1995b: 119.

**Senior synonym of nitida**: Mayr, 1863: 403; Dalla Torre, 1893: 249; Emery, 1925b: 150; Bolton, 1995b: 119.

Current subspecies: nominal plus *augulatus*, *convexior*, *curvata*, *nanula*.

*reepeni*. *Camponotus (Colobopsis) reepeni* Forel, 1913k: 131 (q.) INDONESIA (Sumatra).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species**: Emery, 1925b: 146; Chapman & Capco, 1951: 226; Bolton, 1995b: 120; McArthur, 2012: 178+.

*riehlii*. *Colobopsis riehlii* Roger, 1863a: 159 (q.) CUBA.

Combination in *Camponotus (Colobopsis)*: Emery, 1889b: 517;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species**: Roger, 1863b: 10; Mayr, 1863: 459; Dalla Torre, 1893: 249; Emery, 1896d 376 (in list); Wheeler, W.M. 1904b: 146; Wheeler, W.M. 1905b: 135; Wheeler, W.M. 1913b: 505; Emery, 1925b: 147; Kempf, 1972a: 42; Alayo, 1974: 27 (in key);

Bolton, 1995b: 120; McArthur, 2012: 217; Deyrup, 2017: 199; Mackay & Mackay, 2018: 201 (redescription).

**Senior synonym of baronii:** Mackay & Mackay, 2018: 202.

**Senior synonym of haweisi:** Mackay & Mackay, 2018: 201.

**Senior synonym of triton:** Mackay & Mackay, 2018: 202.

**rothneyi.** *Camponotus (Colobopsis) rothneyi* Forel, 1893b: 435 (s.w.q.) INDIA (West Bengal, Odisha).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1896d: 376 (in list); Rothney, 1903: 99; Bingham, 1903: 346; Yano, 1910: 422; Forel, 1913k: 132 (footnote); Viehmeyer, 1916a: 162; Emery, 1925b: 146; Teranishi, 1940: 40; Chapman & Capco, 1951: 226; Bolton, 1995b: 120; Karmaly & Narendran, 2006: 108; McArthur, 2012: 180; Bharti, Guénard, *et al.* 2016: 25.

Current subspecies: nominal plus *krafti*, *makilingi*.

**rotunda.** *Camponotus rotundus* Klimes & McArthur, 2014: 148, figs. 6-8 (s.w.m.) NEW GUINEA (Papua New Guinea).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**rufifrons.** *Formica rufifrons* Smith, F. 1860b: 95 (w.q.) INDONESIA (Bacan I.).

Combination in *Colobopsis*: Mayr, 1862: 691;

combination in *Camponotus*: Dalla Torre, 1893: 250;

combination in *C. (Colobopsis)*: Forel, 1914a: 272;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Mayr, 1863: 403; Roger, 1863b: 10; Smith, F. 1865: 68; Mayr, 1870b: 944 (redescription); Smith, F. 1871a: 308; Mayr, 1876: 68; Dalla Torre, 1893: 250; Emery, 1896d: 374 (in list); Mann, 1921: 499 (in key); Emery, 1925b: 146; Donisthorpe, 1932c: 459; Wheeler, W.M. 1935g: 43; Donisthorpe, 1943d: 458; Chapman & Capco, 1951: 227; Dlussky, 1994: 56; Bolton, 1995b: 121; McArthur, 2012: 217.

Current subspecies: nominal plus *leucopa*.

**sadina.** *Camponotus (Myrmogonia) cristatus* subsp. *sadina* Mann, 1921: 482 (s.w.) FIJI IS (Taveuni I., Viti Levu, Vanua Levu).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of cristata:** Emery, 1925b: 144; Wheeler, W.M. 1935g: 41; Bolton, 1995b: 121; McArthur, 2012: 20.

**Status as species:** Sarnat & Economo, 2012: 60.

**saginata.** *Camponotus (Colobopsis) badius* var. *saginata* Stitz, 1925: 127 (q.) BORNEO (East Malaysia: Sabah).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of badia:** Stitz, 1932b: 736 (redescription); Chapman & Capco, 1951: 223; Bolton, 1995b: 121; Pfeiffer, *et al.* 2011: 36; McArthur, 2012: 34.

**Status as species:** Laciny, Zettel, Kopchinskiy, *et al.* 2018: 30 (in text).

**sanguinifrons.** *Camponotus (Colobopsis) sanguinifrons* Viehmeyer, 1925b: 143 (s.w.) AUSTRALIA (New South Wales).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Taylor & Brown, 1985: 119; Taylor, 1987a: 14; Bolton, 1995b: 122; McArthur & Shattuck, 2001: 39 (redescription); McArthur, 2007a: 304; McArthur, 2012: 144; McArthur, 2014: 50, 218.

**saundersi.** *Camponotus (Colobopsis) saundersi* Emery, 1889b: 516 (s.w.) MYANMAR.

Forel, 1893b: 438 (q.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

Junior synonym of *badia*: Emery, 1896d: 375; Chapman & Capco, 1951: 222, 227.

**Status as species:** Forel, 1893b: 438; Dalla Torre, 1893: 251; Emery, 1893e: 198; Emery, 1895k: 480; Bingham, 1903: 346; Wheeler, W.M. 1919e: 116; Emery, 1920c: 32; Crawley, 1924: 407; Emery, 1925b: 150; Menozzi, 1930a: 4; Collingwood, 1962: 229; Bolton, 1995b: 122; Jaitrong & Nabhitabhata, 2005: 15; Pfeiffer, *et al.* 2011: 38; McArthur, 2012: 52; Laciny, Zettel, Kopchinskiy, *et al.* 2018: 31 (in text).

*saverini*, misspelling, see under *severini*.

***schmeltzi***. *Camponotus schmeltzi* Mayr, 1866a: 490 (w.) FIJI IS (Ovalau I.).

Mann, 1921: 484 (s.).

Combination in *C. (Myrmogonia)*: Forel, 1912i: 92;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Mayr, 1876: 59 (in key); Dalla Torre, 1893: 251; Emery, 1896d: 375 (in list); Mann, 1921: 484; Emery, 1925b: 144; Mann, 1925b: 6; Wheeler, W.M. 1935g: 41; Dlussky, 1994: 56; Bolton, 1995b: 122; McArthur, 2012: 188; Sarnat & Economo, 2012: 63.

**Senior synonym of *loloma*:** Sarnat & Economo, 2012: 63.

***schmitzi***. *Camponotus (Colobopsis) schmitzi* Stärcke, 1933a: 29, figs. 1-13 (s.w.q.l.) BORNEO (Indonesia: Kalimantan).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Chapman & Capco, 1951: 253; Bolton, 1995b: 122; Pfeiffer, *et al.* 2011: 38; McArthur, 2012: 180.

*seemanni*. *Camponotus (Colobopsis) maudella* var. *seemanni* Mann, 1921: 498 (s.w.q.) FIJI IS (Viti Levu).

Subspecies of *maudella*: Emery, 1925b: 146; Wheeler, W.M. 1935g: 43; Bolton, 1995b: 123; McArthur, 2012: 212.

Junior synonym of *polynesica*: Sarnat & Economo, 2012: 48.

*semicarinata*. *Colobopsis rufifrons* r. *semicarinata* Forel, 1895f: 418 (s.) AUSTRALIA (Queensland).

Combination in *Camponotus (Colobopsis)*: Forel, 1902h: 508.

Subspecies of *rufifrons*: Emery, 1896d: 374 (in list).

Status as species: Forel, 1902h: 508; Emery, 1925b: 146; Taylor & Brown, 1985: 119; Taylor, 1987a: 15; Bolton, 1995b: 123.

Junior synonym of *macrocephala*: McArthur & Shattuck, 2001: 38; McArthur, 2007a: 294; McArthur, 2010: 32.

***severini***. *Camponotus (Colobopsis) severini* Forel, 1909b: 55 (s.w.q.m.) BORNEO (East Malaysia: Sabah, Labuan I.).

[Misspelled as *saverini* by Chapman & Capco, 1951: 227.]

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Wheeler, W.M. 1919e: 119; Emery, 1925b: 150; Chapman & Capco, 1951: 227; Bolton, 1995b: 123; Pfeiffer, *et al.* 2011: 38; McArthur, 2012: 54.

***shohki***. *Camponotus (Colobopsis) shohki* Terayama, 1999b: 44, figs. 42-49 (s.w.) JAPAN.

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Imai, *et al.* 2003: 34; McArthur, 2012: 200.

***siggii***. *Camponotus (Colobopsis) angustata* var. *siggii* Forel, 1893b: 436 (s.w.) THAILAND.

**Subspecies of angustata:** Chapman & Capco, 1951: 222 (error).

Junior synonym of *vitrea*: Forel, 1895e: 455 (in text); Emery, 1896d: 374; Emery, 1925b: 148; Bolton, 1995b: 124.

**Status as species:** McArthur, 2012: 78.

**smithiana.** *Camponotus (Colobopsis) smithianus* Wheeler, W.M. 1919e: 119 (s.w.) BORNEO (East Malaysia: Sarawak).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 150; Chapman & Capco, 1951: 227; Bolton, 1995b: 124; Pfeiffer, *et al.* 2011: 38; McArthur, 2012: 80.

**solenobius.** *Camponotus (Colobopsis) solenobius* Menozzi, 1926e: 97 (q.) PHILIPPINES (Mindanao I.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Chapman & Capco, 1951: 227; Baltazar, 1966: 270; Bolton, 1995b: 124; McArthur, 2012: 124.

Junior synonym of *corallina*: Laciny, Zettel, Kopchinskiy, *et al.* 2018: 29 (in text).

**sommeri.** *Colobopsis sommeri* Forel, 1894e: 230 (s.w.q.m.) NEW CALEDONIA.

Combination in *Camponotus (Colobopsis)*: Forel, 1914a: 272;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1896d: 374 (in list); Emery, 1914f: 428; Emery, 1925b: 146; Wheeler, W.M. 1935g: 43; Taylor, 1987a: 16; Bolton, 1995b: 124; McArthur, 2012: 190.

**stitzi.** *Camponotus mutilatus stitzi* Özdkmen, 2010a: 531.

**Replacement name for** *Camponotus (Colobopsis) mutilatus* var. *luteiventris* Stitz, 1938:

116. [Junior primary homonym of *Camponotus luteiventris* Emery, 1897d: 574.]

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**stricta.** *Formica stricta* Jerdon, 1851: 123 (w.) INDIA (Karnataka/Kerala; “Malabar”).

[Duplicated in Jerdon, 1854b: 105.]

Smith, F. 1858b: 16 (q.); Bingham, 1903: 344 (s.q.).

Combination in *Hypoclinea*: Roger, 1863b: 14;

combination in *Colobopsis*: Mayr, 1863: 403;

combination in *Camponotus*: Dalla Torre, 1893: 253;

combination in *C. (Colobopsis)*: Forel, 1893b: 438;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Smith, F. 1857a: 53; Smith, F. 1858b: 16 (redescription); Mayr, 1863: 403; Roger, 1863b: 14; Smith, F. 1871a: 303; Mayr, 1886c: 353; Forel, 1893b: 438; Dalla Torre, 1893: 253; Emery, 1896d: 374 (in list); Bingham, 1903: 343; Wheeler, W.M. 1919e: 117; Emery, 1925b: 150; Chapman & Capco, 1951: 227; Collingwood, 1962: 229; Bolton, 1995b: 125; Tiwari, 1999: 72; Mathew & Tiwari, 2000: 352; Karmaly & Narendran, 2006: 119; Pfeiffer, *et al.* 2011: 38; McArthur, 2012: 126; Bharti, Guénard, *et al.* 2016: 26.

**taivanae.** *Camponotus (Colobopsis) rothneyi* var. *taivanae* Forel, 1913f: 201 (q.) TAIWAN.

[Misspelled as *tainvanae* by Lin & Wu, 2003: 61.]

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of rothneyi:** Emery, 1925b: 146; Wheeler, W.M. 1929g: 63; Chapman & Capco, 1951: 226; Bolton, 1995b: 126; Lin & Wu, 2003: 61; Ran & Zhou, 2011: 69 (error); McArthur, 2012: 108 (error).

**Status as species:** Terayama, 2009: 216.

*tane*. *Camponotus (Colobopsis) tane* Wheeler, W.M. 1935g: 43. *Nomen nudum*.

*testacea*. *Colobopsis testacea* Bingham, 1903: 347 (q.) SRI LANKA.

[Misspelled as *testaceae* by Chapman & Capco, 1951: 227.]

[Junior secondary homonym of *Camponotus extensus testaceus* Emery, 1894f: 3.]

Status as species: Chapman & Capco, 1951: 227 (error).

**Replacement name:** *Camponotus (Colobopsis) ceylonicus* Emery, 1925b: 145.

*trajanus*. *Camponotus (Colobopsis) trajanus* Forel, 1912n: 68 (w.) INDONESIA (Sumatra).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 150; Chapman & Capco, 1951: 227; Bolton, 1995b: 127; McArthur, 2012: 82.

*tricolor*. *Colobopsis tricolor* Stitz, 1912: 511, fig. 13 (q.) NEW GUINEA (no state data).

Combination in *Camponotus (Colobopsis)*: Forel, 1914a: 272;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 147; Chapman & Capco, 1951: 227; Bolton, 1995b: 127.

[Note: McArthur, 2012: 128, confused *tricolor* Stitz (type-locality New Guinea) with *tricolor* Weber (type-locality South Sudan), and consequently incorrectly used the redundant replacement name *tamari* for the senior name *tricolor* Stitz.]

*triton*. *Camponotus (Colobopsis) triton* Wheeler, W.M. 1934g: 217 (q.) BAHAMAS (Andros I.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

Status as species: Kempf, 1972a: 42; Bolton, 1995b: 128; McArthur, 2012: 219.

Junior synonym of *riehlii*: Mackay & Mackay, 2018: 202.

*tritschleri*. *Camponotus tritschleri* Forel, 1912n: 63 (w.) INDONESIA (Sumatra).

Combination in *C. (Colobopsis)*: Forel, 1914a: 272;

subgenus indeterminate: Ward, Blaimer & Fisher, 2016: 351.

**Status as species:** Emery, 1925b: 150; Chapman & Capco, 1951: 227; Bolton, 1995b: 128; McArthur, 2012: 182.

*trotteri*. *Camponotus (Myrmogonia) schmeltzii* subsp. *trotteri* Mann, 1921: 486, fig. 34 (w.) FIJI IS (Taveuni I.).

Subspecies of *schmeltzii*: Emery, 1925b: 144; Wheeler, W.M. 1935g: 41; Bolton, 1995b: 128; McArthur, 2012: 219.

Junior synonym of *kadi*: Sarnat & Economo, 2012: 61.

*truncata*. *Formica truncata* Spinola, 1808: 244 (q.) ITALY.

Dufour & Perris, 1840: 49 (w.); Mayr, 1861: 38 (w.q.); Emery, 1869b: 5 (s.q.m.); Forel, 1874: 45 (s.w.); Ruzsky, 1905b: 260 (m.); Emery, 1916b: 235 (m., in key).

Combination in *Colobopsis*: Mayr, 1861: 38 (in key);

combination in *Camponotus (Colobopsis)*: Emery, 1891b: 21; Forel, 1893b: 435;

combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Dufour & Perris, 1840: 49; Mayr, 1855: 320 (footnote); Nylander, 1856b: 58; Smith, F. 1858b: 12; Roger, 1859: 231; Mayr, 1861: 38 (in key); Mayr, 1863: 403; Roger, 1863b: 9; Emery, 1869b: 5; Dours, 1873: 164; Forel, 1874: 44 (in key); André, 1874: 178 (in key); Emery, 1878b: 46; Emery & Forel, 1879: 449; André, 1882b: 160 (in key); Forel, 1886e: clxvii; Forel, 1889: 256; Nasonov, 1889: 13; Forel, 1890a: lxvii; Saunders, E. 1890: 202; Emery, 1891b: 21; Forel, 1892i: 306; Dalla Torre, 1893: 255; Forel, 1893b: 435; Forel, 1894d: 7; Emery, 1896d: 376 (in list); Ruzsky, 1902d: 8; Ruzsky, 1905b: 260; Forel, 1909c: 106; Bondroit, 1910: 488; Forel, 1911d: 354; Karavaiev, 1912b: 596; Ito, T. 1914: 45; Stitz, 1914: 96; Forel, 1915d: 73 (in key);

Donisthorpe, 1915d: 350; Emery, 1916b: 227; Escherich, 1917: 332; Bondroit, 1918: 66; Menozzi, 1921: 32; Soudek, 1922: 96; Müller, 1923b: 165; Emery, 1925b: 147; Menozzi, 1925d: 35; Soudek, 1925b: 15; Karavaiev, 1926e: 193; Menozzi, 1926b: 182; Santschi, 1926f: 288; Stärcke, 1926: 118 (in key); Karavaiev, 1927a: 295; Donisthorpe, 1927a: 9; Donisthorpe, 1927b: 405; Santschi, 1929e: 164; Finzi, 1930d: 318; Santschi, 1931a: 13; Santschi, 1932g: 5; Arnol'di, 1933b: 602 (in key); Menozzi, 1933b: 81; Grandi, 1935: 103; Zimmermann, 1935: 60; Santschi, 1936c: 208; Menozzi, 1936d: 304; Santschi, 1939c: 5; Novák & Sadil, 1941: 111 (in key); Bernard, 1945: 137; Arnol'di, 1948: 212 (in list); Schmitz, 1950: 13; Chapman & Capco, 1951: 228; Consani & Zangheri, 1952: 43; Bernard, 1956b: 260; Baroni Urbani, 1964c: 160; Samšínák, 1964: 158; Bernard, 1967: 345 (redescription); Cagniant, 1968a: 145; Kutter, 1968a: 60; Collingwood & Yarrow, 1969: 85; Cagniant, 1970c: 38; Baroni Urbani, 1971c: 197; Collingwood, 1971: 164; Kutter, 1977c: 207; Schembri & Collingwood, 1981: 438; Agosti & Collingwood, 1987a: 59; Agosti & Collingwood, 1987b: 282 (in key); Kugler, J. 1988: 259; Dlussky, Soyunov & Zabelin, 1990: 137; Le Moli & Rosi, 1991: 36; Collingwood, 1993b: 195; Arakelian, 1994: 88; Bolton, 1995b: 128; Poldi, *et al.* 1995: 7; Cagniant, 1996b: 94; Radchenko, 1996b: 1195 (in key); Espadaler, 1997b: 27; Radchenko, 1997d: 811; Collingwood & Prince, 1998: 24 (in key); Gallé, *et al.* 1998: 216; Csösz, & Markó, 2005: 227; Bračko, 2006: 146; Cagniant, 2006a: 194; Markó, Sipos, *et al.* 2006: 67; Petrov, 2006: 107 (in key); Bračko, 2007: 19; Seifert, 2007: 270; Werner & Wiezik, 2007: 143; Gratiashvili & Barjadze, 2008: 131; Casevitz-Weulersse & Galkowsky, 2009: 480; Vonshak, *et al.* 2009: 39; Lapeva-Gjonova, *et al.* 2010: 46; Ionescu-Hirsch, 2010: 91; Csösz, *et al.* 2011: 58; Karaman, C. *et al.* 2011: 191; Karaman, M.G. 2011b: 73; Legakis, 2011: 33; Borowiec, L. & Salata, 2012: 482; Czechowski, *et al.* 2012: 250; Kiran & Karaman, 2012: 8; McArthur, 2012: 112; Karaman, C. & Aktaç, 2013: 49 (in key); Borowiec, L. 2014: 44; Bračko, *et al.* 2014: 18; Tohmé, G. & Tohmé, 2014: 138; Lebas, *et al.* 2016: 132; Radchenko, 2016: 338; Borowiec, L. & Salata, 2018: 5; Salata & Borowiec, 2018c: 44; Seifert, 2018: 266.

**Senior synonym of *fuscipes*:** Forel, 1874: 97 (in list); Emery & Forel, 1879: 449; Dalla Torre, 1893: 255; Emery, 1896d: 376; Ruzsky, 1905b: 260; Forel, 1915d: 73 (in key); Emery, 1925b: 147; Bolton, 1995b: 128; Radchenko, 1997d: 811; Casevitz-Weulersse & Galkowsky, 2009: 480; Radchenko, 2016: 338.

***umbratilis*.** *Camponotus (Colobopsis) manni* subsp. *umbratilis* Wheeler, W.M. 1934e: 420, fig. 4d,e (w.m.) FIJI IS (Viti Levu).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of *manni*:** Wheeler, W.M. 1935g: 42; Bolton, 1995b: 128; McArthur, 2012: 18.

**Status as species:** Sarnat & Economo, 2012: 55.

***vitiensis*.** *Camponotus (Colobopsis) vitiensis* Mann, 1921: 490, fig. 36 (w.) FIJI IS (Viti Levu).

Donisthorpe, 1946b: 69 (s.q.m.).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Emery, 1925b: 150; Mann, 1925b: 6; Wheeler, W.M. 1935g: 43; Donisthorpe, 1946b: 69 (redescription); Dlussky, 1994: 56; Bolton, 1995b: 129; Pfeiffer, *et al.* 2011: 38; McArthur, 2012: 192; Sarnat & Economo, 2012: 50.

***vitrea*.** *Formica vitrea* Smith, F. 1860b: 94 (w.) INDONESIA (Bacan I.).

Emery, 1899c: 7 (l.); Viehmeyer, 1916a: 160 (s.q.m.); Karavaiev, 1933a: 319 (m.).

Combination in *Camponotus*: Emery, in Dalla Torre, 1893: 257;  
combination in *C. (Colobopsis)*: Emery, 1893e: 225;  
combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Mayr, 1863: 422; Smith, F. 1871a: 308; Dalla Torre, 1893: 257; Emery, 1893e: 225; Forel, 1895e: 455; Emery, 1896d: 374 (in list); Emery, 1897d: 577; Emery, 1899c: 7; Forel, 1901b: 27; Forel, 1902h: 507; Forel, 1903d: 409; Forel, 1910d: 127; Dahl, 1901: 17 (in key); Stitz, 1911a: 372; Emery, 1911b: 532; Emery, 1911c: 250; Forel, 1912n: 67; Forel, 1913k: 133; Viehmeyer, 1913: 147; Viehmeyer, 1914c: 532; Viehmeyer, 1916a: 160; Wheeler, W.M. 1919e: 117; Wheeler, W.M. 1924b: 253; Emery, 1925b: 148; Karavaiev, 1929c: 242; Donisthorpe, 1932c: 459; Karavaiev, 1933a: 319; Wheeler, W.M. 1935g: 43; Donisthorpe, 1943d: 458; Donisthorpe, 1948b: 314; Donisthorpe, 1948d: 603; Donisthorpe, 1948g: 140; Chapman & Capco, 1951: 228; Baltazar, 1966: 270; Taylor & Brown, 1985: 121; Taylor, 1987a: 15; Bolton, 1995b: 129; McArthur & Shattuck, 2001: 41 (redescription); Jaitrong & Nabhitabhata, 2005: 16; McArthur, 2007a: 302; Mohanraj, *et al.* 2010: 6; Pfeiffer, *et al.* 2011: 38; Ran & Zhou, 2011: 70; Guénard & Dunn, 2012: 30; McArthur, 2012: 84; McArthur, 2014: 50; Bharti, Guénard, *et al.* 2016: 26.

**Senior synonym of *adlerzii*:** Forel, 1894b: 70; Forel, 1895e: 458 (in text); Emery, 1925b: 148; Taylor & Brown, 1985: 121; Taylor, 1987a: 15; Bolton, 1995b: 129; McArthur & Shattuck, 2001: 41.

**Senior synonym of *incursor*:** Donisthorpe, 1932c: 459; Bolton, 1995b: 129.

Current subspecies: nominal plus *angustula*, *carinata* (unresolved junior homonym), *latinota* (unresolved junior homonym), *oebalis*, *praelutea*, *praerufa*, *vittatula*.

***vittatula*.** *Camponotus (Colobopsis) vitreus* var. *vittatula* Forel, 1913k: 133 (q.) INDONESIA (Sumatra).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Subspecies of *vitrea*:** Viehmeyer, 1916a: 160; Emery, 1925b: 149; Chapman & Capco, 1951: 228; Bolton, 1995b: 129; McArthur, 2012: 88.

***wildae*.** *Camponotus (Colobopsis) wildae* Donisthorpe, 1948b: 312 (q.) NEW GUINEA (Indonesia).

Combination in *Colobopsis*: Ward, Blaimer & Fisher, 2016: 350.

**Status as species:** Chapman & Capco, 1951: 229; Bolton, 1995b: 130; McArthur, 2012: 130.

***yogi*.** *Camponotus yogi* Wheeler, W.M. 1915b: 420 (s.w.) U.S.A. (California).

Creighton & Snelling, 1967: 191 (q.m.); Wheeler, G.C. & Wheeler, J. 1970: 650 (l.).

Combination in *C. (Myrmaphaenus)*: Emery, 1925b: 156;

combination in *C. (Colobopsis)*: Wheeler, W.M. 1917a: 562; Mackay & Mackay, 2018: 215.

**Status as species:** Wheeler, W.M. 1917a: 562; Emery, 1925b: 156; Creighton, 1950a: 401; Smith, M.R. 1951a: 847; Creighton & Snelling, 1967: 187; Smith, D.R. 1979: 1434; Bolton, 1995b: 130; Ward, 2005: 63; McArthur, 2012: 160; Mackay & Mackay, 2018: 215 (redescription).