

MYRMECIA

aberrans. *Myrmecia aberrans* Forel, 1900b: 54 (w.) AUSTRALIA (South Australia).

Clark, 1934a: 10 (q.m.).

Combination in *M. (Promyrmecia)*: Emery, 1911d: 19;

combination in *Promyrmecia*: Clark, 1943: 93;

combination in *Myrmecia*: Taylor & Brown, 1985: 6.

Status as species: Forel, 1904d: 168; Emery, 1911d: 19; Clark, 1927: 39; Wheeler, W.M. 1933i: 50 (redescription); Clark, 1934a: 9 (redescription); Wheeler, W.M. 1937c: 42; Clark, 1943: 93 (redescription); Clark, 1951: 122 (redescription); Taylor & Brown, 1985: 6; Taylor, 1987a: 41; Ogata, 1991a: 356; Ogata & Taylor, 1991: 1632 (in key), 1643; Bolton, 1995b: 270.

acuta. *Myrmecia acuta* Ogata & Taylor, 1991: 1664, figs. 44, 45 (w.) AUSTRALIA (Western Australia).

Status as species: Bolton, 1995b: 270; Heterick, 2009: 123.

aerorufa, misspelling, see under *aureorufa*.

affinis. *Myrmecia affinis* Mayr, 1862: 725 (diagnosis in key) (w.) AUSTRALIA (no state data, "Neuholland").

Status as species: Roger, 1863b: 23; Mayr, 1863: 430; Mayr, 1876: 97; Dalla Torre, 1893: 19.

Junior synonym of *simillima*: Forel, 1907h: 265; Emery, 1911d: 20; Clark, 1951: 89; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 270.

analis. *Myrmecia analis* Mayr, 1862: 725 (in key), 728 (w.) AUSTRALIA (no state data, "Neuholland").

Clark, 1927: 34 (q.).

Status as species: Roger, 1863b: 23; Mayr, 1863: 430; Mayr, 1876: 96; Dalla Torre, 1893: 19; Emery, 1911d: 20; Clark, 1927: 34; Wheeler, W.M. 1933i: 42; Clark, 1951: 53 (redescription); Taylor & Brown, 1985: 6; Taylor, 1987a: 41; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1637 (in key); Bolton, 1995b: 270; Heterick, 2009: 120.

Senior synonym of atriscapa: Clark, 1927: 34; Clark, 1951: 53; Taylor & Brown, 1985: 6; Taylor, 1987a: 41; Ogata & Taylor, 1991: 1628; Bolton, 1995b: 270.

apicalis. *Myrmecia apicalis* Emery, 1883: 150 (w.) NEW CALEDONIA.

Status as species: Dalla Torre, 1893: 19; Emery, 1911d: 20; Emery, 1914f: 393; Clark, 1951: 111 (redescription); Bolton, 1995b: 270; Taylor, 1987a: 46; Ogata, 1991a: 361; Ogata & Taylor, 1991: 1640 (in key).

arnoldi. *Myrmecia arnoldi* Clark, 1951: 36, fig. 14 (w.) AUSTRALIA (Western Australia).

Wheeler, G.C. & Wheeler, J. 1971d: 246 (l.).

Status as species: Taylor & Brown, 1985: 6; Taylor, 1987a: 41; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1637 (in key); Bolton, 1995b: 270; Heterick, 2009: 121.

athertonensis. *Myrmecia auriventris* var. *athertonensis* Forel, 1915b: 8 (w.m.) AUSTRALIA (Queensland).

Subspecies of auriventris: Clark, 1951: 42 (redescription).

Junior synonym of *auriventris*: Brown, 1953j: 10; Taylor & Brown, 1985: 6; Taylor, 1987a: 42.

Status as species: Ogata & Taylor, 1991: 1634 (in key), 1645; Bolton, 1995b: 270.

atrata. *Myrmecia atrata* Clark, 1951: 77, fig. 55 (w.) AUSTRALIA (Western Australia).

Status as species: Taylor & Brown, 1985: 6; Taylor, 1987a: 41; Ogata, 1991a: 358.

Junior synonym of *pavida*: Ogata & Taylor, 1991: 1659; Bolton, 1995b: 270.

atriscapa. *Myrmecia atriscapa* Crawley, 1925b: 580 (w.) AUSTRALIA (Western Australia).

Junior synonym of *analis*: Clark, 1927: 34; Clark, 1951: 54; Taylor & Brown, 1985: 6; Taylor, 1987a: 41; Ogata & Taylor, 1991: 1628; Bolton, 1995b: 270.

aureorufa. *Myrmecia mandibularis* subsp. *aureorufa* Forel, 1910b: 6 (w.) AUSTRALIA (no state data).

[Misspelled as *aerorufa* by Ogata & Taylor, 1991: 1630.]

Subspecies of *mandibularis*: Emery, 1911d: 21; Santschi, 1928e: 465.

Junior synonym of *mandibularis*: Clark, 1943: 137; Clark, 1951: 151; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 270.

auriventris. *Myrmecia auriventris* Mayr, 1870b: 968 (w.) AUSTRALIA (Queensland).

Clark, 1951: 41 (m.).

Status as species: Mayr, 1876: 95; Emery, 1887b: 444; Dalla Torre, 1893: 19; Emery, 1911d: 20; Wheeler, W.M. 1933i: 46; Clark, 1951: 40 (redescription); Brown, 1953j: 10; Taylor & Brown, 1985: 6; Taylor, 1987a: 41; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1633 (in key), 1647; Bolton, 1995b: 270.

banksi. *Myrmecia banksi* Taylor, 2015a: 501, figs. 4-6 (w.) AUSTRALIA (New South Wales).

[*Myrmecia banksi* Imai, Taylor & Crozier, 1994: 147. Unavailable name (published without designation of type-material).]

barbata. *Myrmecia (Promyrmecia) fulvipes* subsp. *barbata* Wheeler, W.M. 1933i: 71 (w.q.) AUSTRALIA (Victoria).

Subspecies of *fulvipes*: Clark, 1943: 146.

Junior synonym of *femorata*: Clark, 1951: 158.

Junior synonym of *fulvipes*: Brown, 1953j: 21; Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 271.

basirufa. *Myrmecia vindex* var. *basirufa* Forel, 1907h: 264 (w.) AUSTRALIA (Western Australia).

Clark, 1951: 71 (q.m.).

Subspecies of *vindex*: Emery, 1911d: 19; Clark, 1951: 70 (redescription); Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata, 1991a: 358.

Junior synonym of *vindex*: Ogata & Taylor, 1991: 1661; Bolton, 1995b: 270.

borealis. *Myrmecia borealis* Ogata & Taylor, 1991: 1647 (w.) AUSTRALIA (Queensland).

Status as species: Bolton, 1995b: 270.

brevinoda. *Myrmecia forficata* var. *brevinoda* Forel, 1910b: 2 (w.q.) AUSTRALIA (Victoria).

Wheeler, G.C. & Wheeler, J. 1971d: 247 (l.); Imai, Crozier & Taylor, 1977: 345 (k.).

Subspecies of *forficata*: Emery, 1911d: 20; Clark, 1927: 36.

Status as species: Clark, 1951: 96 (redescription); Brown, 1953j: 22; Brown, 1958h: 10; Wilson & Taylor, 1967: 102; Taylor & Brown, 1985: 6; Taylor, 1987a: 42; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1635 (in key), 1653; Bolton, 1995b: 270; Don, 2007: 185.

Senior synonym of *decipiens*: Ogata & Taylor, 1991: 1653; Bolton, 1995b: 270.

Senior synonym of *eudoxia*: Brown, 1953j: 22; Brown, 1958h: 10; Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1653; Bolton, 1995b: 270.

Senior synonym of *gigas*: Brown, 1953j: 22; Brown, 1958h: 10; Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1653; Bolton, 1995b: 270.

Senior synonym of *longinodis*: Ogata & Taylor, 1991: 1653; Bolton, 1995b: 270.

browningi. *Myrmecia browningi* Ogata & Taylor, 1991: 1654, figs. 39, 40 (w.q.m.) AUSTRALIA (South Australia: Kangaroo I.).

Status as species: Bolton, 1995b: 270.

callima. *Promyrmecia callima* Clark, 1943: 125, pl. 14, fig. 36 (w.) AUSTRALIA (Victoria).

Combination in *Myrmecia*: Taylor & Brown, 1985: 7.

Status as species: Clark, 1951: 148 (redescription); Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1632 (in key); Bolton, 1995b: 270; Heterick, 2009: 121.

cardigaster. *Myrmecia cardigaster* Brown, 1953j: 28.

Replacement name for *Myrmecia cordata* Clark, 1951: 116. [Junior primary homonym of *Myrmecia cordata* Fabricius, 1804: 425].

Status as species: Taylor & Brown, 1985: 7; Ogata, 1991a: 358.

Junior synonym of *rowlandi*: Ogata & Taylor, 1991: 1660; Bolton, 1995b: 270.

celaena. *Promyrmecia celaena* Clark, 1943: 120, pl. 14, fig. 42 (w.) AUSTRALIA (New South Wales, Queensland).

[Note: type-locality New South Wales by designation of Clark, 1951: 221.]

Combination in *Myrmecia*: Brown, 1953j: 17.

Status as species: Clark, 1951: 220 (redescription); Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata, 1991a: 361.

Junior synonym of *harderi*: Ogata & Taylor, 1991: 1661; Bolton, 1995b: 270.

cephalotes. *Promyrmecia cephalotes* Clark, 1943: 123, pl. 14, figs. 32-34 (w.q.m.) AUSTRALIA (South Australia).

Imai, Crozier & Taylor, 1977: 345 (k.).

Combination in *Myrmecia*: Taylor & Brown, 1985: 7.

Status as species: Clark, 1951: 145 (redescription); Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1632 (in key); Bolton, 1995b: 270.

chasei. *Myrmecia chasei* Forel, 1894e: 235 (w.) AUSTRALIA (Western Australia).

Clark, 1943: 116 (q.m.); Wheeler, G.C. & Wheeler, J. 1971d: 247 (l.).

Combination in *Promyrmecia*: Clark, 1943: 115;

combination in *Myrmecia*: Taylor & Brown, 1985: 7.

Status as species: Forel, 1907h: 267; Emery, 1911d: 21; Clark, 1943: 115 (redescription); Clark, 1951: 212 (redescription); Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata, 1991a: 361; Ogata & Taylor, 1991: 1640 (in key); Bolton, 1995b: 270; Heterick, 2009: 123.

Senior synonym of mediorubra: Clark, 1943: 115; Clark, 1951: 212; Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 270.

chrysogaster. *Promyrmecia chrysogaster* Clark, 1943: 114, pl. 13, fig. 23 (w.) AUSTRALIA (Queensland).

Combination in *Myrmecia*: Taylor & Brown, 1985: 7.

Status as species: Clark, 1951: 209 (redescription); Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata, 1991a: 361; Ogata & Taylor, 1991: 1640 (in key); Bolton, 1995b: 270.

clarki. *Myrmecia clarki* Crawley, 1922b: 432 (w.) AUSTRALIA (Western Australia).

Wheeler, W.M. 1933i: 61 (q.); Clark, 1943: 132 (m.); Wheeler, G.C. & Wheeler, J. 1971d: 247 (l.).

Combination in *M. (Promyrmecia)*: Wheeler, W.M. 1933i: 61;

combination in *Promyrmecia*: Clark, 1943: 132;

combination in *Myrmecia*: Taylor & Brown, 1985: 7.

Status as species: Wheeler, W.M. 1933i: 61; Clark, 1943: 132 (redescription); Clark, 1951: 174 (redescription); Ogata, 1991a: 362; Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1642 (in key); Bolton, 1995b: 270; Heterick, 2009: 123.

coelatinoda. *Myrmecia (Promyrmecia) fulvipes* subsp. *coelatinoda* Wheeler, W.M. 1933i: 72 (w.) AUSTRALIA (South Australia).

Combination in *Promyrmecia*: Clark, 1943: 147.

Subspecies of *fulvipes*: Clark, 1943: 147; Clark, 1951: 167.

Junior synonym of *mandibularis*: Brown, 1953j: 4; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 271.

comata. *Myrmecia comata* Clark, 1951: 43, fig. 19 (w.) AUSTRALIA (Queensland).

Wheeler, G.C. & Wheeler, J. 1971d: 247 (l.).

Status as species: Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1635 (in key); Bolton, 1995b: 271.

cordata Fabricius, 1804; see under **DACETON**.

cordata. *Myrmecia cordata* Clark, 1951: 116, fig. 90 (w.) AUSTRALIA (Queensland).

[Junior primary homonym of *Myrmecia cordata* Fabricius, 1804: 425.]

Replacement name: *Myrmecia cardigaster* Brown, 1953j: 28.

crassinoda. *Myrmecia crassinoda* Clark, 1934c: 50, pl. 4, fig. 2 (w.q.) AUSTRALIA (Victoria).

Status as species: Clark, 1951: 88 (redescription).

Junior synonym of *pulchra*: Brown, 1953j: 27; Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 271.

croslandi. *Myrmecia croslandi* Taylor, 1991c: 288 (w.k.) AUSTRALIA (New South Wales, Australian Capital Territory, Victoria).

Imai, Taylor & Crozier, 1994: 145 (k.).

Status as species: Bolton, 1995b: 271; Taylor, 2015a: 503.

crudelis. *Myrmecia crudelis* Smith, F. 1858b: 147 (w.q.) AUSTRALIA (South Australia).

Subspecies of *vindex*: Forel, 1910b: 3 (in text).

Status as species: Roger, 1861a: 36; Mayr, 1862: 725 (in key); Roger, 1863b: 23; Mayr, 1863: 430; Dalla Torre, 1893: 19; Emery, 1911d: 19; Crawley, 1926: 374 (redescription); Clark, 1934c: 51; Clark, 1951: 35 (redescription).

Junior synonym of *simillima*: Brown, 1953j: 12; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 271.

cydista. *Promyrmecia cydista* Clark, 1943: 115, pl. 13, fig. 24 (w.) AUSTRALIA (New South Wales).

Combination in *Myrmecia*: Taylor & Brown, 1985: 8.

Status as species: Clark, 1951: 210 (redescription); Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata, 1991a: 361; Ogata & Taylor, 1991: 1641 (in key); Bolton, 1995b: 271.

decipiens. *Myrmecia decipiens* Clark, 1951: 86, fig. 66 (w.) AUSTRALIA (New South Wales).

Status as species: Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata, 1991a: 358.

Junior synonym of *brevinoda*: Ogata & Taylor, 1991: 1653; Bolton, 1995b: 271.

desertorum. *Myrmecia vindex* var. *desertorum* Wheeler, W.M. 1915g: 805 (w.) AUSTRALIA (South Australia).

Clark, 1925b: 144 (q.m.).

Subspecies of vindex: Clark, 1925b: 143.

Status as species: Clark, 1928c: 39; Clark, 1930c: 22; Wheeler, W.M. 1933i: 40; Clark, 1951: 59 (redescription); Brown, 1953j: 25; Taylor & Brown, 1985: 8; Taylor, 1987a: 42;

Ogata, 1991a: 358; Ogata & Taylor, 1991: 1637 (in key); Bolton, 1995b: 271; Heterick, 2009: 121.

Senior synonym of *lutea*: Brown, 1953j: 25; Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1628; Bolton, 1995b: 271.

Senior synonym of *princeps*: Brown, 1953j: 25; Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1628; Bolton, 1995b: 271.

***dichospila*.** *Myrmecia (Promyrmecia) dichospila* Clark, 1938: 359, fig. 2 (w.q.m.) AUSTRALIA (South Australia: Reevesby Is.).

Combination in *Promyrmecia*: Clark, 1943: 108;

combination in *Myrmecia*: Taylor & Brown, 1985: 8.

Status as species: Clark, 1943: 108 (redescription); Clark, 1951: 198 (redescription); Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata, 1991a: 362; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 271.

***dimidiata*.** *Myrmecia dimidiata* Clark, 1951: 71, fig. 49 (w.) AUSTRALIA (Queensland).

Status as species: Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1638 (in key); Bolton, 1995b: 271.

***dispar*.** *Promyrmecia dispar* Clark, 1951: 226, fig. 193 (w.) AUSTRALIA (New South Wales).

Combination in *Myrmecia*: Taylor & Brown, 1985: 8.

Status as species: Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata, 1991a: 361; Ogata & Taylor, 1991: 1640 (in key); Bolton, 1995b: 271; Heterick, 2009: 123.

***dixoni*.** *Promyrmecia dixoni* Clark, 1943: 135, pl. 16, figs. 77, 78 (w.q.) AUSTRALIA (Victoria, New South Wales, Australian Capital Territory).

[Note: type-locality Victoria by designation of Clark, 1951: 180.]

Wheeler, G.C. & Wheeler, J. 1971d: 247 (l.).

Combination in *Myrmecia*: Taylor & Brown, 1985: 8.

Status as species: Clark, 1951: 179 (redescription); Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata, 1991a: 362.

Junior synonym of *testaceipes*: Ogata & Taylor, 1991: 1666; Bolton, 1995b: 271.

***elegans*.** *Promyrmecia elegans* Clark, 1943: 122, pl. 14, figs. 44, 45 (w.q.) AUSTRALIA (Western Australia).

Wheeler, G.C. & Wheeler, J. 1971d: 248 (l.).

Combination in *Myrmecia*: Brown, 1953j: 15.

Status as species: Clark, 1951: 222 (redescription); Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata, 1991a: 361; Ogata & Taylor, 1991: 1641 (in key); Bolton, 1995b: 271; Heterick, 2009: 123.

emarginata Fabricius, 1804; see under *ANOCHECUS*.

***erecta*.** *Myrmecia erecta* Ogata & Taylor, 1991: 1655, figs. 41-43 (w.q.) AUSTRALIA (South Australia).

Status as species: Bolton, 1995b: 271; Heterick, 2009: 120.

***esuriens*.** *Myrmecia esuriens* Fabricius, 1804: 424 (w.) French Guiana.

[Note: type-locality Australia (no state data), after Roger, 1861a: 35.]

Clark, 1934a: 16 (ergatoid q. m.).

Status as species: Roger, 1861a: 35; Mayr, 1862: 727 (in key); Roger, 1863b: 22; Mayr, 1863: 430; Mayr, 1876: 94; Emery, 1887b: 443; Dalla Torre, 1893: 19; Emery, 1911d: 20; Forel, 1913g: 173; Wheeler, W.M. 1933i: 31; Clark, 1934a: 16 (redescription); Clark, 1951: 84 (redescription); Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1633 (in key); Bolton, 1995b: 271.

Senior synonym of *tasmaniensis*: Roger, 1861a: 35; Roger, 1863b: 22; Mayr, 1863: 430; Mayr, 1876: 94; Dalla Torre, 1893: 19; Emery, 1911d: 20; Clark, 1934a: 16; Clark, 1951: 84; Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1628; Bolton, 1995b: 271.

Senior synonym of *walkeri*: Emery, 1911d: 20; Clark, 1934a: 16; Clark, 1951: 84; Taylor & Brown, 1985: 9; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1628; Bolton, 1995b: 271.

eudoxia. *Myrmecia forficata* var. *eudoxia* Forel, 1915b: 8 (w.) AUSTRALIA (Queensland).

Status as species: Wheeler, W.M. 1933i: 35.

Junior synonym of *gigas*: Clark, 1951: 104.

Junior synonym of *brevinoda*: Brown, 1953j: 22; Brown, 1958h: 10; Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1653; Bolton, 1995b: 270.

eungellensis. *Myrmecia eungellensis* Ogata & Taylor, 1991: 1648, figs. 33-35 (w.) AUSTRALIA (Queensland).

Status as species: Bolton, 1995b: 271.

eupoecila. *Promyrmecia eupoecila* Clark, 1943: 98, pl. 12, fig. 8 (q.) AUSTRALIA (South Australia).

Clark, 1951: 134 (w.).

Combination in *Myrmecia*: Brown, 1953j: 18.

Status as species: Clark, 1951: 134 (redescription); Taylor & Brown, 1985: 9; Taylor, 1987a: 43; Ogata, 1991a: 356.

Junior synonym of *froggatti*: Ogata & Taylor, 1991: 1643; Bolton, 1995b: 271.

excavata. *Promyrmecia excavata* Clark, 1951: 137, figs. 105, 106 (w.q.) AUSTRALIA (New South Wales).

Combination in *Myrmecia*: Brown, 1953j: 18.

Status as species: Brown, 1953j: 18; Taylor & Brown, 1985: 9; Taylor, 1987a: 43; Ogata, 1991a: 356.

Junior synonym of *froggatti*: Ogata & Taylor, 1991: 1643; Bolton, 1995b: 271.

exigua. *Promyrmecia exiguia* Clark, 1943: 107, pl. 15, fig. 64 (w.) AUSTRALIA (Victoria).

Combination in *Myrmecia*: Taylor & Brown, 1985: 9.

Status as species: Clark, 1951: 197 (redescription); Taylor & Brown, 1985: 9; Taylor, 1987a: 43; Ogata, 1991a: 362; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 271.

fabricii. *Myrmecia fabricii* Ogata & Taylor, 1991: 1650, fig. 35 (w.) AUSTRALIA (Queensland).

Status as species: Bolton, 1995b: 271.

fallax. *Myrmecia fallax* Clark, 1951: 79, fig. 57 (w.) AUSTRALIA (Victoria).

Junior synonym of *pulchra*: Brown, 1953j: 27; Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 271.

fasciata. *Myrmecia fasciata* Clark, 1951: 63, fig. 40 (w.) AUSTRALIA (New South Wales).

Status as species: Taylor & Brown, 1985: 9; Taylor, 1987a: 43; Ogata, 1991a: 358.

Junior synonym of *nigriceps*: Ogata & Taylor, 1991: 1659; Bolton, 1995b: 271.

femorata. *Myrmecia (Pristomyrmecia) piliventris* var. *femorata* Santschi, 1928e: 466 (w.) AUSTRALIA (Victoria).

Wheeler, G.C. & Wheeler, J. 1971d: 252 (l.).

Combination in *M. (Promyrmecia)*: Wheeler, W.M. 1933i: 70;

combination in *Promyrmecia*: Clark, 1943: 142.

Subspecies of *fulvipes*: Wheeler, W.M. 1933i: 70.

Subspecies of *piliventris*: Clark, 1943: 142 (redescription); Clark, 1951: 158 (redescription).

Junior synonym of *fulvipes*: Brown, 1953j: 21; Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 271.

ferruginea. *Myrmecia nigriceps* var. *ferruginea* Mayr, 1876: 95 (w.) AUSTRALIA (Queensland).

Subspecies of *nigriceps*: Dalla Torre, 1893: 21.

Junior synonym of *vindex*: Forel, 1907h: 264; Emery, 1911d: 19.

Status as species: Brown, 1953j: 22; Taylor & Brown, 1985: 9; Taylor, 1987a: 43; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1629 (in list only); Bolton, 1995b: 271.

flammicollis. *Myrmecia flammicollis* Brown, 1953j: 23 (w.) AUSTRALIA (Queensland).

Status as species: Taylor & Brown, 1985: 9; Taylor, 1987a: 43; Ogata, 1991a: 359; Ogata & Taylor, 1991: 1639 (in key); Bolton, 1995b: 271.

flavicomma. *Myrmecia flavicoma* Roger, 1861b: 171 (w.) AUSTRALIA (no state data).

Viehmeyer, 1924a: 221 (q.).

Status as species: Mayr, 1862: 725 (in key); Roger, 1863b: 22; Mayr, 1863: 430; Mayr, 1876: 94 (in text); Dalla Torre, 1893: 19; Emery, 1911d: 20; Viehmeyer, 1924a: 221; Clark, 1951: 74 (redescription); Taylor & Brown, 1985: 9; Taylor, 1987a: 43; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1635 (in key); Bolton, 1995b: 271.

forceps. *Myrmecia forceps* Roger, 1861a: 34 (w.) AUSTRALIA (“Neuholland”, no state data).

Clark, 1951: 25 (q.); Wheeler, G.C. & Wheeler, J. 1971d: 248 (l.).

Status as species: Mayr, 1862: 724 (in key); Roger, 1863b: 22; Mayr, 1863: 430; Dalla Torre, 1893: 19; Emery, 1911d: 20; Forel, 1911e: 252; Viehmeyer, 1924a: 221; Wheeler, W.M. 1933i: 47; Clark, 1951: 24 (redescription); Brown, 1953j: 7; Taylor & Brown, 1985: 9; Taylor, 1987a: 43; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1633 (in key); Bolton, 1995b: 271; Heterick, 2009: 120.

Senior synonym of *obscuriceps*: Clark, 1951: 24; Taylor & Brown, 1985: 9; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 271.

Senior synonym of *singularis*: Brown, 1953j: 7; Taylor & Brown, 1985: 9; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 271.

forficata. *Formica forficata* Fabricius, 1787: 310 (w.) AUSTRALIA (Tasmania, “Habitat in Terra Diemanii”).

Mayr, 1876: 95 (q.); Clark, 1927: 35 (m.); Wheeler, G.C. & Wheeler, J. 1971d: 249 (l.); Imai, Crozier & Taylor, 1977: 345 (k.).

Combination in *Myrmecia*: Fabricius, 1804: 424;

combination in *Myrmica*: Latreille, 1809: 131; Leach, 1815: 147;

combination in *Eciton*: Latreille, 1817c: 75;

combination in *Myrmecia*: Smith, F. 1858b: 143; Roger, 1861a: 33.

Status as species: Gmelin, 1790: 2803; Olivier, 1792: 501; Fabricius, 1793: 363; Latreille, 1802c: 216; Fabricius, 1804: 424; Latreille, 1809: 131; Leach, 1815: 147; Latreille, 1817c: 75; Smith, F. 1858b: 143; Roger, 1861a: 35; Mayr, 1862: 726 (in key); Roger, 1863b: 22; Mayr, 1863: 430; Mayr, 1876: 95; Emery, 1887b: 443; Dalla Torre, 1893: 20; Forel, 1910b: 2; Emery, 1911d: 20; Forel, 1913g: 173; Emery, 1914b: 179; Poulton & Crawley, 1922: 120; Clark, 1927: 35; Santschi, 1928e: 465; Clark, 1929: 120;

Wheeler, W.M. 1933i: 31; Clark, 1951: 93 (redescription); Brown, 1953j: 28; Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1635 (in key); Bolton, 1995b: 271.

Senior synonym of *lucida*: Clark, 1951: 93; Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 271.

Senior synonym of *rubra*: Brown, 1953j: 28; Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 271.

Senior synonym of *violacea*: Brown, 1953j: 28; Taylor & Brown, 1985: 10; Bolton, 1995b: 271.

formosa. *Myrmecia (Promyrmecia) aberrans* subsp. *formosa* Wheeler, W.M. 1933i: 52, fig. 19 (w.) AUSTRALIA (New South Wales).

Combination in *Promyrmecia*: Clark, 1943: 94;
combination in *Myrmecia*: Brown, 1953j: 19.

Subspecies of *aberrans*: Clark, 1943: 94 (redescription).

Subspecies of *maura*: Brown, 1953j: 19; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata, 1991a: 356.

Status as species: Clark, 1951: 131 (redescription); Ogata & Taylor, 1991: 1632 (in key); Bolton, 1995b: 271.

Senior synonym of *haematosticta*: Brown, 1953j: 19; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1628; Bolton, 1995b: 271.

froggatti. *Myrmecia froggatti* Forel, 1910b: 9 (w.) AUSTRALIA (New South Wales).

Clark, 1951: 129 (q.).

Combination in *M. (Promyrmecia)*: Emery, 1911d: 19;
combination in *Promyrmecia*: Clark, 1943: 96;
combination in *Myrmecia*: Brown, 1953j: 17.

Subspecies of *aberrans*: Wheeler, W.M. 1933i: 52.

Status as species: Emery, 1911d: 19; Clark, 1943: 96 (redescription); Clark, 1951: 128 (redescription); Brown, 1953j: 17; Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata, 1991a: 356; Ogata & Taylor, 1991: 1632 (in key), 1643; Bolton, 1995b: 271.

Senior synonym of *eupoecila*: Ogata & Taylor, 1991: 1643; Bolton, 1995b: 271.

Senior synonym of *excavata*: Ogata & Taylor, 1991: 1643; Bolton, 1995b: 271.

Senior synonym of *greavesi*: Ogata & Taylor, 1991: 1643; Bolton, 1995b: 271.

Senior synonym of *sericata*: Brown, 1953j: 17; Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1643; Bolton, 1995b: 271.

Senior synonym of *taylori*: Brown, 1953j: 17; Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1643; Bolton, 1995b: 271.

fucosa. *Myrmecia (Promyrmecia) fucosa* Clark, 1934a: 15, pl. 1, figs. 5, 6 (w.q.) AUSTRALIA (Victoria, South Australia).

[Note: type-locality Victoria by designation of Clark, 1951: 144.]

Clark, 1943: 103 (m.); Wheeler, G.C. & Wheeler, J. 1971d: 249 (l.).

Combination in *Promyrmecia*: Clark, 1943: 102;
combination in *Myrmecia*: Taylor & Brown, 1985: 10.

Status as species: Clark, 1943: 102 (redescription); Clark, 1951: 142 (redescription); Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata, 1991a: 361; Ogata & Taylor, 1991: 1640 (in key); Bolton, 1995b: 271.

fulgida. *Myrmecia fulgida* Clark, 1951: 73, fig. 52 (w.) AUSTRALIA (Western Australia).

Status as species: Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1637 (in key), 1657; Bolton, 1995b: 271; Heterick, 2009: 121.

Senior synonym of *suttoni*: Ogata & Taylor, 1991: 1657; Bolton, 1995b: 271.

***fulviculus*.** *Myrmecia (Pristomyrmecia) fulvipes* r. *fulviculus* Forel, 1913g: 174 (w.) AUSTRALIA (Tasmania).

[Note: type-locality correctly New South Wales, after Clark, 1943: 144.]

Clark, 1951: 163 (q.m.).

Combination in *M. (Promyrmecia)*: Wheeler, W.M. 1933i: 70;

combination in *Promyrmecia*: Clark, 1943: 144;

combination in *Myrmecia*: Taylor & Brown, 1985: 10.

Subspecies of *fulvipes*: Wheeler, W.M. 1933i: 70 (redescription).

Status as species: Clark, 1943: 144 (redescription); Clark, 1951: 162 (redescription);

Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata, 1991a: 359; Ogata & Taylor, 1991: 1638 (in key); Bolton, 1995b: 271.

***fulvipes*.** *Myrmecia fulvipes* Roger, 1861a: 36 (w.) AUSTRALIA (no state data).

Clark, 1943: 145 (q.m.); Wheeler, G.C. & Wheeler, J. 1971d: 249 (l.); Imai, Crozier & Taylor, 1977: 345 (k.).

Combination in *M. (Pristomyrmecia)*: Emery, 1911d: 21;

combination in *M. (Promyrmecia)*: Wheeler, W.M. 1933i: 69;

combination in *Promyrmecia*: Clark, 1943: 145;

combination in *Myrmecia*: Brown, 1953j: 21.

Status as species: Mayr, 1862: 726 (in key); Roger, 1863b: 23; Mayr, 1863: 430; Mayr, 1876: 93 (in text); Dalla Torre, 1893: 20; Emery, 1911d: 21; Forel, 1913g: 173; Wheeler, W.M. 1933i: 69; Clark, 1934c: 52; Clark, 1943: 145 (redescription); Clark, 1951: 165 (redescription); Brown, 1953j: 21; Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata, 1991a: 359; Ogata & Taylor, 1991: 1638 (in key); Bolton, 1995b: 271.

Senior synonym of *barbata*: Brown, 1953j: 21; Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 271.

Senior synonym of *femorata*: Brown, 1953j: 21; Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 271.

***fuscipes*.** *Myrmecia fuscipes* Clark, 1951: 62, fig. 39 (w.) AUSTRALIA (South Australia).

Junior synonym of *desertorum*: Brown, 1953j: 25; Taylor & Brown, 1985: 8; Taylor, 1987a: 42.

Status as species: Ogata & Taylor, 1991: 1637 (in key), 1657; Bolton, 1995b: 271; Heterick, 2009: 121.

***gigas*.** *Myrmecia pyriformis* r. *gigas* Forel, 1913b: 310 (q.) AUSTRALIA (Queensland).

Forel, 1915: 7 (w.); Clark, 1951: 107 (ergatoid q. m.).

Status as species: Clark, 1951: 104 (redescription).

Junior synonym of *brevinoda*: Brown, 1953j: 22; Brown, 1958h: 10; Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1653; Bolton, 1995b: 271.

***gilberti*.** *Myrmecia fulvipes* var. *gilberti* Forel, 1910b: 6 (w.) AUSTRALIA (Queensland).

Wheeler, W.M. 1933i: 73 (m.); Clark, 1943: 137 (q.).

Combination in *M. (Pristomyrmecia)*: Emery, 1911d: 21;

combination in *M. (Promyrmecia)*: Wheeler, W.M. 1933i: 72;

combination in *Promyrmecia*: Clark, 1943: 136;

combination in *Myrmecia*: Taylor & Brown, 1985: 10.

Subspecies of *fulvipes*: Emery, 1911d: 21; Forel, 1913g: 173 (in text); Forel, 1915b: 9.

Status as species: Wheeler, W.M. 1933i: 72; Clark, 1943: 136 (redescription); Clark, 1951: 169 (redescription); Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata, 1991a: 359; Ogata & Taylor, 1991: 1639 (in key); Bolton, 1995b: 271.

Senior synonym of *regina*: Clark, 1943: 136; Clark, 1951: 169; Taylor & Brown, 1985: 11; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 271.

goudiei. *Promyrmecia goudiei* Clark, 1943: 129, pl. 15, figs. 48, 49 (w.q.) AUSTRALIA (Victoria).

Status as species: Clark, 1951: 186 (redescription).

Junior synonym of *varians*: Brown, 1953j: 15; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 271.

gracilis. *Myrmecia gracilis* Emery, 1898b: 232, fig. 2 (w.) AUSTRALIA (South Australia).

Clark, 1938: 358 (q.m.); Wheeler, G.C. & Wheeler, J. 1971d: 250 (l.).

Subspecies of *crudelis*: Emery, 1911d: 19.

Status as species: Clark, 1938: 357 (redescription); Clark, 1951: 39 (redescription).

Junior synonym of *rufinodis*: Brown, 1953j: 8; Taylor & Brown, 1985: 15; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 271.

gratiosa. *Myrmecia gratiosa* Clark, 1951: 66, fig. 44 (w.) AUSTRALIA (Western Australia).

Wheeler, G.C. & Wheeler, J. 1971d: 250 (l.).

Status as species: Taylor & Brown, 1985: 11; Taylor, 1987a: 43; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1637 (in key); Bolton, 1995b: 271; Heterick, 2009: 121.

greavesi. *Promyrmecia greavesi* Clark, 1943: 99, pl. 12, fig. 9 (ergatoid q.) AUSTRALIA (Queensland).

Combination in *Myrmecia*: Brown, 1953j: 18.

Status as species: Clark, 1951: 136 (redescription); Taylor & Brown, 1985: 11; Taylor, 1987a: 43; Ogata, 1991a: 356.

Junior synonym of *froggatti*: Ogata & Taylor, 1991: 1643; Bolton, 1995b: 271.

gulosa. *Formica gulosa* Fabricius, 1775: 395 (w.) AUSTRALIA (no state data, "Habitat in nova Hollandia").

Smith, 1858b: 143 (m.); Mayr, 1876: 95 (q.); Wheeler, G.C. & Wheeler, J. 1971d: 246 (l.); Imai, Crozier & Taylor, 1977: 345 (k.).

Combination in *Ecton*: Latreille, 1804: 179; Latreille, 1817c: 75;

combination in *Myrmica*: Latreille, 1809: 130; Guérin-Méneville, 1838: 207;

combination in *Myrmecia*: Fabricius, 1804: 424; Smith, F. 1858b: 143.

Status as species: Fabricius, 1775: 395; Fabricius, 1782: 494; Fabricius, 1787: 310; Gmelin, 1790: 2803; Christ, 1791: 511; Olivier, 1792: 501; Fabricius, 1793: 363; Latreille, 1802c: 215; Fabricius, 1804: 424; Latreille, 1809: 131; Latreille, 1817c: 75; Lamarck, 1817: 97; Guérin-Méneville, 1838: 207; Smith, F. 1858b: 143; Roger, 1861a: 33; Mayr, 1862: 723 (in key); Roger, 1863b: 22; Mayr, 1863: 430; Mayr, 1865: 84; Lowne, 1865b: 335; Mayr, 1876: 95 (redescription); Emery, 1887b: 443; Dalla Torre, 1893: 20; Emery, 1911d: 19; Clark, 1925b: 141; Wheeler, W.M. 1933i: 29; Clark, 1951: 49 (redescription); Taylor & Brown, 1985: 11; Taylor, 1987a: 43; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1637 (in key); Bolton, 1995b: 271.

Senior synonym of *obscurior*: Clark, 1951: 49; Taylor & Brown, 1985: 11; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 272.

haematosticta. *Myrmecia (Promyrmecia) aberrans* subsp. *haematosticta* Wheeler, W.M. 1933i: 51 (w.) AUSTRALIA (New South Wales).

Subspecies of *aberrans*: Clark, 1943: 94 (redescription).

Status as species: Clark, 1951: 130 (redescription).

Junior synonym of *formosa*: Brown, 1953j: 19; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1628; Bolton, 1995b: 272.

harderi. *Myrmecia harderi* Forel, 1910b: 8 (w.) AUSTRALIA (New South Wales).

Clark, 1943: 118 (q.); Wheeler, G.C. & Wheeler, J. 1971d: 250 (l.).

Combination in *Promyrmecia*: Clark, 1943: 118;

combination in *Myrmecia*: Brown, 1953j: 16.

Status as species: Emery, 1911d: 21; Clark, 1943: 118 (redescription); Clark, 1951: 215 (redescription); Brown, 1953j: 16; Taylor & Brown, 1985: 11; Taylor, 1987a: 43; Ogata, 1991a: 361; Ogata & Taylor, 1991: 1641 (in key), 1661; Bolton, 1995b: 272.

Senior synonym of celaena: Ogata & Taylor, 1991: 1661; Bolton, 1995b: 272.

Senior synonym of maloni: Brown, 1953j: 16; Taylor & Brown, 1985: 11; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1661; Bolton, 1995b: 272.

Senior synonym of scabra: Brown, 1953j: 16; Taylor & Brown, 1985: 11; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1661; Bolton, 1995b: 272.

haskinsorum. *Myrmecia haskinsorum* Taylor, 2015a: 498, figs. 1-3 (w.) AUSTRALIA (New South Wales, Australian Capital Territory, Victoria, Tasmania).

[*Myrmecia haskinsorum* Imai, Taylor & Crozier, 1994: 147. Unavailable name (published without designation of type-material).]

hastata Fabricius, 1804; see under **ODONTOMACHUS**.

hilli. *Promyrmecia hilli* Clark, 1943: 125, pl. 14, fig. 35 (w.) AUSTRALIA (Northern Territory).

Combination in *Myrmecia*: Taylor & Brown, 1985: 11.

Status as species: Clark, 1951: 147 (redescription); Taylor & Brown, 1985: 11; Taylor, 1987a: 44; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1632 (in key); Bolton, 1995b: 272.

hirsuta. *Myrmecia hirsuta* Clark, 1951: 109, fig. 84 (w.) AUSTRALIA (Victoria).

Status as species: Taylor & Brown, 1985: 11; Taylor, 1987a: 44; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1635 (in key); Bolton, 1995b: 272.

imaii. *Myrmecia imaii* Taylor, 2015a: 517, figs. 19-21 (w.) AUSTRALIA (Western Australia).

[*Myrmecia imaii* Imai, Taylor & Crozier, 1994: 146. Unavailable name (published without designation of type-material).]

impaternata. *Myrmecia impaternata* Taylor, 2015a: 514, figs. 16-18 (w.) AUSTRALIA (New South Wales, Queensland, Australian Capital Territory, Victoria).

infima. *Myrmecia picta* var. *infima* Forel, 1900b: 54 (w.) AUSTRALIA (Western Australia).

Clark, 1943: 105 (q.m.).

Combination in *M. (Promyrmecia)*: Wheeler, W.M. 1933i: 62;

combination in *Promyrmecia*: Clark, 1943: 105;

combination in *Myrmecia*: Taylor & Brown, 1985: 11.

Subspecies of picta: Emery, 1911d: 21.

Status as species: Wheeler, W.M. 1933i: 62; Wheeler, W.M. 1934d: 139; Clark, 1934a: 14; Clark, 1943: 105 (redescription); Clark, 1951: 192 (redescription); Taylor & Brown, 1985: 11; Taylor, 1987a: 44; Ogata, 1991a: 362; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 272.

inquilina. *Myrmecia inquilina* Douglas & Brown, 1959: 13, fig. 1 (q.) AUSTRALIA (Western Australia).

Status as species: Kutter, 1968b: 202; Taylor & Brown, 1985: 11; Taylor, 1987a: 44; Ogata, 1991a: 358; Bolton, 1995b: 272.

laevinodis. *Promyrmecia laevinodis* Clark, 1943: 139, pl. 17, figs. 94, 95 (w.q.) AUSTRALIA (Western Australia, South Australia, Victoria).

[Note: type-locality Western Australia by designation of Clark, 1951: 155.]

Status as species: Clark, 1951: 154 (redescription).

Junior synonym of *mandibularis*: Brown, 1953j: 4; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 272.

longinodis. *Myrmecia longinodis* Clark, 1951: 87, fig. 67 (w.) AUSTRALIA (New South Wales).

Status as species: Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata, 1991a: 358.

Junior synonym of *brevinoda*: Ogata & Taylor, 1991: 1653; Bolton, 1995b: 272.

loweryi. *Myrmecia loweryi* Ogata & Taylor, 1991: 1669, figs. 46, 47 (w.q.m.) AUSTRALIA (Australian Capital Territory, New South Wales).

Status as species: Bolton, 1995b: 272.

lucida. *Myrmecia lucida* Forel, 1893d: 457 (w.) AUSTRALIA (Tasmania).

Wheeler, G.C. & Wheeler, J. 1971d: 250 (l.).

Status as species: Emery, 1911d: 20; Clark, 1927: 35.

Junior synonym of *forficata*: Clark, 1951: 93; Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 272.

ludlowi. *Myrmecia chasei* var. *ludlowi* Crawley, 1922b: 431 (w.) AUSTRALIA (Western Australia).

Crawley, 1925b: 578 (m.).

Combination in *Promyrmecia*: Clark, 1943: 117;

combination in *Myrmecia*: Taylor & Brown, 1985: 7.

Subspecies of chasei: Crawley, 1925b: 578; Clark, 1943: 117 (redescription); Clark, 1951: 215 (redescription); Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata, 1991a: 361.

Status as species: Ogata & Taylor, 1991: 1640 (in key), 1662; Bolton, 1995b: 272; Heterick, 2009: 123.

lutea. *Myrmecia lutea* Crawley, 1922b: 429 (w.) AUSTRALIA (Western Australia).

Status as species: Clark, 1951: 61.

Junior synonym of *desertorum*: Brown, 1953j: 25; Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1628; Bolton, 1995b: 272.

luteiforceps. *Myrmecia (Promyrmecia) gilberti* var. *luteiforceps* Wheeler, W.M. 1933i: 74.

[First available use of *Myrmecia (Pristomyrmecia) fulvipes* r. *gilberti* var. *luteiforceps* Forel, 1915b: 9 (w.) AUSTRALIA (Queensland); unavailable (infrasubspecific) name (Taylor, 1986: 34).]

Combination in *Promyrmecia*: Clark, 1943: 143;

combination in *Myrmecia*: Taylor & Brown, 1985: 12.

Status as species: Clark, 1943: 143 (redescription); Clark, 1951: 161 (redescription); Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata, 1991a: 359; Ogata & Taylor, 1991: 1639 (in key); Bolton, 1995b: 272.

malandensis. *Myrmecia tarsata* r. *malandensis* Forel, 1915b: 9 (w.m.) AUSTRALIA (Queensland).

Subspecies of *tarsata*: Clark, 1951: 32 (redescription).

Junior synonym of *rowlandi*: Brown, 1953j: 10; Taylor & Brown, 1985: 15; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1660; Bolton, 1995b: 272.

maloni. *Promyrmecia maloni* Clark, 1943: 121, pl. 14, fig. 43 (w.) AUSTRALIA (Victoria).

Status as species: Clark, 1951: 221 (redescription).

Junior synonym of *harderi*: Brown, 1953j: 16; Taylor & Brown, 1985: 11; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1661; Bolton, 1995b: 272.

mandibularis. *Myrmecia mandibularis* Smith, F. 1858b: 145 (w.) AUSTRALIA (South Australia).

Clark, 1943: 138 (q.m.).

Combination in *M. (Pristomyrmecia)*: Emery, 1911d: 21;

combination in *M. (Promyrmecia)*: Wheeler, W.M. 1933i: 64;

combination in *Promyrmecia*: Clark, 1943: 137;

combination in *Myrmecia*: Brown, 1953j: 4.

Status as species: Roger, 1861a: 36; Mayr, 1862: 727 (in key); Roger, 1863b: 23; Mayr, 1863: 430; Dalla Torre, 1893: 20; Emery, 1911d: 21; Crawley, 1926: 385 (redescription); Wheeler, W.M. 1933i: 64; Clark, 1943: 137 (redescription); Clark, 1951: 151 (redescription); Brown, 1953j: 4; Kugler, C. 1980b: 265; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata, 1991a: 359; Ogata & Taylor, 1991: 1639 (in key); Bolton, 1995b: 272; Heterick, 2009: 123.

Senior synonym of aureorufa: Clark, 1943: 137; Clark, 1951: 151; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 272.

Senior synonym of coelatinoda: Brown, 1953j: 4; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 272.

Senior synonym of laevinodis: Brown, 1953j: 4; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 272.

Senior synonym of postpetiolaris: Clark, 1943: 137; Clark, 1951: 151; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 272.

marmorata. *Promyrmecia marmorata* Clark, 1951: 188, fig. 157 (w.) AUSTRALIA (Victoria).

Junior synonym of *varians*: Brown, 1953j: 15; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 272.

maura. *Myrmecia (Promyrmecia) aberrans* subsp. *maura* Wheeler, W.M. 1933i: 51 (w.) AUSTRALIA (New South Wales).

Clark, 1943: 96 (q.).

Combination in *Promyrmecia*: Clark, 1943: 95;

combination in *Myrmecia*: Brown, 1953j: 18.

Status as species: Clark, 1943: 95 (redescription); Clark, 1951: 132 (redescription); Brown, 1953j: 18; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata, 1991a: 356; Ogata & Taylor, 1991: 1632 (in key); Bolton, 1995b: 272.

maxima. *Formica maxima* Moore, 1842: 52 (w.) AUSTRALIA.

Combination in *Myrmecia*: Ride & Taylor, 1973: 58.

Application for suppression of name: Ride & Taylor, 1973: 58.

mediorubra. *Myrmecia pilosula* subsp. *mediorubra* Forel, 1910b: 7 (w.) AUSTRALIA (Western Australia).

Wheeler, W.M. 1933i: 59 (w.).

Combination in *M. (Promyrmecia)*: Wheeler, W.M. 1933i: 58.

Subspecies of *pilosula*: Emery, 1911d: 21; Viehmeyer, 1914b: 28.

Status as species: Wheeler, W.M. 1933i: 58.

Junior synonym of *chasei*: Clark, 1943: 115; Clark, 1951: 212; Taylor & Brown, 1985: 7; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 272.

michaelseni. *Myrmecia michaelseni* Forel, 1907h: 267 (w.) AUSTRALIA (Western Australia).

Clark, 1943: 112 (q.); Wheeler, G.C. & Wheeler, J. 1971d: 250 (l.).

Combination in *M. (Promyrmecia)*: Wheeler, W.M. 1933i: 59;

combination in *Promyrmecia*: Clark, 1943: 111;

combination in *Myrmecia*: Taylor & Brown, 1985: 12.

Status as species: Emery, 1911d: 21; Wheeler, W.M. 1933i: 59; Clark, 1943: 111 (redescription); Clark, 1951: 204 (redescription); Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata, 1991a: 361; Ogata & Taylor, 1991: 1640 (in key); Bolton, 1995b: 272; Heterick, 2009: 122.

Senior synonym of *perthensis*: Clark, 1943: 111; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 272.

midas. *Myrmecia midas* Clark, 1951: 55, figs. 34, 35 (w. subapterous q.) AUSTRALIA (New South Wales).

Status as species: Taylor & Brown, 1985: 13; Taylor, 1987a: 44; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1635 (in key); Bolton, 1995b: 272.

minuscula. *Myrmecia flavicoma* var. *minuscula* Forel, 1915b: 8 (w.) AUSTRALIA (Queensland).

Subspecies of *flavicoma*: Clark, 1951: 76; Taylor & Brown, 1985: 9; Taylor, 1987a: 43; Ogata, 1991a: 358.

Status as species: Ogata & Taylor, 1991: 1658; Ogata & Taylor, 1991: 1635 (in key); Bolton, 1995b: 272.

mjobergi. *Myrmecia mjobergi* Forel, 1915b: 5, textfig. 2 (w.q.m.) AUSTRALIA (Queensland).

Status as species: Clark, 1951: 101 (redescription); Brown, 1953j: 11; Taylor & Brown, 1985: 13; Taylor, 1987a: 44; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1634 (in key); Bolton, 1995b: 272.

murina. *Myrmecia murina* Clark, 1951: 80, figs. 58-60 (w.q.m.) AUSTRALIA (Victoria).

Wheeler, G.C. & Wheeler, J. 1971d: 251 (l.).

Junior synonym of *pulchra*: Brown, 1953j: 27; Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 272.

nigra. *Myrmecia picta* var. *nigra* Forel, 1907h: 267 (w.) AUSTRALIA (Western Australia).

Clark, 1943: 106 (q.).

Combination in *Promyrmecia*: Clark, 1943: 106;

combination in *Myrmecia*: Taylor & Brown, 1985: 13.

Subspecies of *picta*: Emery, 1911d: 21.

Subspecies of *infima*: Wheeler, W.M. 1933i: 63.

Junior synonym of *infima*: Clark, 1934a: 14.

Status as species: Clark, 1943: 106 (redescription); Clark, 1951: 195 (redescription); Taylor & Brown, 1985: 13; Taylor, 1987a: 44; Ogata, 1991a: 362; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 272.

nigriceps. *Myrmecia nigriceps* Mayr, 1862: 725 (in key), 728 (w.) AUSTRALIA (no state data, "aus Neuholland").

Forel, 1910b: 3 (q.); Viehmeyer, 1914b: 28 (m.).

Subspecies of *vindex*: Forel, 1907h: 264; Forel, 1910b: 3; Emery, 1911d: 19; Forel, 1913g: 173; Viehmeyer, 1914b: 28; Clark, 1925b: 144.

Status as species: Roger, 1863b: 23; Mayr, 1863: 430; Mayr, 1876: 95; Dalla Torre, 1893: 21; Kirby, W.F. 1896: 206; Wheeler, W.M. 1909a: 27; Wheeler, W.M. 1933i: 38; Clark, 1951: 64 (redescription); Taylor & Brown, 1985: 13; Taylor, 1987a: 44; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1638 (in key), 1659; Bolton, 1995b: 272; Heterick, 2009: 121.

Senior synonym of *fasciata*: Ogata & Taylor, 1991: 1659; Bolton, 1995b: 272.

***nigriscapa*.** *Myrmecia nigriscapa* Roger, 1861a: 33 (w.) AUSTRALIA (no state data).

Clark, 1925b: 142 (q.m.).

Status as species: Mayr, 1862: 723 (in key); Roger, 1863b: 22; Mayr, 1863: 430; Mayr, 1876: 96; Dalla Torre, 1893: 21; Forel, 1907h: 266; Emery, 1911d: 19; Clark, 1925b: 141; Wheeler, W.M. 1933i: 30; Clark, 1951: 51 (redescription); Taylor & Brown, 1985: 13; Taylor, 1987a: 44; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1637 (in key); Bolton, 1995b: 272; Heterick, 2009: 120.

***nigriventris*.** *Myrmecia nigriventris* Mayr, 1862: 724 (in key), 727 (w.) AUSTRALIA (no state data, “aus Neuholland”).

Clark, 1951: 46 (subapterous q.).

Status as species: Roger, 1863b: 23; Mayr, 1863: 430; Mayr, 1876: 97; Dalla Torre, 1893: 21.

Subspecies of *tricolor*: Forel, 1910b: 7; Emery, 1911d: 20; Clark, 1951: 45 (redescription).

Junior synonym of *simillima*: Brown, 1953j: 12; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 272.

***nigrocincta*.** *Myrmecia nigrocincta* Smith, F. 1858b: 147 (w.) AUSTRALIA (no state data).

Roger, 1861a: 36 (q.); Mayr, 1876: 95 (m.); Wheeler, G.C. & Wheeler, J. 1971d: 251 (l.); Imai, Crozier & Taylor, 1977: 345 (k.).

Status as species: Roger, 1861a: 35; Mayr, 1862: 724 (in key); Roger, 1863b: 23; Mayr, 1863: 430; Mayr, 1865: 84; Lowne, 1865b: 336; Mayr, 1876: 95; Dalla Torre, 1893: 21; Forel, 1910b: 8; Emery, 1911d: 20; Forel, 1915b: 5; Viehmeyer, 1924a: 222; Crawley, 1926: 381 (redescription); Wheeler, W.M. 1933i: 48; Clark, 1951: 113 (redescription); Kugler, C. 1980b: 265; Taylor & Brown, 1985: 13; Taylor, 1987a: 44; Ogata, 1991a: 359; Ogata & Taylor, 1991: 1639 (in key); Bolton, 1995b: 272; Liu, S., Richter, et al. 2019: 1 (anatomy).

***nobilis*.** *Promyrmecia nobilis* Clark, 1943: 97, pl. 12, figs. 2-4 (w.q.m.) AUSTRALIA (Victoria).

Combination in *Myrmecia*: Brown, 1953j: 19.

Status as species: Clark, 1951: 124 (redescription); Brown, 1953j: 19; Taylor & Brown, 1985: 13; Taylor, 1987a: 44; Ogata, 1991a: 356; Ogata & Taylor, 1991: 1632 (in key); Bolton, 1995b: 272.

***obscuriceps*.** *Myrmecia forceps* var. *obscuriceps* Viehmeyer, 1924a: 222 (w.) AUSTRALIA (New South Wales).

Junior synonym of *forceps*: Clark, 1951: 24; Taylor & Brown, 1985: 9; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 272.

***obscurior*.** *Myrmecia gulosa* var. *obscurior* Forel, 1922: 87 (w.) AUSTRALIA (no state data, “Australie sans autres indications de localité”).

Junior synonym of *gulosa*: Clark, 1951: 49; Taylor & Brown, 1985: 11; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 272.

occidentalis. *Promyrmecia occidentalis* Clark, 1943: 119, pl. 13, figs. 30, 31 (w.q.) AUSTRALIA (Western Australia).

Combination in *Myrmecia*: Taylor & Brown, 1985: 13.

Status as species: Clark, 1951: 218 (redescription); Taylor & Brown, 1985: 13; Taylor, 1987a: 45; Ogata, 1991a: 361; Ogata & Taylor, 1991: 1641 (in key), 1663; Bolton, 1995b: 272; Heterick, 2009: 123.

Senior synonym of *opaca*: Ogata & Taylor, 1991: 1663; Bolton, 1995b: 272.

opaca. *Promyrmecia opaca* Clark, 1943: 123, pl. 14, figs. 46, 47 (w.q.) AUSTRALIA (Western Australia).

Combination in *Myrmecia*: Taylor & Brown, 1985: 13.

Status as species: Clark, 1951: 224 (redescription); Taylor & Brown, 1985: 13; Taylor, 1987a: 45; Ogata, 1991a: 361.

Junior synonym of *occidentalis*: Ogata & Taylor, 1991: 1663; Bolton, 1995b: 272.

overbecki. *Myrmecia michaelseni* subsp. *overbecki* Viehmeyer, 1924a: 222 (w.q.) AUSTRALIA (New South Wales).

Junior synonym of *queenslandica*: Clark, 1943: 112; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1663; Bolton, 1995b: 272.

paucidens. *Myrmecia paucidens* Forel, 1910b: 5 (w.) AUSTRALIA (Tasmania).

Status as species: Emery, 1911d: 20; Clark, 1951: 117.

Junior synonym of *simillima*: Brown, 1953j: 12; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 272.

pavida. *Myrmecia pavida* Clark, 1951: 76, fig. 54 (w.) AUSTRALIA (Western Australia).

Status as species: Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1637 (in key), 1659; Bolton, 1995b: 272; Heterick, 2009: 121.

Senior synonym of *atrata*: Ogata & Taylor, 1991: 1659; Bolton, 1995b: 272.

perthensis. *Myrmecia michaelseni* var. *perthensis* Crawley, 1922b: 431 (w.) AUSTRALIA (Western Australia).

Junior synonym of *michaelseni*: Clark, 1943: 111; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 272.

petiolata. *Myrmecia petiolata* Emery, 1895g: 345 (w.) AUSTRALIA (Queensland).

Status as species: Emery, 1911d: 20; Clark, 1951: 112 (redescription); Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata, 1991a: 359; Ogata & Taylor, 1991: 1639 (in key); Bolton, 1995b: 272.

picta. *Myrmecia picta* Smith, F. 1858b: 146 (w.q.) AUSTRALIA (South Australia).

Clark, 1927: 39 (m.); Wheeler, G.C. & Wheeler, J. 1971d: 251 (l).

Combination in *M. (Promyrmecia)*: Clark, 1927: 39;

combination in *Promyrmecia*: Clark, 1943: 100;

combination in *Myrmecia*: Taylor & Brown, 1985: 14.

Status as species: Roger, 1861a: 36; Mayr, 1862: 727 (in key); Roger, 1863b: 23; Mayr, 1863: 430; Lowne, 1865b: 336; Mayr, 1876: 94; Dalla Torre, 1893: 21; Forel, 1900b: 54; Forel, 1907h: 267; Emery, 1911d: 21; Forel, 1915b: 4; Viehmeyer, 1924a: 222; Crawley, 1926: 382 (redescription); Clark, 1927: 39; Clark, 1934a: 11 (redescription); Clark, 1943: 100 (redescription); Clark, 1951: 139 (redescription); Taylor & Brown, 1985: 14; Taylor,

1987a: 45; Ogata, 1991a: 361; Ogata & Taylor, 1991: 1640 (in key); Bolton, 1995b: 272; Heterick, 2009: 122.

picticeps. *Myrmecia picticeps* Clark, 1951: 47, fig. 25 (w.) AUSTRALIA (Western Australia).

Status as species: Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1637 (in key); Bolton, 1995b: 272; Heterick, 2009: 120.

piliventris. *Myrmecia piliventris* Smith, F. 1858b: 146 (w.) AUSTRALIA (no state data).

Mayr, 1876: 93 (q.); Clark, 1943: 141 (m.); Wheeler, G.C. & Wheeler, J. 1971d: 251 (l.); Imai & Taylor, 1986: 59 (k.).

Combination in *M. (Pristomyrmecia)*: Emery, 1911d: 21;

combination in *M. (Promyrmecia)*: Wheeler, W.M. 1933i: 67;

combination in *Promyrmecia*: Clark, 1943: 140;

combination in *Myrmecia*: Brown, 1953j: 20.

Status as species: Roger, 1861a: 36; Mayr, 1862: 727 (in key); Roger, 1863b: 23; Mayr, 1863: 430; Mayr, 1876: 93; Dalla Torre, 1893: 21; Emery, 1911d: 21; Crawley, 1926: 385 (redescription); Clark, 1928c: 39; Wheeler, W.M. 1933i: 67; Clark, 1943: 140 (redescription); Clark, 1951: 156 (redescription); Brown, 1953j: 20; Kugler, C. 1980b: 265; Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata, 1991a: 359; Ogata & Taylor, 1991: 1639 (in key); Bolton, 1995b: 272.

Senior synonym of rectidens: Brown, 1953j: 20; Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 272.

pilosula. *Myrmecia pilosula* Smith, F. 1858b: 146 (w.q.m.) AUSTRALIA (Tasmania).

Wheeler, G.C. & Wheeler, J. 1971d: 252 (l.); Imai, Crozier & Taylor, 1977: 345 (k.).

Combination in *M. (Halmamyrmecea)*: Wheeler, W.M. 1922b: 195;

combination in *M. (Promyrmecia)*: Clark, 1929: 121; Wheeler, W.M. 1933i: 56;

combination in *Promyrmecia*: Clark, 1943: 109;

combination in *Myrmecia*: Brown, 1953j: 6.

Status as species: Roger, 1861a: 35; Mayr, 1862: 726 (in key); Roger, 1863b: 22; Mayr, 1863: 430; Mayr, 1876: 93; Emery, 1887b: 444; Dalla Torre, 1893: 21; Forel, 1910b: 7; Emery, 1911d: 21; Forel, 1913g: 173; Emery, 1914b: 179; Forel, 1915b: 4; Crawley, 1926: 383 (redescription); Santschi, 1928e: 465; Clark, 1929: 121; Wheeler, W.M. 1933i: 56; Clark, 1934c: 51; Clark, 1943: 109 (redescription); Clark, 1951: 202 (redescription); Brown, 1953j: 6; Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Crosland, Crozier & Imai, 1988: 13; Ogata, 1991a: 361; Bolton, 1995b: 272; Taylor, 2015a: 505, 509.

Senior synonym of ruginoda: Brown, 1953j: 6; Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273; Taylor, 2015a: 505.

piriformis, misspelling, see under *pyriformis*.

postpetiolaris. *Myrmecia mandibularis* subsp. *postpetiolaris* Wheeler, W.M. 1933i: 65 (w.m.) AUSTRALIA (Western Australia).

Junior synonym of *mandibularis*: Clark, 1943: 137; Clark, 1951: 151; Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 273.

potteri. *Promyrmecia potteri* Clark, 1951: 168, fig. 136 (w.) AUSTRALIA (Victoria).

Combination in *Myrmecia*: Taylor & Brown, 1985: 14.

Status as species: Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata, 1991a: 359; Ogata & Taylor, 1991: 1639 (in key); Bolton, 1995b: 273.

princeps. *Myrmecia princeps* Clark, 1951: 46, fig. 24 (w.) AUSTRALIA (South Australia).

Junior synonym of *desertorum*: Brown, 1953j: 25; Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1628; Bolton, 1995b: 273.

pulchra. *Myrmecia pulchra* Clark, 1929: 119, pl. 1, fig. 3 (w.q.) AUSTRALIA (Victoria).

Clark, 1951: 83 (subapterous q.).

Status as species: Clark, 1951: 82 (redescription); Brown, 1953j: 27; Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata & Taylor, 1991a: 358; Ogata & Taylor, 1991: 1635 (in key); Bolton, 1995b: 273.

Senior synonym of crassinoda: Brown, 1953j: 27; Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

Senior synonym of fallax: Brown, 1953j: 27; Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

Senior synonym of murina: Brown, 1953j: 27; Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

pumilio. *Myrmecia pumilio* Mayr, 1866b: 896 (w.) AUSTRALIA (New South Wales).

Status as species: Clark, 1934a: 14.

Junior synonym of *picta*: Mayr, 1876: 94; Dalla Torre, 1893: 21; Emery, 1911d: 21.

Junior synonym of *urens*: Clark, 1943: 103; Clark, 1951: 190; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.

pyriformis. *Myrmecia pyriformis* Smith, F. 1858b: 144, pl. 10, figs. 1-6 (w.q.m.) AUSTRALIA (Victoria, New South Wales).

[Note: type-locality designated as Victoria by Clark, 1951: 101.]

[Misspelled as *piriformis* by Dalla Torre, 1893: 21.]

Wheeler, G.C. & Wheeler, J. 1971d: 252 (l.); Imai, Crozier & Taylor, 1977: 345 (k.).

Subspecies of forficata: Forel, 1910b: 2.

Status as species: Roger, 1861a: 35; Mayr, 1862: 726 (in key); Roger, 1863b: 22; Mayr, 1863: 430; Mayr, 1865: 85; Lowne, 1865b: 336; Mayr, 1876: 96; Emery, 1887b: 443; Dalla Torre, 1893: 21; Wheeler, W.M. 1909a: 27; Emery, 1911d: 20; Forel, 1915b: 4; Crawley, 1926: 377 (redescription); Clark, 1927: 37; Clark, 1951: 99 (redescription); Brown, 1953j: 9; Kugler, C. 1980b: 265; Taylor & Brown, 1985: 15; Taylor, 1987a: 45; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1636 (in key); Bolton, 1995b: 273.

Senior synonym of sanguinea: Brown, 1953j: 9; Taylor & Brown, 1985: 15; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

queenslandica. *Myrmecia michaelseni* r. *queenslandica* Forel, 1915b: 4 (w.) AUSTRALIA (Queensland).

Combination in *Promyrmecia*: Clark, 1943: 112;

combination in *Myrmecia*: Taylor & Brown, 1985: 12.

Subspecies of michaelseni: Clark, 1943: 112 (redescription); Clark, 1951: 206 (redescription); Taylor & Brown, 1985: 12; Taylor, 1987a: 44; Ogata, 1991a: 361.

Status as species: Ogata & Taylor, 1991: 1640 (in key), 1663; Bolton, 1995b: 273.

Senior synonym of overbecki: Clark, 1943: 112; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1663; Bolton, 1995b: 273.

rectidens. *Myrmecia piliventris* var. *rectidens* Forel, 1910b: 5 (w.) AUSTRALIA (no state data, "Kingstown").

[Note: type-locality New South Wales, after Clark, 1951: 161.]

Clark, 1951: 160 (subapterous q. ergatoid q.).

Combination in *M. (Pristomyrmecia)*: Emery, 1911d: 21;

combination in *Promyrmecia*: Clark, 1943: 141.

Subspecies of *piliventris*: Emery, 1911d: 21; Clark, 1943: 141 (redescription).

Status as species: Clark, 1951: 159 (redescription).

Junior synonym of *piliventris*: Brown, 1953j: 20; Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 273.

regina. *Myrmecia* (*Pristomyrmecia*) *regina* Santschi, 1928e: 465 (w.) AUSTRALIA (Queensland).

Junior synonym of *gilberti*: Clark, 1943: 136; Clark, 1951: 169; Taylor & Brown, 1985: 11; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1630; Bolton, 1995b: 273.

regularis. *Myrmecia regularis* Crawley, 1925b: 579 (w.) AUSTRALIA (Western Australia).

Clark, 1951: 92 (subapterous q. m.).

Junior synonym of *lucida*: Clark, 1927: 34.

Status as species: Wheeler, W.M. 1933i: 25; Clark, 1951: 91 (redescription); Taylor & Brown, 1985: 15; Taylor, 1987a: 45; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1635 (in key); Bolton, 1995b: 273; Heterick, 2009: 120.

rogeri. *Myrmecia tricolor* var. *rogeri* Emery, 1914b: 181 (w.) AUSTRALIA (New South Wales).

Viehmeyer, 1924a: 222 (q.); Clark, 1951: 33 (subapterous q.).

Subspecies of *tricolor*: Viehmeyer, 1924a: 222.

Status as species: Clark, 1951: 32 (redescription).

Junior synonym of *simillima*: Brown, 1953j: 12; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

rowlandi. *Myrmecia tarsata* subsp. *rowlandi* Forel, 1910b: 4 (w.) AUSTRALIA (Queensland).

Subspecies of *tarsata*: Emery, 1911d: 20; Forel, 1915b: 9.

Status as species: Clark, 1951: 78 (redescription); Brown, 1953j: 10; Taylor & Brown, 1985: 15; Taylor, 1987a: 45; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1635 (in key), 1660; Bolton, 1995b: 273.

Senior synonym of *cardigaster*: Ogata & Taylor, 1991: 1660; Bolton, 1995b: 273.

Senior synonym of *malandensis*: Brown, 1953j: 10; Taylor & Brown, 1985: 15; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1660; Bolton, 1995b: 273.

rubicunda. *Promyrmecia rubicunda* Clark, 1943: 107, pl. 15, fig. 65 (w.) AUSTRALIA (South Australia).

Combination in *Myrmecia*: Taylor & Brown, 1985: 15.

Status as species: Clark, 1951: 194 (redescription); Taylor & Brown, 1985: 15; Taylor, 1987a: 45; Ogata, 1991a: 362; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.

rubra. *Myrmecia forficata* var. *rubra* Forel, 1910b: 3 (w.) AUSTRALIA (Victoria).

Clark, 1927: 36 (q.).

Subspecies of *forficata*: Emery, 1911d: 20; Wheeler, W.M. 1933b: 20.

Status as species: Clark, 1927: 36; Clark, 1951: 98 (redescription).

Junior synonym of *forficata*: Brown, 1953j: 28; Taylor & Brown, 1985: 10; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

rubripes. *Myrmecia rubripes* Clark, 1951: 34, fig. 12 (w.) AUSTRALIA (Western Australia).

Status as species: Taylor & Brown, 1985: 15; Taylor, 1987a: 45; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1637 (in key); Bolton, 1995b: 273; Heterick, 2009: 121.

rufinodis. *Myrmecia rufinodis* Smith, F. 1858b: 145 (w.) AUSTRALIA (South Australia).

Clark, 1951: 38 (q.m.).

Status as species: Roger, 1861a: 36; Mayr, 1862: 727 (in key); Roger, 1863b: 23; Mayr, 1863: 430; Dalla Torre, 1893: 21; Emery, 1911d: 20; Clark, 1951: 37 (redescription); Brown, 1953j: 8; Taylor & Brown, 1985: 15; Taylor, 1987a: 45; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1637 (in key); Bolton, 1995b: 273.

Senior synonym of *gracilis*: Brown, 1953j: 8; Taylor & Brown, 1985: 15; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

rufonigra. *Myrmecia rufonigra* Crawley, 1921: 87 (w.) AUSTRALIA (Queensland).

Junior synonym of *varians*: Clark, 1943: 126; Clark, 1951: 181; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.

ruginoda. *Ponera ruginoda* Smith, F. 1858b: 93 (m.) AUSTRALIA (no state data).

Crozier, 1970: 123 (k.).

Combination in *Ectatomma*: Roger, 1861b: 168;

combination in *Rhytidoponera*: Emery, 1911d: 38;

combination in *Myrmecia*: Brown, 1953j: 6.

Status as species: Roger, 1861b: 168; Mayr, 1863: 410; Dalla Torre, 1893: 26; Emery, 1911d: 38.

Junior synonym of *pilosula*: Brown, 1953j: 6; Taylor & Brown, 1985: 14; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273; Taylor, 2015a: 505.

ruginodis. *Promyrmecia ruginodis* Clark, 1943: 113, pl. 13, figs. 20-22 (w.q.m.) AUSTRALIA (Western Australia).

Status as species: Clark, 1951: 207 (redescription).

Junior synonym of *rugosa*: Brown, 1953j: 5; Taylor & Brown, 1985: 16; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.

rugosa. *Myrmecia (Promyrmecia) michaelseni* subsp. *rugosa* Wheeler, W.M. 1933i: 60 (w.) AUSTRALIA (Western Australia).

As *nomen nudum* (incorrectly), and junior synonym of *ruginodis*: Clark, 1951: 207.

Status as species: Brown, 1953j: 5; Taylor & Brown, 1985: 15; Taylor, 1987a: 45; Ogata, 1991a: 361; Ogata & Taylor, 1991: 1640 (in key); Bolton, 1995b: 273; Heterick, 2009: 122.

Senior synonym of *ruginodis*: Brown, 1953j: 5; Taylor & Brown, 1985: 16; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.

sanguinea. *Myrmecia sanguinea* Smith, F. 1858b: 148 (w.) AUSTRALIA (Tasmania).

Mayr, 1876: 94 (q.); Forel, 1910b: 3 (m.); Wheeler, G.C. & Wheeler, J. 1952a: 112 (l.).

Status as species: Roger, 1861a: 35; Mayr, 1862: 725 (in key); Roger, 1863b: 22; Mayr, 1863: 430; Mayr, 1865: 84; Mayr, 1876: 94; Dalla Torre, 1893: 22; Forel, 1907h: 267; Forel, 1910b: 3; Emery, 1911d: 20; Forel, 1915b: 4; Crawley, 1915b: 232; Crawley, 1926: 378 (redescription).

Junior synonym of *forficata*: Clark, 1951: 93.

Junior synonym of *pyriformis*: Brown, 1953j: 9; Taylor & Brown, 1985: 15; Taylor, 1987a: 45; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

scabra. *Promyrmecia scabra* Clark, 1943: 118, pl. 14, figs. 40, 41 (w.q.) AUSTRALIA (South Australia).

Status as species: Clark, 1951: 217 (redescription).

Junior synonym of *harderi*: Brown, 1953j: 16; Taylor & Brown, 1985: 11; Taylor, 1987a: 44; Ogata & Taylor, 1991: 1661; Bolton, 1995b: 273.

sericata. *Myrmecia (Promyrmecia) aberrans* subsp. *sericata* Wheeler, W.M. 1933i: 53 (w.) AUSTRALIA (New South Wales).

Combination in *Promyrmecia*: Clark, 1943: 94.

Subspecies of *aberrans*: Clark, 1943: 94 (redescription);

Subspecies of *nobilis*: Clark, 1951: 127.

Junior synonym of *froggatti*: Brown, 1953j: 17; Taylor & Brown, 1985: 10; Taylor, 1987a: 43 Ogata & Taylor, 1991: 1643; Bolton, 1995b: 273.

shepherdi. *Promyrmecia shepherdi* Clark, 1943: 128, pl. 15, figs. 50-52 (w.q.m.) AUSTRALIA (New South Wales, South Australia, Victoria).

[Note: type-locality New South Wales by designation of Clark, 1951: 186.]

Status as species: Clark, 1951: 184 (redescription).

Junior synonym of *varians*: Brown, 1953j: 15; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.

simillima. *Myrmecia simillima* Smith, F. 1858b: 144 (w.) AUSTRALIA (no state data).

Forel, 1907h: 265 (q.); Wheeler, G.C. & Wheeler, J. 1971d: 253 (l.).

Junior synonym of *forficata*: Mayr, 1876: 95.

Subspecies of forficata: Emery, in Dalla Torre, 1893: 20; Forel, 1907h: 265; Forel, 1910b: 3; Emery, 1911d: 20; Forel, 1915b: 5.

Status as species: Roger, 1861a: 34; Mayr, 1862: 726 (in key); Roger, 1863b: 22; Mayr, 1863: 430; Stitz, 1911a: 351; Crawley, 1926: 376 (redescription); Clark, 1927: 37; Clark, 1928c: 39; Santschi, 1928e: 465; Wheeler, W.M. 1933i: 34; Clark, 1934c: 51; Clark, 1951: 89 (redescription); Brown, 1953j: 12; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1635, 1637 (in key); Bolton, 1995b: 273.

Senior synonym of affinis: Forel, 1907h: 265; Emery, 1911d: 20; Clark, 1951: 89; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

Senior synonym of crudelis: Brown, 1953j: 12; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

Senior synonym of nigriventris: Brown, 1953j: 12; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

Senior synonym of paucidens: Brown, 1953j: 12; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

Senior synonym of rogeri: Brown, 1953j: 12; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

Senior synonym of spadicea: Brown, 1953j: 12; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

Senior synonym of tricolor: Brown, 1953j: 12; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

singularis. *Myrmecia singularis* Clark, 1951: 26, fig. 5 (w.) AUSTRALIA (South Australia: Kangaroo I.).

Junior synonym of *forceps*: Brown, 1953j: 7; Taylor & Brown, 1985: 9; Taylor, 1987a: 43; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

spadicea. *Myrmecia spadicea* Mayr, 1862: 724 (diagnosis in key) (w.) AUSTRALIA (New South Wales, South Australia).

[Note: Brown, 1953j: 12, points out that the holotype is an ergatoid q., not a w.]

Status as species: Roger, 1863b: 23; Mayr, 1863: 430; Mayr, 1865: 86 (redescription); Mayr, 1876: 97; Dalla Torre, 1893: 22.

Junior synonym of *tricolor*: Emery, 1911d: 20.

Junior synonym of *nigriventris*: Forel, 1910b: 7 (in text); Clark, 1951: 45.

Junior synonym of *simillima*: Brown, 1953j: 12; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

subfasciata. *Myrmecia subfasciata* Viehmeyer, 1924a: 221 (w.) AUSTRALIA (New South Wales).

Status as species: Clark, 1951: 117; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1629 (in list only); Bolton, 1995b: 273.

suttoni. *Myrmecia suttoni* Clark, 1951: 72, figs. 50, 51 (w.q.) AUSTRALIA (Queensland).

Status as species: Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata, 1991a: 358.

Junior synonym of *fulgida*: Ogata & Taylor, 1991: 1657; Bolton, 1995b: 273.

swalei. *Myrmecia harderi* r. *swalei* Crawley, 1922b: 429 (w.) AUSTRALIA (Western Australia).

Clark, 1943: 134 (q.); Wheeler, G.C. & Wheeler, J. 1971d: 253 (l.).

Combination in *Promyrmecia*: Clark, 1943: 133;

combination in *Myrmecia*: Taylor & Brown, 1985: 16.

Status as species: Clark, 1943: 133 (redescription); Clark, 1951: 176 (redescription); Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata, 1991a: 362; Ogata & Taylor, 1991: 1642 (in key), 1665; Bolton, 1995b: 273; Heterick, 2009: 123.

tarsata. *Myrmecia tarsata* Smith, F. 1858b: 145 (w.) AUSTRALIA (no state data, “Hunter River, &c”).

[Note: type-locality New South Wales, after Clark, 1951: 31.]

Roger, 1861a: 33 (q.); Clark, 1951: 30 (brachypterous q. ergatoid q. m.).

Status as species: Roger, 1861a: 33; Mayr, 1862: 726 (in key); Roger, 1863b: 22; Mayr, 1863: 430; Mayr, 1865: 85; Lowne, 1865b: 336; Mayr, 1876: 96; Dalla Torre, 1893: 22; Forel, 1907e: 20; Forel, 1910b: 4; Emery, 1911d: 20; Crawley, 1926: 379 (redescription); Clark, 1927: 34; Clark, 1929: 121; Wheeler, W.M. 1933i: 45; Clark, 1951: 28 (redescription); Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1635 (in key); Bolton, 1995b: 273.

tasmaniensis. *Myrmecia tasmaniensis* Smith, F. 1858b: 147 (w.) AUSTRALIA (Tasmania).

Junior synonym of *esuriens*: Roger, 1861a: 35; Roger, 1863b: 22; Mayr, 1863: 430; Mayr, 1876: 94; Dalla Torre, 1893: 19; Emery, 1911d: 20; Clark, 1934a: 16; Clark, 1951: 84; Taylor & Brown, 1985: 8; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1628; Bolton, 1995b: 273.

taylori. *Myrmecia (Promyrmecia) aberrans* subsp. *taylori* Wheeler, W.M. 1933i: 53 (w.) AUSTRALIA (Queensland).

Combination in *Promyrmecia*: Clark, 1943: 95.

Subspecies of *aberrans*: Clark, 1943: 95 (redescription).

Subspecies of *nobilis*: Clark, 1951: 127.

Junior synonym of *froggatti*: Brown, 1953j: 17; Taylor & Brown, 1985: 10; Taylor, 1987a: 43 Ogata & Taylor, 1991: 1643; Bolton, 1995b: 273.

tepperi. *Myrmecia tepperi* Emery, 1898b: 231, fig. 1 (q.m.) AUSTRALIA (South Australia).

Clark, 1943: 130 (w.); Wheeler, G.C. & Wheeler, J. 1971d: 253 (l.).

Combination in *Promyrmecia*: Clark, 1943: 130;

combination in *Myrmecia*: Taylor & Brown, 1985: 17.

Status as species: Emery, 1911d: 21; Clark, 1943: 130 (redescription); Clark, 1951: 172 (redescription); Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata, 1991a: 362; Ogata & Taylor, 1991: 1642 (in key); Bolton, 1995b: 273; Heterick, 2009: 123.

testaceipes. *Promyrmecia testaceipes* Clark, 1943: 134, pl. 15, fig. 69 (w.) AUSTRALIA (Western Australia).

Combination in *Myrmecia*: Taylor & Brown, 1985: 17.

Status as species: Clark, 1951: 178 (redescription); Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata, 1991a: 362; Ogata & Taylor, 1991: 1642 (in key), 1666; Bolton, 1995b: 273; Heterick, 2009: 123.

Senior synonym of *dixoni*: Ogata & Taylor, 1991: 1666; Bolton, 1995b: 273.

tricolor. *Myrmecia tricolor* Mayr, 1862: 724 (diagnosis in key) (w.) AUSTRALIA (New South Wales).

Clark, 1951: 44 (subapterous q.).

Status as species: Roger, 1863b: 23; Mayr, 1863: 431; Mayr, 1865: 85 (redescription); Mayr, 1876: 96; Emery, 1887b: 443; Dalla Torre, 1893: 22; Emery, 1911d: 20; Emery, 1914b: 179; Wheeler, W.M. 1933i: 44; Clark, 1951: 44 (redescription).

Junior synonym of *simillima*: Brown, 1953j: 12; Taylor & Brown, 1985: 16; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1629; Bolton, 1995b: 273.

tridentata. *Myrmecia tridentata* Ogata & Taylor, 1991: 1651, figs. 36-38 (w.) AUSTRALIA (New South Wales).

Status as species: Bolton, 1995b: 273.

urens. *Myrmecia urens* Lowne, 1865b: 336 (w.) AUSTRALIA (New South Wales).

Clark, 1943: 104 (q.); Wheeler, G.C. & Wheeler, J. 1971d: 254 (l.).

Combination in *Myrmecia* (*Promyrmecia*): Clark, 1929: 121;

combination in *Promyrmecia*: Clark, 1943: 103;

combination in *Myrmecia*: Taylor & Brown, 1985: 17.

Junior synonym of *picta*: Mayr, 1876: 94; Dalla Torre, 1893: 21; Emery, 1911d: 21.

Status as species: Clark, 1927: 39; Santschi, 1928e: 465; Clark, 1929: 121; Clark, 1934a: 14; Clark, 1943: 103 (redescription); Clark, 1951: 190 (redescription); Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata, 1991a: 362; Ogata, 1991a: 362; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.

Senior synonym of *pumilio*: Clark, 1943: 103; Clark, 1951: 190; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.

varians. *Myrmecia varians* Mayr, 1876: 94 (w.) AUSTRALIA (Queensland).

Clark, 1943: 127 (q.); Wheeler, G.C. & Wheeler, J. 1971d: 254 (l.).

Combination in *Promyrmecia*: Clark, 1943: 126;

combination in *Myrmecia*: Brown, 1953j: 14.

Status as species: Dalla Torre, 1893: 22; Emery, 1911d: 21; Forel, 1915b: 5; Clark, 1943: 126 (redescription); Clark, 1951: 181 (redescription); Brown, 1953j: 14; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata, 1991a: 361; Ogata & Taylor, 1991: 1640 (in key); Bolton, 1995b: 273; Heterick, 2009: 122.

Senior synonym of *goudiei*: Brown, 1953j: 15; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.

Senior synonym of *marmorata*: Brown, 1953j: 15; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.

Senior synonym of *rufonigra*: Clark, 1943: 126; Clark, 1951: 181; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.

Senior synonym of *shepherdi*: Brown, 1953j: 15; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.

Senior synonym of *wilsoni*: Brown, 1953j: 15; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.

vindex. *Myrmecia vindex* Smith, F. 1858b: 144 (w.) AUSTRALIA (Western Australia).

Roger, 1861a: 34 (q.); Clark, 1925b: 143 (q.m.); Clark, 1951: 69 (ergatoid q.); Wheeler, G.C. & Wheeler, J. 1971d: 254 (l.).

Status as species: Roger, 1861a: 34; Mayr, 1862: 725 (in key); Roger, 1863b: 22; Mayr, 1863: 431; Dalla Torre, 1893: 22; Forel, 1907h: 264; Emery, 1911d: 19; Poulton & Crawley, 1922: 119; Clark, 1925b: 143; Crawley, 1926: 376 (redescription); Wheeler, W.M. 1933i: 36; Clark, 1951: 67 (redescription); Douglas & Brown, 1959: 14; Haskins & Haskins, 1974: 258; Kugler, C. 1980b: 265; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata, 1991a: 358; Ogata & Taylor, 1991: 1638 (in key), 1661; Bolton, 1995b: 273; Heterick, 2009: 121.

Senior synonym of *basirufa*: Ogata & Taylor, 1991: 1661; Bolton, 1995b: 273.

violacea. *Myrmecia simillima* var. *violacea* Clark, 1927: 37.

[First available use of *Myrmecia forficata* r. *simillima* var. *violacea* Forel, 1915b: 5 (w.) AUSTRALIA (Victoria); unavailable (infrasubspecific) name (Taylor, 1986: 34).]

Subspecies of *simillima*: Santschi, 1928e: 465.

Junior synonym of *rubra*: Clark, 1951: 98.

Junior synonym of *forficata*: Brown, 1953j: 28; Taylor & Brown, 1985: 10; Bolton, 1995b: 271.

walkeri. *Myrmecia walkeri* Forel, 1893d: 456 (w.) AUSTRALIA (Tasmania).

Junior synonym of *esuriens*: Emery, 1911d: 20; Clark, 1934a: 16; Clark, 1951: 84; Taylor & Brown, 1985: 9; Taylor, 1987a: 42; Ogata & Taylor, 1991: 1628; Bolton, 1995b: 273.

wilsoni. *Promyrmecia wilsoni* Clark, 1943: 127, pl. 15, fig. 66 (w.) AUSTRALIA (Queensland).

Status as species: Clark, 1951: 183 (redescription).

Junior synonym of *varians*: Brown, 1953j: 15; Taylor & Brown, 1985: 17; Taylor, 1987a: 46; Ogata & Taylor, 1991: 1631; Bolton, 1995b: 273.