

BOTHRIOMYRMEX

adriaca. *Bothriomyrmex meridionalis* var. *adriaca* Santschi, 1922a: 66 (w.) (not q., see Emery, 1925e; 15) ITALY.

[Misspelled as *adriaticus* by Gallé, et al. 1998: 216.]

Emery, 1925e: 16 (q.m.).

Status as species: Emery, 1925e: 15 (redescription); Zimmermann, 1935: 41; Baroni Urbani, 1971c: 162; Agosti & Collingwood, 1987a: 57; Agosti & Collingwood, 1987b: 279 (in key); Shattuck, 1994: 31; Bolton, 1995b: 80; Poldi, et al. 1995: 6; Gallé, et al. 1998: 216; Bračko, 2006: 143; Petrov, 2006: 103 (in key); Bračko, 2007: 19; Karaman, M.G. 2011b: 61; Legakis, 2011: 22.

Junior synonym of *communista*: Seifert, 2012b: 98; Radchenko, 2016: 99.

aqualis Forel, 1902; see under **ARNOLDIUS**.

anastasiae. *Bothriomyrmex anastasiae* Dubovikoff, 2002: 918, figs. 1-3 (w.q.) RUSSIA (Krasnodar Territory).

Status as species: Seifert, 2012b: 102; Borowiec, L. 2014: 21.

anatolicus. *Bothriomyrmex adriacus* subsp. *anatolicus* Emery, 1925e: 16, fig. A11 (w.) TURKEY.

Subspecies of adriaca: Shattuck, 1994: 31; Kiran & Karaman, 2012: 4.

Subspecies of communista: Seifert, 2012b: 98, 102 (by implication as *adriaca* synonymised with *communista* by Seifert).

atlantis. *Bothriomyrmex meridionalis* r. *atlantis* Forel, 1894d: 14 (w.q.) ALGERIA.

Subspecies of meridionalis: Santschi, 1906: 365; Santschi, in Forel, 1906a: 68; Forel, 1911d: 350.

Status as species: Santschi, 1911f: 79; Emery, 1913a: 28; Santschi, 1919i: 210; Santschi, 1922a: 66; Cagniant, 1968a: 145; Kutter, 1968b: 205; Cagniant, 1970c: 28; Shattuck, 1994: 31; Bolton, 1995b: 81; Cagniant, 2006a: 193; Legakis, 2011: 22; Seifert, 2012b: 97 (redescription); Borowiec, L. 2014: 21 (see note in bibliography); Lebas, et al. 2016: 108. Current subspecies: nominal plus *perfidus*.

bernardi. *Bothriomyrmex meridionalis* subsp. *bernardi* Bernard, 1950a: 20. *Nomen nudum* (attributed to Santschi).

As *nomen nudum*: Shattuck, 1994: 38.

[*Bothriomyrmex meridionalis* subsp. *bernardi* Bernard, 1967: 266. *Nomen nudum* (attributed to Santschi and included in the synonymy of *B. corsicus*) (Bolton, 1995b: 80).]

breviceps. *Bothriomyrmex breviceps* Santschi, 1919i: 207, pl. 2, figs. 3, 4 (w.q.m.) TUNISIA.

Status as species: Cagniant, 1968a: 145; Shattuck, 1994: 32; Bolton, 1995b: 81; Seifert, 2012b: 101; Borowiec, L. 2014: 22.

communista. *Bothriomyrmex meridionalis* var. *communista* Santschi, 1919i: 206, pl. 2, fig. 2 (w.) RUSSIA (Crimea).

Emery, 1925e: 11 (m.); Karavaiev, 1927d: 341 (q.).

Subspecies of meridionalis: Karavaiev, 1927a: 293.

Status as species: Emery, 1925e: 10; Karavaiev, 1927d: 340 (redescription); Dlussky, 1962: 180; Aktaç, 1977: 124; Arnol'di & Dlussky, 1978: 548 (in key); Atanassov & Dlussky, 1992: 195; Shattuck, 1994: 32; Arakelian, 1994: 75; Bolton, 1995b: 81; Gratiashvili & Barjadze, 2008: 130; Lapeva-Gjonova, et al. 2010: 33; Seifert, 2012b: 98 (redescription); Borowiec, L. & Salata, 2012: 469; Kiran & Karaman, 2012: 4; Borowiec,

L. 2014: 22 (see note in bibliography); Bračko, *et al.* 2014: 17; Lebas, *et al.* 2016: 108; Radchenko, 2016: 99; Borowiec, L. & Salata, 2018: 4; Salata & Borowiec, 2018c: 43; Seifert, 2018: 247.

Senior synonym of adriaca: Seifert, 2012b: 98; Radchenko, 2016: 99.

Senior synonym of ionius: Seifert, 2012b: 98 (by implication); Radchenko, 2016: 99.

Senior synonym of mohelensis: Seifert, 2012b: 98; Radchenko, 2016: 99.

Current subspecies: nominal plus *anatolicus*.

corsicus. *Bothriomyrmex meridionalis* var. *corsica* Santschi, 1923a: 136 (q.) FRANCE (Corsica).

Emery, 1925e: 12 (w.); Bernard, 1967: 266 (m.).

Status as species: Emery, 1925e: 12; Bernard, 1967: 266 (redescription); Kutter, 1968a: 60; Kutter, 1968b: 205; Baroni Urbani, 1971c: 163; Collingwood, 1978: 87 (in key); Agosti & Collingwood, 1987b: 279 (in key); Shattuck, 1994: 32; Bolton, 1995b: 81; Petrov, 2006: 102 (in key); Casevitz-Weulersse & Galkowsky, 2009: 477; Seifert, 2012b: 100 (redescription); Borowiec, L. & Salata, 2012: 469; Kiran & Karaman, 2012: 4; Borowiec, L. & Salata, 2013: 351; Borowiec, L. 2014: 22; Lebas, *et al.* 2016: 108; Radchenko, 2016: 100; Salata & Borowiec, 2018c: 43; Seifert, 2018: 248.

Senior synonym of gallicus: Bernard, 1967: 266; Seifert, 2012b: 100; Radchenko, 2016: 100.

Senior synonym of gibbus: Seifert, 2012b: 100; Radchenko, 2016: 100.

Senior synonym of ligurica: Seifert, 2012b: 100; Radchenko, 2016: 100.

Senior synonym of menozzii: Seifert, 2012b: 100; Radchenko, 2016: 100.

costae. *Bothriomyrmex costae* Emery, 1869c: 118 (q.m.) ITALY.

Incertae sedis in Bothriomyrmex: Seifert, 2012b: 103.

Junior synonym of *meridionalis*: Mayr, 1870b: 954; Forel, 1874: 99 (in list); Mayr, 1877: 20 (in list); Emery & Forel, 1879: 454; Mayr, 1880: 30; Dalla Torre, 1893: 170; Ruzsky, 1905b: 484; Wheeler, W.M. 1911f: 160; Emery, 1913a: 28; Emery, 1914e: 2; Forel, 1915d: 42 (in key).

Subspecies of meridionalis: Santschi, 1919i: 205; Menozzi, 1925d: 34.

Status as species: Emery, 1870: 195; Baroni Urbani, 1971c: 164; Shattuck, 1994: 33; Bolton, 1995b: 81; Poldi, *et al.* 1995: 6; Borowiec, L. 2014: 22.

crosi. *Bothriomyrmex crosi* Santschi, 1919i: 212, pl. 3, figs. 32-37 (w.q.m.) ALGERIA.

Status as species: Menozzi, 1940: 270; Shattuck, 1994: 33; Bolton, 1995b: 81; Cagniant, 2006a: 193; Seifert, 2012b: 101; Borowiec, L. 2014: 22.

cuculus. *Bothriomyrmex cuculus* Santschi, 1919i: 208, pl. 2, figs. 17, 18 (w.q.) TUNISIA.

Status as species: Shattuck, 1994: 33; Bolton, 1995b: 81; Cagniant, 2006a: 193; Seifert, 2012b: 102; Borowiec, L. 2014: 22.

dalyi Forel, 1895; see under **CHRONOXENUS**.

decapitans. *Bothriomyrmex decapitans* Santschi, 1911f: 78, fig. 10c (w.q.m.) TUNISIA.

Athias-Henriot, 1947: 249 (l.).

Status as species: Emery, 1913a: 28; Santschi, 1919i: 211; Athias-Henriot, 1947: 249; Cagniant, 1968a: 145; Kutter, 1968b: 205; Cagniant, 1970c: 28; Shattuck, 1994: 33; Bolton, 1995b: 81; Seifert, 2012b: 101; Borowiec, L. 2014: 23.

dimmocki Wheeler, W.M. 1915; see under **TAPINOMA**.

emarginatus. *Bothriomyrmex emarginatus* Santschi, 1919i: 209, pl. 2, fig. 11 (q.) TUNISIA.

Status as species: Shattuck, 1994: 33; Bolton, 1995b: 81; Seifert, 2012b: 102; Borowiec, L. 2014: 23.

enigmaticus. *Bothriomyrmex enigmaticus* Prebus & Lubertazzi, 2016: 4, figs. 2b-e, 3, 4 (w.l.) DOMINICAN REPUBLIC.

Status as species: Lubertazzi, 2019: 77.

flavus Crawley, 1922; see under **ARNOLDIUS**.

formosae, misspelling; see under **CHRONOXENUS**.

formosensis Forel, 1913; see under **CHRONOXENUS**.

gallicus. *Bothriomyrmex corsicus* subsp. *gallicus* Emery, 1925e: 13, figs. A8, B5, C5 (w.q.m.) SWITZERLAND, FRANCE.

Subspecies of *corsicus*: Santschi, 1927b: 127; Novák & Sadil, 1941: 97 (in key); Bernard, 1950a: 20.

Status as species: Kutter, 1971: 269; Kutter, 1977c: 176; Agosti & Collingwood, 1987b: 279 (in key); Shattuck, 1994: 34; Bolton, 1995b: 81; Casevitz-Weulersse & Galkowsky, 2009: 477.

Junior synonym of *corsicus*: Bernard, 1967: 266; Seifert, 2012b: 100; Radchenko, 2016: 100.

gibbus. *Bothriomyrmex meridionalis* subsp. *gibbus* Soudek, 1925a: 35 (w.q.m.) CZECH REPUBLIC (date of publication 15.iii.1925).

[Also described as new by Soudek, 1925c: 216, figs. 1-10 (date of publication (31.xii).1925).]

Subspecies of *meridionalis*: Soudek, 1931: 12.

Status as species: Emery, 1925e: 14 (redescription); Stitz, 1939: 226; Novák & Sadil, 1941: 96 (in key); Kutter, 1963: 130; Baroni Urbani, 1971c: 165; Arnol'di & Dlussky, 1978: 548 (in key); Collingwood, 1978: 87 (in key); Bernard, 1967: 265 (redescription); Kutter, 1968a: 60; Kutter, 1968b: 205; Agosti & Collingwood, 1987a: 57; Agosti & Collingwood, 1987b: 279 (in key); Collingwood, 1993b: 195; Shattuck, 1994: 34; Bolton, 1995b: 81; Poldi, *et al.* 1995: 6; Dubovikoff, 2004: 442; Petrov, 2006: 102 (in key); Werner & Wiezik, 2007: 142; Casevitz-Weulersse & Galkowsky, 2009: 478; Lapeva-Gjonova, *et al.* 2010: 33; Karaman, M.G. 2011b: 62; Legakis, 2011: 23.

Junior synonym of *corsicus*: Seifert, 2012b: 100; Radchenko, 2016: 100.

hispanica. *Bothriomyrmex meridionalis* var. *hispanica* Santschi, 1922a: 66 (w.q.) SPAIN.

Menzoli, 1922b: 330 (m.).

Subspecies of *meridionalis*: Menzoli, 1922b: 330; Ceballos, 1956: 309.

Status as species: Emery, 1925e: 10; Collingwood, 1978: 87 (in key); Shattuck, 1994: 34; Bolton, 1995b: 81; Espadaler, 1997b: 27.

Junior synonym of *meridionalis*: Seifert, 2012b: 95.

hungaricus. *Bothriomyrmex meridionalis* var. *hungarica* Rösler, 1942b: 39 (w.) HUNGARY.

Subspecies of meridionalis: Shattuck, 1994: 35; Bolton, 1995b: 81; Seifert, 2012b: 102.

inquilinus. *Bothriomyrmex inquilinus* Santschi, 1919i: 209, pl. 2, figs. 14-16 (w.q.) TUNISIA.

Wheeler, G.C. & Wheeler, J. 1951: 190 (l.).

Subspecies of atlantis: Santschi, 1922a: 66; Shattuck, 1994: 32; Bolton, 1995b: 81.

Status as species: Cagniant, 1968a: 145; Cagniant, 1970c: 28; Seifert, 2012b: 101.

ionius. *Bothriomyrmex adriacus* subsp. *ionius* Emery, 1925e: 16 (w.) GREECE (Corfu I.).

[Misspelled as *jonius* by Finzi, 1928c: 790.]

Subspecies of *adriaca*: Donisthorpe, 1927a: 7; Finzi, 1928c: 790; Finzi, 1930d: 315; Baroni Urbani, 1971c: 163.

Junior synonym of *adriaca*: Agosti & Collingwood, 1987a: 57; Shattuck, 1994: 31; Bolton, 1995b: 81; Legakis, 2011: 23.

Junior synonym of *communista*: Seifert, 2012b: 98, 102 (by implication as *adriaca* synonymised under *communista*); Radchenko, 2016: 99.

iranicus. *Bothriomyrmex iranicus* Arnol'di, 1948: 212 (in list). *Nomen nudum*.

jannonei. *Bothriomyrmex jannonei* Menozzi, 1936d: 295, fig. XV, 1-4 (w.m.) GREECE (Calino I.).

Status as species: Shattuck, 1994: 34; Bolton, 1995b: 81; Legakis, 2011: 23; Borowiec, L. & Salata, 2012: 470; Seifert, 2012b: 102; Borowiec, L. 2014: 23.

javana Forel, 1909; see under **CHRONOXENUS**.

jonius, misspelling, see under *ionius*.

kusnezovi. *Bothriomyrmex kusnezovi* Emery, 1925e: 12, fig. A5 (w.) KAZAKHSTAN.

Tarbinsky, 1976: 125 (q.m.).

Status as species: Tarbinsky, 1976: 124 (redescription); Shattuck, 1994: 34; Bolton, 1995b: 81; Schultz, R. et al. 2006: 205; Guénard & Dunn, 2012: 24.

laticeps. *Bothriomyrmex corsicus* subsp. *laticeps* Emery, 1925e: 14, fig. A9 (w.) FRANCE or SPAIN (“Pyrénées, sans autre indication de localité”).

[Note: type-locality France, after Santschi, 1927b: 127.]

Incertae sedis in *Bothriomyrmex*: Seifert, 2012b: 103.

Santschi, 1927b: 127 (q.m.).

As unavailable (infrasubspecific) name: Santschi, 1927b: 127.

Junior synonym of *corsicus*: Bernard, 1967: 266.

Status as species: Collingwood & Yarrow, 1969: 76; Shattuck, 1994: 34; Bolton, 1995b: 81; Casevitz-Weulersse & Galkowsky, 2009: 478; Borowiec, L. 2014: 23.

ligurica. *Bothriomyrmex corsicus* var. *ligurica* Emery, 1925e: 13, fig. A7 (w.) ITALY.

Menzoli, 1932a: 9 (q.m.l.); Wheeler, G.C. & Wheeler, J. 1951: 190 (l.).

Subspecies of *corsicus*: Menozzi, 1932a: 9; Grandi, 1935: 102; Baroni Urbani, 1971c: 164; Shattuck, 1994: 32; Bolton, 1995b: 81.

Status as species: Poldi, et al. 1995: 6.

Junior synonym of *corsicus*: Seifert, 2012b: 100; Radchenko, 2016: 100.

marocanus. *Bothriomyrmex meridionalis* var. *marocanus* Santschi, 1923f: 335 (q.m.) MOROCCO.

Subspecies of meridionalis: Shattuck, 1994: 35; Bolton, 1995b: 81.

mennozzii. *Bothriomyrmex menozzii* Emery, 1925e: 17, figs. B8, C8 (q.m.) ITALY.

Kutter, 1971: 270 (w.).

Status as species: Baroni Urbani, 1971c: 166; Kutter, 1977c: 176; Agosti & Collingwood, 1987b: 279 (in key); Shattuck, 1994: 35; Bolton, 1995b: 81; Poldi, et al. 1995: 6; Markó & Csösz, 2002: 117; Petrov, 2006: 102 (in key); Casevitz-Weulersse & Galkowsky, 2009: 478; Lapeva-Gjonova, et al. 2010: 33; Csösz, et al. 2011: 58.

Junior synonym of *corsicus*: Seifert, 2012b: 100; Radchenko, 2016: 100.

meridionalis. *Tapinoma meridionale* Roger, 1863a: 165 (w.) FRANCE, SPAIN.

[Misspelled as *meridinale* by Mayr, 1863: 455.]

André, 1882b: 218 (q.m.); Wheeler, G.C. & Wheeler, J. 1951: 190 (l.).

Combination in *Bothriomyrmex*: Mayr, 1870b: 954.

Status as species: Roger, 1863b: 13; Mayr, 1863: 455; Dours, 1873: 166; Forel, 1874: 61 (in key); André, 1874: 185 (footnote); Mayr, 1877: 11; Emery & Forel, 1879: 454; Mayr, 1880: 30; André, 1881b: 64; André, 1882b: 218 (in key); Forel, 1886e: clxvii; Forel, 1889: 256; Nasonov, 1889: 26; Forel, 1890a: lxviii; Saunders, E. 1890: 203; Emery, 1891b: 15; Dalla Torre, 1893: 170; Forel, 1895d: 227; Ruzsky, 1902d: 19; Ruzsky, 1903b: 308; Ruzsky, 1905b: 484; Bondroit, 1910: 489; Karavaiev, 1912a: 15; Emery, 1913a: 28; Forel, 1915d: 42 (in key); Emery, 1916b: 213; Bondroit, 1918: 88; Santschi, 1919i: 204; Müller, 1921: 48; Kuznetsov-Ugamsky, 1923: 249; Ruzsky, 1923: 3; Müller, 1923b: 110; Soudek, 1925b: 16; Emery, 1925e: 7 (redescription); Vandel, 1926: 196; Karavaiev, 1927a: 293; Arnol'di, 1933b: 601 (in key); Ceballos, 1956: 309; Cagniant, 1966b: 280; Bernard, 1967: 264 (redescription); Kutter, 1968b: 205; Collingwood & Yarrow, 1969: 76; Agosti & Collingwood, 1987a: 57; Agosti & Collingwood, 1987b: 279 (in key); Shattuck, 1994: 35; Bolton, 1995b: 81; Espadaler, 1997b: 27; Collingwood & Prince, 1998: 20 (in key); Bračko, 2006: 144; Markó, Sipos, *et al.* 2006: 66; Petrov, 2006: 103 (in key); Gratiashvili & Barjadze, 2008: 130; Casevitz-Weulersse & Galkowsky, 2009: 478; Lapeva-Gjonova, *et al.* 2010: 33; Csösz, *et al.* 2011: 58; Legakis, 2011: 23; Seifert, 2012b: 95 (redescription); Borowiec, L. 2014: 23 (see note in bibliography); Lebas, *et al.* 2016: 108.

Senior synonym of *hispanica*: Seifert, 2012b: 95.

Current subspecies: nominal plus *hungaricus*, *marocanus*.

***modestus*:** *Bothriomyrmex modestus* Radchenko, 1985b: 64, figs. 1-13 (w.q.m.) UKRAINE.

Status as species: Shattuck, 1994: 35; Bolton, 1995b: 81; Seifert, 2012b: 102; Borowiec, L. 2014: 23; Radchenko, 2016: 101.

mohelensis. *Bothriomyrmex corsicus* subsp. *mohelensis* Novák, in Novák & Sadil, 1941: 97 (w.q.m.) CZECH REPUBLIC.

[Also described as new by Novák, in Kratochvíl, *et al.* 1944: 106.]

Status as species: Kutter, 1968b: 206.

Subspecies of *corsicus*: Shattuck, 1994: 33; Bolton, 1995b: 81; Werner & Wiezik, 2007: 142.

Junior synonym of *communista*: Seifert, 2012b: 98; Radchenko, 2016: 99.

myops Forel, 1895; see under **CHRONOXENUS**.

nigrescens. *Bothriomyrmex nigrescens* Kutter, 1971: 268. *Nomen nudum* (attributed to Santschi).

pallidus Donisthorpe, 1938; see under **ACROPYGA**.

***paradoxus*:** *Bothriomyrmex paradoxus* Dubovikoff & Longino, 2004: 3, figs. 1-5 (w.q.) COSTA RICA.

Status as species: Prebus & Lubertazzi, 2016: 8 (in key).

***perfidus*:** *Bothriomyrmex atlantis* var. *perfidus* Santschi, 1926e: 235 (w.q.) TUNISIA.

Subspecies of *atlantis*: Shattuck, 1994: 32; Bolton, 1995b: 81; Seifert, 2012b: 102.

***pubens*:** *Bothriomyrmex pubens* Santschi, 1919i: 210, pl. 3, figs. 19-25 (w.q.m.) TUNISIA.

Status as species: Shattuck, 1994: 35; Bolton, 1995b: 81; Cagniant, 2006a: 193; Seifert, 2012b: 102; Borowiec, L. 2014: 23.

pumicatus. *Bothriomyrmex pumicatus* Wasmann, 1894: 100. *Nomen nudum*.

[Note: the name appears to be a misinterpretation of *Bothroponera pumicata* Ray, in Raffray, 1887: 21, itself a misinterpretation of *Bothroponera pumicosa*; see Wheeler, W.M. 1922a: 921 (footnote) (Bolton, 1995b: 81).]

***regicidus*:** *Bothriomyrmex regicidus* Santschi, 1919i: 206, pl. 2, figs. 5-10 (w.q.m.) TUNISIA.

Status as species: Bernard, 1945: 136; Kutter, 1968b: 205; Cagniant, 1970c: 28; Shattuck, 1994: 36; Bolton, 1995b: 81; Cagniant, 2006a: 194; Seifert, 2012b: 101; Borowiec, L. 2014: 23.

rogeri. *Bothriomyrmex rogeri* Emery, 1924c: 168, fig. B, 1-7 (w.m.) SPAIN.

Status as species: Ceballos, 1956: 309 (error).

Junior synonym of *saundersi*: Emery, 1925e: 9 (in text); Collingwood, 1978: 71; Bolton, 1995b: 81.

rossi Donisthorpe, 1950; see under **CHRONOXENUS**.

salsurae. *Bothriomyrmex salsurae* Donisthorpe, 1944e: 100 (w.q.m.) ALGERIA.

Status as species: Shattuck, 1994: 36; Bolton, 1995b: 81; Borowiec, L. 2014: 24.

saundersi. *Bothriomyrmex regicidus* var. *saundersi* Santschi, 1922a: 67 (q.m.) SPAIN.

Incertae sedis in *Bothriomyrmex*: Seifert, 2012b: 103.

Emery, 1925e: 9 (w.).

Status as species: Emery, 1925e: 9 (redescription); Collingwood, 1978: 87 (in key); Shattuck, 1994: 36; Bolton, 1995b: 81; Borowiec, L. 2014: 24.

Senior synonym of rogeri: Emery, 1925e: 9 (in text); Collingwood, 1978: 71; Bolton, 1995b: 81.

scissor Crawley, 1922; see under **ARNOLDIUS**.

sicula. *Bothriomyrmex adriacus* subsp. *ionius* var. *sicula* Emery, 1925e: 17 (w.) ITALY (Sicily); unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Donisthorpe, 1927a: 7; Baroni Urbani, 1971c: 163.

[*Bothriomyrmex siculus* Poldi, et al. 1995: 6 (attributed to Emery); unavailable name (published after 1985).]

Declared as unavailable (infrasubspecific) name: Shattuck, 1994: 38.

syria. *Bothriomyrmex meridionalis* var. *syria* Forel, 1910a: 13 (w.) LEBANON.

Tohmé, H. & Tohmé, G. 1981: 97 (q.m.l.).

Subspecies of meridionalis: Emery, 1913a: 28; Wheeler, W.M. & Mann, 1916: 172; Santschi, 1919i: 205.

Status as species: Emery, 1925e: 11 (redescription); Menozzi, 1933b: 78; Pisarski, 1967: 406; Pisarski, 1970: 319; Tohmé, H. & Tohmé, G. 1981: 97; Agosti & Collingwood, 1987b: 279 (in key); Kugler, J. 1988: 258; Shattuck, 1994: 37; Bolton, 1995b: 81; Petrov, 2006: 103 (in key); Vonshak, et al. 2009: 38; Karaman, M.G. 2011b: 62; Legakis, 2011: 23; Seifert, 2012b: 101; Borowiec, L. & Salata, 2012: 470; Borowiec, L. 2014: 24; Tohmé, G. & Tohmé, 2014: 137.

turcomenicus. *Bothriomyrmex syrius* subsp. *turcomenicus* Emery, 1925e: 11, fig. A4 (w.) TURKMENISTAN.

[Misspelled as *turcomanicus* by Pisarski, 1970: 319, Dlussky, 1981a: 17.]

Subspecies of syria: Pisarski, 1967: 406; Pisarski, 1970: 319; Dlussky, 1981a: 17; Shattuck, 1994: 37; Seifert, 2012b: 102.

Status as species: Dlussky, Soyunov & Zabelin, 1990: 171; Bolton, 1995b: 81; Borowiec, L. 2014: 24.

urartus. *Bothriomyrmex urartus* Dubovikoff, 2002: 919, figs. 4-10 (w.q.m.) ARMENIA.

Status as species: Seifert, 2012b: 102; Borowiec, L. 2014: 24.

victoriae Forel, 1895; see under **CHRONOXENUS**.

walshi Forel, 1895; see under **CHRONOXENUS**.

wilsoni Clark, 1934; see under **PLAGIOLEPIS**.
wroughtonii Forel, 1895; see under **CHRONOXENUS**.