

TAPINOLEPIS

angolensis. *Anoplolepis (Mesanoplolepis) trimeni* var. *angolensis* Santschi, 1930b: 72 (w.) ANGOLA.

Combination in *Tapinolepis*: Bolton, 2003: 268.

Subspecies of *trimeni*: Bolton, 1995b: 66.

biskrensis. *Anoplolepis (Anoplolepis) simulans* var. *biskrensis* Karavaiev, 1931a: 309 (w.) ALGERIA.

Combination in *Tapinolepis*: Bolton, 2003: 268.

Subspecies of *simulans*: Bolton, 1995b: 66.

bothae. *Plagiolepis bothae* Forel, 1907g: 86 (q.m.) TANZANIA (Fundu I.).

Combination in *Plagiolepis (Anacantholepis)*: Wheeler, W.M. 1922: 930;

combination in *Anoplolepis (Anoplolepis)*: Emery, 1925b: 17;

combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: Emery, 1925b: 17; Wheeler, W.M. 1922a: 930; Bolton, 1995b: 66; Bolton, 2003: 268.

candida. *Anoplolepis (Tapinolepis) candida* Santschi, 1928f: 210 (w.) SOUTH AFRICA.

Combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: Bolton, 1995b: 67; Bolton, 2003: 268.

deceptor. *Plagiolepis (Anoplolepis) deceptor* Arnold, 1922: 597 (w.) ZIMBABWE.

Combination in *Anoplolepis (Anoplolepis)*: Emery, 1925b: 17;

combination in *Anoplolepis (Mesanoplolepis)*: Santschi, 1926a: 14;

combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: Emery, 1925b: 17; Bolton, 1995b: 67; Bolton, 2003: 268.

decolor. *Plagiolepis decolor* Emery, 1895h: 44 (w.) SOUTH AFRICA.

Forel, 1910f: 23 (q.m.).

Combination in *Plagiolepis (Anoplolepis)*: Arnold, 1922: 599; Wheeler, W.M. 1922a: 932;

combination in *Anoplolepis (Anoplolepis)*: Emery, 1925b: 17;

combination in *Anoplolepis (Mesanoplolepis)*: Santschi, 1926a: 14;

combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: Forel, 1910f: 23; Arnold, 1922: 599; Wheeler, W.M. 1922a: 933; Stitz, 1923: 164; Emery, 1925b: 17; Bolton, 1995b: 67; Bolton, 2003: 268.

karrooensis. *Plagiolepis (Anoplolepis) trimeni* var. *karrooensis* Arnold, 1922: 597 (w.q.) SOUTH AFRICA.

Combination in *Anoplolepis*: Emery, 1925b: 18;

combination in *Tapinolepis*: Bolton, 2003: 268.

Subspecies of *trimenii*: Emery, 1925b: 18; Bolton, 1995b: 67.

litoralis. *Anoplolepis (Mesanoplolepis) litoralis* Arnold, 1958: 124 (w.) ZIMBABWE.

Combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: Bolton, 1995b: 67; Bolton, 2003: 268.

longitarsis. *Anoplolepis longitarsis* Collingwood & Agosti, 1996: 362 (w.) YEMEN.

[Misspelled as *longitarsus* by El Hawagry, *et al.* 2013: 66 (in list).]

Combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: Bolton, 2003: 268; Collingwood, *et al.* 2011: 448; El Hawagry, *et al.* 2013: 66 (in list); Borowiec, L. 2014: 166.

macgregori. *Plagiolepis (Anoplolepis) macgregori* Arnold, 1922: 598 (w.) ZIMBABWE.

Combination in *Anoplolepis* (*Anoplolepis*): Emery, 1925b: 17;
combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: Emery, 1925b: 17; Bolton, 1995b: 67; Bolton, 2003: 268.

***macrophthalma*.** *Anoplolepis macrophthalma* Arnold, 1962: 844, figs. 1, 1a,b (w.q.m.) ZIMBABWE.

Combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: Bolton, 1995b: 67; Bolton, 2003: 268.

***mediterranea*.** *Plagiolepis mediterranea* Mayr, 1866a: 493 (w.) EGYPT.

Combination in *Anoplolepis* (*Anoplolepis*): Emery, 1925b: 17;
combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: André, 1882b: 208 (in key); Dalla Torre, 1893: 173; Emery, 1925b: 17; Bolton, 1995b: 67; Bolton, 2003: 268; Borowiec, L. 2014: 166.

***melanaria*.** *Plagiolepis* (*Anoplolepis*) *melanaria* Arnold, 1922: 599 (w.) ZIMBABWE.

Combination in *Anoplolepis* (*Anoplolepis*): Emery, 1925b: 18;
combination in *Anoplolepis* (*Mesanoplolepis*): Santschi, 1926a: 14;
combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: Emery, 1925b: 18; Arnold, 1949: 268; Bolton, 1995b: 67; Bolton, 2003: 268.

Current subspecies: nominal plus *ochraceotincta*.

***ochraceotincta*.** *Anoplolepis* (*Mesanoplolepis*) *melanaria* subsp. *ochraceotincta* Arnold, 1949: 268 (w.) ZIMBABWE.

Combination in *Tapinolepis*: Bolton, 2003: 268.

Subspecies of melanaria: Bolton, 1995b: 67.

***pernix*.** *Plagiolepis* (*Anoplolepis*) *pernix* Viehmeyer, 1923: 92 (w.) SUDAN.

Combination in *Anoplolepis* (*Anoplolepis*): Emery, 1925b: 18;
combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: Emery, 1925b: 18; Bolton, 1995b: 67; Bolton, 2003: 268.

***simulans*.** *Plagiolepis simulans* Santschi, 1908: 531, fig. 11 (w.q.m.) TUNISIA.

Combination in *Plagiolepis* (*Anoplolepis*): Santschi, 1914b: 123;
combination in *Anoplolepis* (*Anoplolepis*): Emery, 1925b: 18;
combination in *Anoplolepis* (*Mesanoplolepis*): Santschi, 1926a: 14;
combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: Emery, 1925b: 18; Karavaiev, 1931a: 309; Bolton, 1995b: 67; Bolton, 2003: 268; Borowiec, L. 2014: 166 (see note in bibliography).

Current subspecies: nominal plus *biskrensis*.

***trimenii*.** *Plagiolepis trimenii* Forel, 1895g: 430 (w.) SOUTH AFRICA.

Arnold, 1922: 596 (q.).

Combination in *Plagiolepis* (*Anoplolepis*): Arnold, 1922: 595;
combination in *Anoplolepis* (*Anoplolepis*): Emery, 1925b: 18;
combination in *Anoplolepis* (*Mesanoplolepis*): Santschi, 1930b: 72;
combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: Emery, 1899e: 492; Wheeler, W.M. 1908d: 389; Forel, 1913j: 223; Arnold, 1922: 595; Wheeler, W.M. 1922a: 934; Emery, 1925b: 18; Prins, 1963: 105; Bolton, 1995b: 67; Bolton, 2003: 268.

Current subspecies: nominal plus *angolensis*, *karrooensis*.

***tumidula*.** *Plagiolepis* (*Anoplolepis*) *tumidula* Emery, 1915g: 19, fig. 10 (w.m.) ERITREA.

Combination in *Anoplolepis* (*Tapinolepis*): Emery, 1925b: 18; Santschi, 1926a: 14;
combination in *Plagiolepis*: Collingwood, 1985: 298;
combination in *Tapinolepis*: Bolton, 2003: 268.

Status as species: Wheeler, W.M. 1922a: 934; Emery, 1925b: 18; Collingwood, 1985:
298; Bolton, 1995b: 67; Collingwood & Agosti, 1996: 363; Bolton, 2003: 268; Borowiec,
L. 2014: 166; Madl, 2019: 14.