

## **ROGERIA**

**alzatei.** *Rogeria alzatei* Kugler, C. 1994: 52, figs. 58-60, 99 (w.q.) PANAMA (Barro Colorado I.), DOMINICAN REPUBLIC, COLOMBIA, GUYANA, BRAZIL (São Paulo, Rio de Janeiro, Federal District), PERU, PARAGUAY.

**Status as species:** LaPolla & Sosa-Calvo, 2006: 66; Wild, 2007b: 36; Bezděčková, *et al.* 2015: 121; Fernández & Serna, 2019: 811; Lubertazzi, 2019: 170.

*azumai* Santschi, 1941; see under **LORDOMYRMA**.

**belti.** *Rogeria beltii* Mann, 1922: 31 (w.) HONDURAS.

Wheeler, G.C. & Wheeler, J. 1989a: 324 (l.); Kugler, C. 1994: 61 (q.m.).

**Status as species:** Kempf, 1962b: 20; Kempf, 1972a: 227; Kugler, C. 1994: 60 (redescription); Bolton, 1995b: 381; Branstetter & Sáenz, 2012: 261; Fernández & Serna, 2019: 811.

**besucheti.** *Rogeria besucheti* Kugler, C. 1994: 36, figs. 15-16 (w.) PARAGUAY, COLOMBIA.

**Status as species:** Wild, 2007b: 36; Bezděčková, *et al.* 2015: 121; Fernández & Serna, 2019: 811.

**blanda.** *Myrmica blanda* Smith, F. 1858b: 131 (w.) BRAZIL (Amazonas).

Wheeler, G.C. & Wheeler, J. 1989a: 325 (l.); Kugler, C. 1994: 37 (q.m.).

Combination in *Tetramorium*: Mayr, 1886c: 359;

combination in *Rogeria*: Emery, 1894c: 189.

**Status as species:** Mayr, 1863: 431; Mayr, 1886c: 359; Dalla Torre, 1893: 131; Forel, 1895b: 126; Emery, 1924d: 268; Borgmeier, 1927c: 110; Kempf, 1962b: 20; Kempf, 1965: 185; Kempf, 1969: 282; Kempf, 1972a: 227; Kugler, C. 1994: 37 (redescription); Bolton, 1995b: 381; LaPolla & Sosa-Calvo, 2006: 66; Bezděčková, *et al.* 2015: 121; Guerrero, Fernández, *et al.* 2018: 252; Fernández & Serna, 2019: 811.

**Senior synonym of foveata:** Kempf, 1965: 185; Kempf, 1969: 282; Kempf, 1972a: 227; Kugler, C. 1994: 37; Bolton, 1995b: 381.

*brasiliensis.* *Macromischa (Macromischa) brasiliensis* Borgmeier, 1952: 107, figs. 1-4 (w.) BRAZIL (Pará).

Junior synonym of *procera*: Kempf, 1961d: 437; Kempf, 1972a: 228; Kugler, C. 1994: 40; Bolton, 1995b: 381.

**bruchi.** *Rogeria bruchi* Santschi, 1922b: 352 (w.) ARGENTINA (Buenos Aires).

**Status as species:** Kempf, 1962b: 20; Kempf, 1963a: 195 (in key); Kempf, 1972a: 227; Kugler, C. 1994: 72 (redescription); Bolton, 1995b: 381; Wild, 2007b: 36.

**brunnea.** *Rogeria (Rogeria) curvipubens* st. *brunnea* Santschi, 1930e: 79 (w.) CUBA.

Kugler, C. 1994: 49 (q.).

Combination in *R. (Irogera)*: Santschi, 1936b: 201.

**Subspecies of curvipubens:** Santschi, 1931c: 272; Alayo, 1974: 39.

**Status as species:** Santschi, 1936b: 201; Kempf, 1972a: 227; Kugler, C. 1994: 48 (redescription); Bolton, 1995b: 381; Lubertazzi, 2019: 170.

**Senior synonym of caraiba:** Kugler, C. 1994: 48.

**Senior synonym of cubensis:** Kugler, C. 1994: 48.

**Senior synonym of habanica:** Kugler, C. 1994: 48.

**Senior synonym of scabra:** Kugler, C. 1994: 48.

*caraiba.* *Rogeria (Irogera) caraiba* Santschi, 1936b: 198, fig. 5 (w.) CUBA.

Status as species: Kempf, 1962b: 20; Kempf, 1972a: 228; Bolton, 1995b: 381 (error).

Junior synonym of *brunnea*: Kugler, C. 1994: 48.

- carinata.** *Rogeria carinata* Kugler, C. 1994: 56, fig. 64 (w.) BRITISH VIRGIN IS (Tortola I.), PUERTO RICO.
- ciliosa.** *Rogeria ciliosa* Kugler, C. 1994: 31, figs. 2-4 (w.q.) ECUADOR, VENEZUELA.
- cornuta.** *Rogeria cornuta* Kugler, C. 1994: 65, fig. 45 (w.) BELIZE, MEXICO (Chiapas).  
**Status as species:** Branstetter & Sáenz, 2012: 261.
- creightoni.** *Rogeria creightoni* Snelling, R.R. 1973a: 2, fig. 1 (w.) U.S.A. (Texas).  
**Status as species:** Smith, D.R. 1979: 1391; Kugler, C. 1994: 50 (redescription); Bolton, 1995b: 381; Branstetter & Sáenz, 2012: 261.
- cubensis.* *Rogeria (Irogera) cubensis* Santschi, 1936b: 199, figs. 3, 4 (w.) CUBA.  
**Status as species:** Kempf, 1962b: 20; Kempf, 1972a: 228; Bolton, 1995b: 381 (error).  
 Junior synonym of *brunnea*: Kugler, C. 1994: 48.
- cuneola.** *Rogeria cuneola* Kugler, C. 1994: 68, figs. 77-78, 103 (w.q.) MEXICO (Oaxaca, San Luis Potosi, Veracruz, Jalisco, Chiapas, Yucatan), BELIZE, GUATEMALA, HONDURAS, COSTA RICA.  
**Status as species:** Branstetter & Sáenz, 2012: 261.
- curvipubens.** *Rogeria curvipubens* Emery, 1894c: 190 (w.q.) VIRGIN IS (St Thomas I.), BOLIVIA.  
**Status as species:** Wheeler, W.M. 1905b: 127; Wheeler, W.M. 1908a: 142; Emery, 1924d: 268; Santschi, 1931c: 272; Smith, M.R. 1937: 851; Kempf, 1961b: 509; Kempf, 1962b: 20; Kempf, 1963a: 195 (in key); Kempf, 1972a: 228; Alayo, 1974: 18 (in key); Kugler, C. 1994: 66 (redescription); Bolton, 1995b: 381; LaPolla & Sosa-Calvo, 2006: 66; Wetterer, *et al.* 2016: 17; Fernández & Serna, 2019: 811; Lubertazzi, 2019: 170.
- epinotalis* Mann, 1919; see under **LORDOMYRMA**.
- exsulans.** *Rogeria exsulans* Wilson & Taylor, 1967: 74, fig. 60 (w.) SAMOA (Upolu I.).  
**Status as species:** Dlussky, 1994: 55; Kugler, C. 1994: 64 (redescription); Bolton, 1995b: 381; Wetterer & Vargo, 2003: 416.
- foreli.** *Rogeria foreli* Emery, 1894c: 191 (w.) VIRGIN IS (St Thomas I.).  
 [Note: previously referred to as *Tetramorium foreli* Emery, by Forel, 1893g: 383. *Nomen nudum.*]  
 Kugler, C. 1994: 71 (q).  
**Status as species:** Wheeler, W.M. 1905b: 128; Wheeler, W.M. 1908a: 142; Santschi, 1917f: 278; Emery, 1924d: 268; Kempf, 1962b: 20; Kempf, 1972a: 228; Kugler, C. 1994: 71 (redescription); Bolton, 1995b: 381; Mackay & Mackay, 2002: 219; LaPolla & Sosa-Calvo, 2006: 66; Branstetter & Sáenz, 2012: 261; Wetterer, *et al.* 2016: 17; Fernández & Serna, 2019: 811.  
**Senior synonym of gaigei:** Kugler, C. 1994: 71.  
**Senior synonym of huachucana:** Kugler, C. 1994: 71.
- foveata.* *Irogera foveata* Kempf, 1964e: 64, figs. 19, 20 (w.) BRAZIL (Amazonas).  
 Junior synonym of *blanda*: Kempf, 1965: 185; Kempf, 1969: 282; Kempf, 1972a: 227; Kugler, C. 1994: 37; Bolton, 1995b: 381.
- gaigei.* *Rogeria foreli* r. *gaigei* Forel, 1914c: 617 (w.) COLOMBIA.  
 Subspecies of *foreli*: Emery, 1924d: 268; Kempf, 1962b: 20; Kempf, 1963a: 195 (in key); Kempf, 1972a: 228; Bolton, 1995b: 381 (error).  
 Junior synonym of *foreli*: Kugler, C. 1994: 71.
- germaini.** *Rogeria germaini* Emery, 1894c: 189 (w.) BRAZIL (Mato Grosso).  
 Kugler, C. 1994: 42 (q).

- Status as species:** Forel, 1895b: 141; Emery, 1924d: 268; Kempf, 1962b: 20 (redescription); Kempf, 1963a: 196 (in key); Kempf, 1972a: 228; Kugler, C. 1994: 33 (redescription); Bolton, 1995b: 381; Wild, 2007b: 36.
- Senior synonym of *minensis*:** Kugler, C. 1994: 42.
- gibba*.** *Rogeria gibba* Kugler, C. 1994: 32, figs. 5-6 (w.q.) ECUADOR, COLOMBIA.  
**Status as species:** Fernández & Serna, 2019: 811.
- habanica*.** *Rogeria (Irogera) cubensis* var. *habanica* Santschi, 1936b: 200 (w.) CUBA.  
Subspecies of *cubensis*: Kempf, 1962b: 20; Kempf, 1972a: 228; Bolton, 1995b: 381 (error).  
Junior synonym of *brunnea*: Kugler, C. 1994: 48.
- huachucana*.** *Rogeria huachucana* Snelling, R.R. 1973a: 4, fig. 1 (w.) U.S.A. (Arizona).  
Status as species: Hunt & Snelling, 1975: 21; Smith, D.R. 1979: 1391; Bolton, 1995b: 381 (error).  
Junior synonym of *foreli*: Kugler, C. 1994: 71.
- inermis*.** *Rogeria inermis* Mann, 1922: 32, fig. 15 (w.) HONDURAS.  
Kugler, C. 1994: 63 (q.).  
**Status as species:** Kempf, 1972a: 228; Kugler, C. 1994: 62 (redescription); Bolton, 1995b: 381; Branstetter & Sáenz, 2012: 261.
- innotabilis*.** *Rogeria innotabilis* Kugler, C. 1994: 51, figs. 55-57, 97-98 (w.q.) MEXICO (Chiapas), NICARAGUA, COSTA RICA, COLOMBIA.  
**Status as species:** LaPolla & Sosa-Calvo, 2006: 66; Branstetter & Sáenz, 2012: 261; Fernández & Serna, 2019: 811.
- lacertosa*.** *Rogeria lacertosa* Kempf, 1963a: 194, fig. 5, 6 (w.) BRAZIL (Rio Grande do Sul).  
**Status as species:** Kempf, 1972a: 228; Kugler, C. 1994: 44 (redescription); Bolton, 1995b: 381.
- leptonana*.** *Rogeria leptonana* Kugler, C. 1994: 58, figs. 66-70 (w.q.m.) PANAMA (Barro Colorado I.), MEXICO (Chiapas), COSTA RICA, COLOMBIA, DOMINICAN REPUBLIC.  
**Status as species:** Fernández & Serna, 2019: 811; Lubertazzi, 2019: 170.
- levifrons*** Mann, 1921; see under **LORDOMYRMA**.
- lirata*.** *Rogeria lirata* Kugler, C. 1994: 43, figs. 28-30, 89-90 (w.q.) COLOMBIA, TRINIDAD, GUYANA, PERU, BRAZIL (Mato Grosso, Goiás).  
**Status as species:** LaPolla & Sosa-Calvo, 2006: 66; Bezděčková, *et al.* 2015: 121; Fernández & Serna, 2019: 811.
- manni*.** *Rogeria manni* Santschi, 1922b: 353 (footnote) (w.) SOLOMON IS (Isabel I.).  
Combination in *Lordomyrma*: Brown, 1953h: 4.  
Status as species: Bolton, 1995b: 381 (error).  
Junior synonym of *stigmatica*: Kugler, C. 1994: 33.
- megastigmatica*.** *Rogeria megastigmatica* Kugler, C. 1994: 35, fig. 13 (w.) SOLOMON IS (Guadalcanal I., San Cristobal I.).  
**Status as species:** Sarnat, *et al.* 2013: 72.
- merenbergiana*.** *Rogeria merenbergiana* Kugler, C. 1994: 46, figs. 46-48 (w.q.) COLOMBIA, ECUADOR.  
**Status as species:** Fernández & Serna, 2019: 811.
- micromma*.** *Rogeria micromma* Kempf, 1961b: 509, figs. 12, 13 (w.) SURINAME.

- Status as species:** Kempf, 1962b: 20; Kempf, 1963a: 196 (in key); Kempf, 1972a: 228; Kugler, C. 1994: 69 (redescription); Bolton, 1995b: 381; LaPolla & Sosa-Calvo, 2006: 66; Guerrero, Fernández, *et al.* 2018: 252; Fernández & Serna, 2019: 811.
- minensis*. *Rogeria germaini* st. *minensis* Santschi, 1923g: 1262 (w.) BRAZIL (Minas Gerais).  
Subspecies of *germaini*: Borgmeier, 1927c: 110; Kempf, 1962b: 20.  
Status as species: Kempf, 1963a: 189 (redescription); Kempf, 1972a: 228; Bolton, 1995b: 381 (error).  
Junior synonym of *germaini*: Kugler, C. 1994: 42.
- minima**. *Rogeria minima* Kusnezov, 1958a: 44, figs. 1-3 (q.) ARGENTINA (Tucumán).  
[*Rogeria minima* Kusnezov, 1954b: 35. *Nomen nudum*.]  
**Status as species:** Kempf, 1962b: 20; Kempf, 1972a: 228; Kugler, C. 1994: 70 (redescription); Bolton, 1995b: 381.
- minuta*. *Rogeria minuta* Kusnezov, 1953b: 339 (in list). *Nomen nudum*.
- neilyensis**. *Rogeria neilyensis* Kugler, C. 1994: 63, fig. 43 (w.) COSTA RICA.
- nevadensis**. *Rogeria nevadensis* Kugler, C. 1994: 57, figs. 65, 94 (w.) COLOMBIA.  
**Status as species:** Fernández & Serna, 2019: 811.
- pellecta**. *Rogeria pellecta* Kempf, 1963a: 191, figs. 3, 4 (w.) BRAZIL (Santa Catarina).  
**Status as species:** Kempf, 1972a: 228; Kugler, C. 1994: 45 (redescription); Bolton, 1995b: 381.
- polita* Mann, 1921; see under **LORDOMYRMA**.
- procera**. *Rogeria procera* Emery, 1896g: 92, pl. 1, fig. 19 (w.) BRAZIL (Pará).  
Wheeler, G.C. & Wheeler, J. 1973b: 74 (l.).  
Combination in *R. (Irogera)*: Emery, 1915i: 191;  
combination in *Irogera*: Brown, 1953h: 4 (in text); Kempf, 1961d: 437;  
combination in *Rogeria*: Kempf, 1965: 185.  
**Status as species:** Bruch, 1914: 221; Emery, 1924d: 267; Borgmeier, 1927c: 109; Kempf, 1961d: 437; Kempf, 1964e: 66 (in key); Kempf, 1972a: 228; Kugler, C. 1994: 40 (redescription); Bolton, 1995b: 381; LaPolla & Sosa-Calvo, 2006: 67.  
**Senior synonym of *brasiliensis*:** Kempf, 1961d: 437; Kempf, 1972a: 228; Kugler, C. 1994: 40; Bolton, 1995b: 381.
- prominula**. *Rogeria prominula* Kugler, C. 1994: 35, fig. 14 (w.) BRAZIL (Amazonas).  
**Status as species:** LaPolla & Sosa-Calvo, 2006: 67.
- rugosa* Mann, 1921; see under **LORDOMYRMA**.
- scabra*. *Rogeria (Rogeria) scabra* Weber, 1934a: 27, fig. 2 (w.q.) CUBA.  
Status as species: Wheeler, W.M. 1937b: 458; Kempf, 1962b: 20; Kempf, 1972a: 228; Alayo, 1974: 18 (in key); Bolton, 1995b: 381 (error).  
Junior synonym of *brunnea*: Kugler, C. 1994: 48.
- scandens**. *Macromischa scandens* Mann, 1922: 30, fig. 14 (w.) HONDURAS.  
Wheeler, G.C. & Wheeler, J. 1986f: 493 (l.); Kugler, C. 1994: 39 (q.).  
Combination in *Irogera*: Kempf, 1961d: 438;  
combination in *Rogeria*: Kempf, 1965: 185.  
**Status as species:** Wheeler, W.M. 1937b: 464; Kempf, 1961d: 438; Kempf, 1964e: 66 (in key); Kempf, 1972a: 228; Kugler, C. 1994: 39 (redescription); Bolton, 1995b: 381; Fernández & Serna, 2019: 811.

- scobinata.** *Rogeria scobinata* Kugler, C. 1994: 54, figs. 61-62, 100 (w.q.) PERU, TRINIDAD, SURINAME, COLOMBIA, ECUADOR, BOLIVIA, BRAZIL (Pará, Amazonas, Mato Grosso, São Paulo, Rio de Janeiro), PARAGUAY.  
**Status as species:** LaPolla & Sosa-Calvo, 2006: 67; Wild, 2007b: 36; Bezděčková, *et al.* 2015: 121; Fernández & Serna, 2019: 812.
- sicaria.** *Rogeria sicaria* Kempf, 1962b: 22, figs. 20, 21 (w.) BRAZIL (São Paulo).  
**Status as species:** Kempf, 1963a: 196 (in key); Kempf, 1972a: 228; Kugler, C. 1994: 45 (redescription); Bolton, 1995b: 381.
- stigmatica.** *Rogeria stigmatica* Emery, 1897c: 589 (w.) NEW GUINEA (Papua New Guinea). Mann, 1919: 342 (q.m.).  
**Status as species:** Mann, 1919: 342; Emery, 1924d: 268; Wheeler, W.M. 1935g: 29; Chapman & Capco, 1951: 111; Taylor, 1976a: 84; Kugler, C. 1994: 33 (redescription); Bolton, 1995b: 381; Wetterer, 2002: 128; Wetterer & Vargo, 2003: 416; Wetterer, 2006: 415; Clouse, 2007b: 252; Sarnat & Economo, 2012: 120; Sarnat, *et al.* 2013: 72; Ramage, 2014: 169.  
**Senior synonym of manni:** Kugler, C. 1994: 33.  
**Senior synonym of sublevinodis:** Kugler, C. 1994: 33; Ramage, 2014: 169.
- stoneri* Mann, 1925; see under **LORDOMYRMA**.
- striatella* Mann, 1921; see under **LORDOMYRMA**.
- subarmata.** *Irogera subarmata* Kempf, 1961d: 438, figs. 1-4 (w.) BRAZIL (Rio de Janeiro). Combination in *Rogeria*: Kempf, 1965: 185.  
**Status as species:** Kempf, 1964e: 66 (in key); Kempf, 1972a: 228; Kempf, 1975c: 367; Brandão, 1991: 377; Kugler, C. 1994: 40 (redescription); Bolton, 1995b: 381.
- sublevinodis.* *Rogeria stigmatica* subsp. *sublevinodis* Emery, 1914f: 415 (w.) NEW CALEDONIA (Loyalty Is).  
[*Rogeria stigmatica* subsp. *sublevinodis* Emery, 1914b: 180. *Nomen nudum.*]  
Wheeler, G.C. & Wheeler, J. 1955b: 28 (l.).  
Subspecies of *stigmatica*: Santschi, 1919a: 326; Mann, 1921: 451; Emery, 1924d: 268; Cheesman & Crawley, 1928: 519; Wheeler, W.M. 1932d: 17; Wheeler, W.M. 1935g: 29.  
Status as species: Wilson & Taylor, 1967: 76; Taylor, 1987a: 72; Dlussky, 1994: 55; Bolton, 1995b: 381 (error).  
Junior synonym of *stigmatica*: Kugler, C. 1994: 33; Ramage, 2014: 169.
- terescandens.** *Rogeria terescandens* Kugler, C. 1994: 39, fig. 21 (w.) COSTA RICA.
- tonduzi.** *Rogeria tonduzi* Forel, 1899c: 53 (w.) COSTA RICA.  
Combination in *R. (Irogera)*: Emery, 1915i: 191;  
combination in *Irogera*: Brown, 1953h: 4 (in text);  
combination in *Rogeria*: Kempf, 1965: 185.  
**Status as species:** Emery, 1924d: 267; Kempf, 1972a: 228; Kugler, C. 1994: 41 (redescription); Bolton, 1995b: 381; Branstetter & Sáenz, 2012: 261.
- tortuosa* Mann, 1921; see under **LORDOMYRMA**.
- tribrocca.** *Rogeria tribrocca* Kugler, C. 1994: 56, fig. 63 (w.) COLOMBIA.  
**Status as species:** Fernández & Serna, 2019: 812.
- tsumani.** *Rogeria tsumani* LaPolla & Sosa-Calvo, 2006: 61, figs. 11, 22 (w.) GUYANA.
- unguispina.** *Rogeria unguispina* Kugler, C. 1994: 47, fig. 49 (w.) VENEZUELA.