

MYRMICOCRYPTA

arenicola Forel, 1912; see under **KALATHOMYRMEX**.

argentina Santschi, 1916; see under **KALATHOMYRMEX**.

boliviana. *Myrmicocrypta boliviana* Weber, 1938b: 161 (w.) BOLIVIA.

Status as species: Kempf, 1972a: 151; Bolton, 1995b: 286; Guerrero, Fernández, et al. 2018: 245.

brittoni Wheeler, W.M. 1907; see under **MYCETOPHYLAX**.

bruchi. *Myrmicocrypta bruchi* Santschi, 1936d: 409, figs. 13, 14 (w.q.) ARGENTINA (Córdoba).

Status as species: Kempf, 1972a: 151; Bolton, 1995b: 286.

bucki. *Myrmicocrypta bucki* Sosa-Calvo & Schultz, 2010: 192, figs. 23-26 (w.) PERU, BRAZIL (Amapá, Amazonas).

buenzlii. *Myrmicocrypta buenzlii* Borgmeier, 1934: 104 (w.) SURINAME.

Junior synonym of *squamosa*: Weber, 1958d: 262.

Status as species: Weber, 1945: 20; Kempf, 1961b: 517; Kempf, 1972a: 151; Bolton, 1995b: 286.

camargoii. *Myrmicocrypta camargoii* Sosa-Calvo & Schultz, 2010: 184, figs. 1-15 (w.q.m.) BRAZIL (São Paulo, Goiás, Rio de Janeiro, Espírito Santo).

collaris. *Myrmicocrypta collaris* Emery, 1913b: 252, fig. 2b, 3b (q.) PERU.

Status as species: Emery, 1924d: 336; Weber, 1958d: 261; Kempf, 1972a: 151; Bolton, 1995b: 286; Bezděčková, et al. 2015: 118.

Senior synonym of *corniculata*: Weber, 1958d: 261; Kempf, 1972a: 151; Bolton, 1995b: 286.

corniculata. *Myrmicocrypta corniculata* Emery, 1913b: 253, fig. 2c (q.) PERU.

Status as species: Emery, 1924d: 336.

Junior synonym of *collaris*: Weber, 1958d: 261; Kempf, 1972a: 151; Bolton, 1995b: 286.

cornuta. *Myrmicocrypta dilacerata* r. *cornuta* Forel, 1899c: 38 (m.) MEXICO (Jalisco).

Subspecies of *dilacerata*: Emery, 1924d: 336; Kempf, 1972a: 151; Bolton, 1995b: 286.

cristulata Santschi, 1922; see under **PARAMYCETOPHYLAX**.

cucumis Mann, 1922; see under **PARATRACHYMYRMEX**.

dilacerata. *Glyptomyrmex dilaceratum* Forel, 1885a: 365 (m.) MEXICO (Veracruz).

Combination in *Myrmicocrypta*: Forel, 1899c: 38.

Status as species: Dalla Torre, 1893: 149; Forel, 1899c: 38; Wheeler, W.M. 1907a: 275; Emery, 1924d: 336; Kempf, 1972a: 151; Bolton, 1995b: 286.

Current subspecies: nominal plus *cornuta*.

ednaella. *Myrmicocrypta ednaella* Mann, 1922: 46, fig. 20 (w.q.) HONDURAS.

Status as species: Weber, 1940a: 417; Weber, 1941b: 108; Kempf, 1972a: 151; Bolton, 1995b: 286; Guerrero, Fernández, et al. 2018: 245.

elisabethae. *Myrmicocrypta elisabethae* Weber, 1937: 383 (q.) GUYANA.

Status as species: Weber, 1946b: 129; Kempf, 1972a: 151; Bolton, 1995b: 286.

emeryi Forel, 1907; see under **KALATHOMYRMEX**.

erectapilosa. *Myrmicocrypta erectapilosa* Sosa-Calvo & Schultz, 2010: 189, figs. 16-22 (w.q.) BRAZIL (Amazonas).

foreli. *Myrmicocrypta foreli* Mann, 1916: 457, pl. 4, figs. 32-34 (w.q.) BRAZIL (Rondônia).

Status as species: Emery, 1924d: 336; Wheeler, W.M. 1925a: 45; Borgmeier, 1927c: 124; Kempf, 1972a: 151; Bolton, 1995b: 286; Guerrero, Fernández, et al. 2018: 245.

Current subspecies: nominal plus *surianensis*.

fortis Forel, 1912; see under **KALATHOMYRMEX**.

gallardoi Santschi, 1922; see under **KALATHOMYRMEX**.

godmani. *Myrmicocrypta godmani* Forel, 1899c: 39 (m.) NICARAGUA.

Status as species: Emery, 1924d: 336; Kempf, 1972a: 151; Bolton, 1995b: 286.

guianensis. *Myrmicocrypta guianensis* Weber, 1937: 385 (w.q.) GUYANA.

Status as species: Weber, 1946b: 129; Kempf, 1972a: 151; Bolton, 1995b: 286.

infuscata. *Myrmicocrypta infuscata* Weber, 1946b: 131 (w.) GUYANA.

Status as species: Kempf, 1972a: 151; Bolton, 1995b: 286.

longinoda. *Myrmicocrypta longinoda* Weber, 1938b: 158 (w.) BRAZIL (“*União, Rio Madeira*”).

Status as species: Kempf, 1972a: 151; Bolton, 1995b: 286.

microphthalmia. *Myrmicocrypta microphthalmia* Borgmeier, 1948a: 202, figs. 27, 28 (w.q.) PERU.

Status as species: Kempf, 1972a: 151; Bolton, 1995b: 286; Bezděcková, *et al.* 2015: 118.

occipitalis. *Myrmicocrypta occipitalis* Weber, 1938b: 159 (w.m.) BOLIVIA.

Status as species: Kempf, 1972a: 151; Bolton, 1995b: 286; Guénard & Economo, 2015: 227; Guerrero, Fernández, *et al.* 2018: 245.

ogloblini. *Myrmicocrypta ogloblini* Santschi, 1936d: 411, figs. 17-20 (q.) ARGENTINA (Misiones).

Status as species: Kempf, 1972a: 151; Bolton, 1995b: 286.

peruviana. *Myrmicocrypta triangulata* var. *peruviana* Emery, 1913b: 254 (in text), fig. 5b, c (m.) PERU.

Subspecies of triangulata: Emery, 1924d: 337; Kempf, 1972a: 152; Bolton, 1995b: 286; Bezděcková, *et al.* 2015: 118.

rudiscapa. *Myrmicocrypta rudiscapus* Emery, 1913b: 253, figs. 2d, 3c, 4 (q.) BOLIVIA.

Status as species: Emery, 1924d: 336; Weber, 1938b: 202; Kempf, 1972a: 151; Bolton, 1995b: 286.

simplex Santschi, 1922; see under **PARAMYCETOPHYLAX**.

spinosa. *Myrmicocrypta spinosa* Weber, 1937: 382 (w.) GUYANA.

Wheeler, G.C. 1949: 667 (l.).

Status as species: Weber, 1946b: 130; Kempf, 1972a: 151; Bolton, 1995b: 286.

squamosa. *Myrmicocrypta squamosa* Smith, F. 1860c: 74, pl. 4, figs. 14-17 (q.) BRAZIL (São Paulo).

[Misspelled as *squammosa* by Santschi, 1922d: 257.]

Forel, 1911c: 295 (w.).

Status as species: Roger, 1863b: 35; Mayr, 1863: 436; Dalla Torre, 1893: 150; Forel, 1895b: 138; Forel, 1911c: 295; Forel, 1911e: 257; Forel, 1912e: 189; Luederwaldt, 1918: 39; Wheeler, W.M. 1922c: 13; Emery, 1924d: 336; Borgmeier, 1927c: 124; Eidmann, 1936b: 84; Weber, 1945: 20; Weber, 1946b: 130; Weber, 1958d: 262; Kempf, 1972a: 151; Bolton, 1995b: 286; Wild, 2007b: 34; Fernández & Serna, 2019: 863.

Current subspecies: nominal plus *uncinata*.

subnitida. *Myrmicocrypta subnitida* Forel, 1899c: 39 (m.) PANAMA.

Status as species: Emery, 1924d: 337; Kempf, 1972a: 152; Bolton, 1995b: 286.

surianensis. *Myrmicocrypta foreli* subsp. *surianensis* Wheeler, W.M. 1925a: 45 (w.) BOLIVIA.

Subspecies of foreli: Weber, 1938b: 202; Kempf, 1972a: 151; Bolton, 1995b: 286.

triangulata. *Myrmicocrypta triangulata* Forel, 1912e: 190 (m.) GUATEMALA.

Status as species: Emery, 1924d: 337; Kempf, 1972a: 152; Bolton, 1995b: 286; Branstetter & Sáenz, 2012: 258.

Current subspecies: nominal plus *peruviana*.

tuberculata. *Myrmicocrypta tuberculata* Weber, 1938b: 157, fig. 9 (w.) BOLIVIA.

Status as species: Kempf, 1972a: 152; Bolton, 1995b: 286; Fernández & Serna, 2019: 863.

uncinata. *Apterostigma uncinatum* Mayr, 1887: 554 (w.) BRAZIL (Santa Catarina).

Emery, 1890b: 70 (q.m.).

Combination in *Glyptomyrmex*: Emery, 1890b: 70;

combination in *Myrmicocrypta*: Forel, 1911c: 296.

Status as species: Emery, 1890b: 70; Dalla Torre, 1893: 149; Forel, 1895b: 137.

Junior synonym of *squamosa*: Wheeler, W.M. 1907c: 729 (in text).

Subspecies of *squamosa*: Forel, 1911c: 296; Emery, 1924d: 336; Borgmeier, 1927c: 124; Santschi, 1933e: 120; Weber, 1946b: 130; Kempf, 1972a: 152; Bolton, 1995b: 286.

unidentata. *Myrmicocrypta unidentata* Weber, 1937: 384 (w.) GUYANA.

Status as species: Weber, 1946b: 131; Kempf, 1972a: 152; Bolton, 1995b: 286; Guerrero, Fernández, et al. 2018: 246.

urichi. *Myrmicocrypta urichi* Weber, 1937: 379, figs. 2, 3 (w.q.m.) TRINIDAD.

Wheeler, G.C. 1949: 666 (l.).

Status as species: Weber, 1945: 23; Weber, 1948b: 83; Kempf, 1972a: 152; Bolton, 1995b: 286; Fernández & Serna, 2019: 863.

weyrauchi. *Myrmicocrypta weyrauchi* Borgmeier, 1948a: 204, figs. 29, 30 (w.q.) PERU.

Status as species: Kempf, 1972a: 152; Bolton, 1995b: 286; Bezděcková, et al. 2015: 118.