

## **FULAKORA**

**agostii.** *Amblyopone agostii* Lacau & Delabie, 2002: 36, figs. 3-4 (w.) BRAZIL (Bahia).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

combination in *Fulakora*: Ward & Fisher, 2016: 691.

**Status as species:** Feitosa, 2015c: 97.

**armigera.** *Amblyopone armigera* Mayr, 1887: 547 (w.) BRAZIL (Santa Catarina).

Combination in *Stigmatomma*: Emery, in Dalla Torre, 1893: 14;

combination in *Stigmatomma (Fulakora)*: Mann, 1919: 279;

combination in *Amblyopone*: Borgmeier, 1957: 109;

combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

combination in *Fulakora*: Ward & Fisher, 2016: 691.

**Status as species:** Dalla Torre, 1893: 14; Forel, 1895b: 110; Emery, 1911d: 25; Bruch, 1921: 186; Borgmeier, 1923: 52; Borgmeier, 1957: 109; Brown, 1960a: 167, 192 (in key); Kempf, 1968b: 374; Kempf, 1972a: 19; Lattke, 1991c: 6 (in key); Bolton, 1995b: 61; Lacau & Delabie, 2002: 40 (in key); Wild, 2007b: 23; Feitosa, 2015c: 97.

**barretoii.** *Stigmatomma (Fulakora) elongata* st. *barretoii* Bruch, 1921: 184, fig. 6 (1,2) (w.) ARGENTINA (Buenos Aires).

Junior synonym of *elongata*: Borgmeier, 1957: 110; Brown, 1960a: 168; Bolton, 1995b: 61.

**bierigi.** *Stigmatomma (Fulakora) bierigi* Santschi, 1930e: 75 (w.) CUBA.

Combination in *Amblyopone*: Brown, 1960a: 167;

combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

combination in *Fulakora*: Ward & Fisher, 2016: 691.

**Status as species:** Brown, 1960a: 167, 192 (in key); Kempf, 1972a: 19; Alayo, 1974: 30; Lattke, 1991c: 6 (in key); Bolton, 1995b: 61; Lacau & Delabie, 2002: 41 (in key).

**celata.** *Stigmatomma (Fulakora) celata* Mann, 1919: 279, fig. 2 (w.) SOLOMON IS (Isabel I., Malaita I., Florida I., San Cristoval I.).

Taylor, 1979: 832 (q.).

Combination in *Amblyopone*: Wilson, 1958a: 143;

combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

combination in *Fulakora*: Ward & Fisher, 2016: 691.

**Status as species:** Wheeler, W.M. 1935g: 9; Wilson, 1958a: 143; Brown, 1960a: 168, 213; Taylor, 1976a: 78; Taylor, 1979: 830; Bolton, 1995b: 61; Sarnat, *et al.* 2013: 69.

**chilensis.** *Amblyopone chilensis* Mayr, 1887: 547 (w.) CHILE.

Combination in *Stigmatomma*: Emery, in Dalla Torre, 1893: 14;

combination in *Stigmatomma (Fulakora)*: Mann, 1919: 279;

combination in *Amblyopone*: Brown, 1960a: 183;

combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

combination in *Fulakora*: Ward & Fisher, 2016: 691.

**Status as species:** Dalla Torre, 1893: 14; Emery, 1911d: 25; Goetsch & Menozzi, 1935: 94; Brown, 1960a: 167, 183, 192 (in key); Kempf, 1970a: 19; Kempf, 1972a: 19; Snelling, R.R. & Hunt, 1976: 66; Lattke, 1991c: 6 (in key); Bolton, 1995b: 61; Lacau & Delabie, 2002: 41 (in key).

**cleae.** *Amblyopone cleae* Delabie, in Lacau & Delabie, 2002: 34, figs. 1-2 (w.q.m.l.) BRAZIL (Bahia).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

- combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species**: Feitosa, 2015c: 97.
- degenerata**. *Amblyopone degenerata* Borgmeier, 1957: 111, figs. 18-20 (w.) BRAZIL (Santa Catarina).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species**: Brown, 1960a: 168, 191 (in key); Kempf, 1961b: 486; Kempf, 1972a: 19; Lattke, 1991c: 5; Bolton, 1995b: 61; Lacau & Delabie, 2002: 40 (in key); Arias-Penna, 2008a: 45; Branstetter & Sáenz, 2012: 253; Feitosa, 2015c: 97; Guénard & Economo, 2015: 226; Fernández, Delsinne & Arias-Penna, 2019: 504.
- egregia**. *Ericapelta egregia* Kusnezov, 1955: 274, figs. 5c-7 (m.) ARGENTINA (Tucumán).  
Combination in *Amblyopone*: Brown, 1960a: 168;  
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species**: Brown, 1960a: 168, 183; Kempf, 1972a: 19; Bolton, 1995b: 62.
- elongata**. *Stigmatomma elongata* Santschi, 1912e: 519, fig. 1 (w.) URUGUAY.  
Borgmeier, 1957: 110 (q.).  
Combination in *Stigmatomma (Fulakora)*: Santschi, 1922d: 241;  
combination in *Amblyopone*: Borgmeier, 1957: 110;  
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species**: Kusnezov, 1953b: 339; Borgmeier, 1957: 110; Brown, 1960a: 168, 192 (in key); Kempf, 1972a: 19; Zolessi, *et al.* 1988: 2; Lattke, 1991c: 6 (in key); Bolton, 1995b: 62; Lacau & Delabie, 2002: 41 (in key); Feitosa, 2015c: 97.  
**Senior synonym of barretoii**: Borgmeier, 1957: 110; Brown, 1960a: 168; Bolton, 1995b: 62.  
**Senior synonym of minor**: Borgmeier, 1957: 110; Brown, 1960a: 168; Bolton, 1995b: 62.  
**Senior synonym of paranense**: Borgmeier, 1957: 110; Brown, 1960a: 168; Bolton, 1995b: 62.
- exigua**. *Amblyopone exigua* Clark, 1928a: 35, pl. 1, figs. 20-23 (q.) AUSTRALIA (Victoria).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species**: Brown, 1960a: 168, 211; Taylor & Brown, 1985: 19; Taylor, 1987a: 6; Bolton, 1995b: 62.
- falcata**. *Amblyopone falcata* Lattke, 1991c: 1, fig. 1 (w.) PUERTO RICO.  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species**: Bolton, 1995b: 62; Lacau & Delabie, 2002: 40 (in key); Bharti & Rilta, 2015b: 509 (in key); Lubertazzi, 2019: 113.
- gnoma**. *Amblyopone gnoma* Taylor, 1979: 829, figs. 13-16 (w.q.) SOLOMON IS (Guadalcanal I.).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species**: Bolton, 1995b: 62; Sarnat, *et al.* 2013: 69.

- gracilis.** *Amblyopone (Fulakora) gracilis* Clark, 1934c: 52, pl. 4, figs. 3, 4 (w.q.) AUSTRALIA (Victoria).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species:** Brown, 1960a: 168, 211; Taylor & Brown, 1985: 19; Taylor, 1987a: 6;  
Bolton, 1995b: 62.
- heraldoi.** *Amblyopone heraldoi* Lacau & Delabie, 2002: 37, figs. 6-7 (w.) BRAZIL (Amazonas).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species:** Feitosa, 2015c: 97.
- lucida.** *Amblyopone (Fulakora) lucida* Clark, 1934b: 27, pl. 2, fig. 8 (w.) AUSTRALIA (Australian Capital Territory).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species:** Brown, 1960a: 168, 210; Taylor & Brown, 1985: 20; Taylor, 1987a: 6;  
Bolton, 1995b: 62.
- lurilabes.** *Amblyopone lurilabes* Lattke, 1991c: 2, fig. 2 (w.q.) VENEZUELA, COLOMBIA, ECUADOR, TRINIDAD, ARGENTINA, PERU.  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species:** Bolton, 1995b: 62; Lacau & Delabie, 2002: 40 (in key); Wild, 2007b: 23; Arias-Penna, 2008a: 45; Feitosa, 2015c: 97; Guénard & Economo, 2015: 226; Fernández, Delsinne & Arias-Penna, 2019: 505.
- minima.** *Paraprionopelta minima* Kusnezov, 1955: 271, figs. 1, 2, 5a (m.) ARGENTINA (Tucumán).  
[*Paraprionopelta minima* Kusnezov, 1953b: 339 (in list), and Kusnezov, 1954b: 34. *Nomina nuda.*]  
Combination (provisional) in *Amblyopone*: Brown, 1973b: 183;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species:** Kempf, 1972a: 181; Bolton, 1995b: 312.
- minor.** *Stigmatomma (Fulakora) elongata* var. *minor* Santschi, 1922d: 241 (w.) ARGENTINA (Córdoba).  
Junior synonym of *elongata*: Borgmeier, 1957: 110; Brown, 1960a: 168; Bolton, 1995b: 62.
- monrosi.** *Amblyopone monrosi* Brown, 1960a: 188, fig. 20 (w.) CHILE.  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species:** Kempf, 1970a: 19; Kempf, 1972a: 19; Snelling, R.R. & Hunt, 1976: 66; Lattke, 1991c: 6 (in key); Bolton, 1995b: 62; Lacau & Delabie, 2002: 41 (in key).
- mystriops.** *Amblyopone mystriops* Brown, 1960a: 185, fig. 19 (q.) GUATEMALA.  
Lattke, 1991c: 5 (w.).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species:** Brown, 1960a: 191 (in key); Kempf, 1972a: 20; Lattke, 1991c: 5; Bolton, 1995b: 62; Lacau & Delabie, 2002: 40 (in key); Arias-Penna, 2008a: 46;

- Branstetter & Sáenz, 2012: 253; Feitosa, 2015c: 97; Fernández, Delsinne & Arias-Penna, 2019: 505.
- orizabana.** *Amblyopone orizabana* Brown, 1960a: 190 (w.) MEXICO (Veracruz).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species:** Kempf, 1972a: 20; Lattke, 1991c: 5; Bolton, 1995b: 62; Lacau & Delabie, 2002: 41 (in key); Arias-Penna, 2008a: 47; Branstetter & Sáenz, 2012: 253; Fernández, Delsinne & Arias-Penna, 2019: 505.  
**Senior synonym of tropicalis:** Lattke, 1991c: 5; Bolton, 1995b: 62.
- papuana.** *Amblyopone papuana* Taylor, 1979: 828, figs. 5-8 (w.q.) NEW GUINEA (Papua New Guinea).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species:** Bolton, 1995b: 62; Xu & Chu, 2012: 1183 (in key).
- paranense.* *Stigmatomma (Fulakora) elongatum* var. *paranense* Santschi, 1925b: 6 (w.) BRAZIL (Paraná).  
Junior synonym of *elongata*: Borgmeier, 1957: 110; Brown, 1960a: 168; Bolton, 1995b: 62.
- punctulata.** *Amblyopone (Fulakora) punctulata* Clark, 1934b: 28, pl. 2, figs. 9, 10 (w.q.) AUSTRALIA (Tasmania).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species:** Brown, 1960a: 169; Taylor & Brown, 1985: 20; Taylor, 1987a: 6; Bolton, 1995b: 62.
- saundersi.** *Amblyopone saundersi* Forel, 1892c: 336 (q.) NEW ZEALAND (North I.).  
Clark, 1928a: 36 (w.).  
Combination in *Stigmatomma*: Emery, in Dalla Torre, 1893: 15; Yoshimura & Fisher, 2012a: 19;  
combination in *Stigmatomma (Fulakora)*: Mann, 1919: 279;  
combination in *Amblyopone*: Brown, 1958h: 15;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species:** Dalla Torre, 1893: 15; Forel, 1905a: 354; Emery, 1911d: 25; Clark, 1928a: 36; Wheeler, W.M. 1935g: 8; Brown, 1958h: 15 (redescription); Brown, 1960a: 169, 209; Wilson & Taylor, 1967: 102; Taylor, 1987a: 7; Bolton, 1995b: 63; Don, 2007: 54.
- smithi.** *Amblyopone smithi* Brown, 1960a: 211, fig. 40 (w.) AUSTRALIA (South Australia).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.  
**Status as species:** Taylor & Brown, 1985: 20; Taylor, 1987a: 6; Bolton, 1995b: 63.
- tropicalis.* *Amblyopone tropicalis* Brown, 1962a: 73 (w.q.) PANAMA (Barro Colorado I.).  
**Status as species:** Kempf, 1972a: 20.  
Junior synonym of *orizabana*: Lattke, 1991c: 5; Bolton, 1995b: 63.
- wilsoni.** *Amblyopone wilsoni* Clark, 1928a: 34, pl.1, figs. 16-19 (w.) AUSTRALIA (New South Wales).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Fulakora*: Ward & Fisher, 2016: 691.

**Status as species:** Brown, 1960a: 169; Taylor & Brown, 1985: 20; Taylor, 1987a: 6; Bolton, 1995b: 63.