

PSEUDOLASIUS

abhorrens. *Pseudolasius butteli* st. *abhorrens* Santschi, 1932b: 28, fig. 12 (m.) NEW GUINEA (Indonesia).

Subspecies of butteli: Chapman & Capco, 1951: 204; Bolton, 1995b: 369.

adolphi. *Pseudolasius mayri* r. *adolphi* Forel, 1913k: 108 (footnote) (q.m.) INDONESIA (Java).

Subspecies of mayri: Emery, 1925b: 215; Chapman & Capco, 1951: 205; Bolton, 1995b: 369.

allax, misspelling, see under *fallax*.

amaurops. *Pseudolasius amaurops* Emery, 1922d: 109, fig. 2 (w.) NEW GUINEA (Papua New Guinea).

Donisthorpe, 1949b: 503 (m.).

Status as species: Emery, 1925b: 214; Donisthorpe, 1949b: 503; Chapman & Capco, 1951: 203; Bolton, 1995b: 369.

amblyops. *Pseudolasius amblyops* Forel, 1901b: 25 (w.) NEW GUINEA (Papua New Guinea: Bismarck Archipelago).

Status as species: Dahl, 1901: 12; Emery, 1911a: 214 (in key); Emery, 1925b: 214; Wheeler, W.M. 1935g: 48; Bolton, 1995b: 369.

Current subspecies: nominal plus *sundaicus*.

australis. *Pseudolasius australis* Forel, 1915b: 94 (w.) AUSTRALIA (no state data).

Status as species: Emery, 1925b: 214; Taylor & Brown, 1985: 144; Taylor, 1987a: 66; Bolton, 1995b: 369.

badius. *Pseudolasius badius* Viehmeyer, 1916a: 150 (q.) SINGAPORE.

Status as species: Emery, 1925b: 214; Chapman & Capco, 1951: 203; Bolton, 1995b: 369.

bandarensis. *Pseudolasius minutus* var. *bandarensis* Forel, 1913k: 120 (q.m.) INDONESIA (Sumatra).

[Misspelled as *bendarensis* by Santschi, 1928h: 132.]

Subspecies of minutus: Emery, 1925b: 215; Santschi, 1928h: 132; Chapman & Capco, 1951: 206; Bolton, 1995b: 369.

bayonii Menozzi, 1924; see under **PARAPARATRECHINA**.

bedoti. *Pseudolasius bedoti* Emery, 1911a: 217 (q.m.) INDONESIA (“Indes Néerlandaises (Amboine?)”).

Subspecies of mayri: Forel, 1913k: 106; Emery, 1925b: 215; Chapman & Capco, 1951: 205; Bolton, 1995b: 369.

bidenticlypeus. *Pseudolasius bidenticlypeus* Xu, 1997: 3, figs. 14-16 (w.) CHINA (Guizhou).

Status as species: Guénard & Dunn, 2012: 38.

binghami. *Pseudolasius binghami* Emery, 1911a: 216 (w.) MYANMAR.

Status as species: Emery, 1925b: 214; Wheeler, W.M. 1927h: 102; Chapman & Capco, 1951: 203; Bolton, 1995b: 370; Bharti, Guénard, *et al.* 2016: 32; Akbar, Bharti & Wachkoo, 2017: 137 (in key).

Current subspecies: nominal plus *taivanae*.

***boreus.** **Pseudolasius boreus* Wheeler, W.M. 1915h: 133, fig. 64 (s.w.) BALTIC AMBER (Eocene).

Status as species: Burnham, 1979: 115; Keilbach, 1982: 279; Bolton, 1995b: 370; Dlussky & Rasnitsyn, 2009: 1030; LaPolla & Dlussky, 2010: 270 (redescription); Perkovsky, 2016: 114.

breviceps. *Pseudolasius breviceps* Emery, 1887a: 246 (s.q.m.) INDONESIA (Amboin I.).

Karavaiev, 1929a: 41 (w.).

Status as species: Dalla Torre, 1893: 180; Emery, 1897d: 573; Emery, 1911a: 214 (in key); Emery, 1911b: 532; Emery, 1911c: 249; Stitz, 1912: 510; Viehmeyer, 1914b: 43; Emery, 1925b: 214; Karavaiev, 1929a: 41; Karavaiev, 1933b: 106; Donisthorpe, 1943d: 473; Donisthorpe, 1947c: 593; Chapman & Capco, 1951: 203; Bolton, 1995b: 370.

Senior synonym of *signatus*: Viehmeyer, 1914b: 43; Emery, 1925b: 214; Bolton, 1995b: 370.

brunneus Donisthorpe, 1949; see under **PHILIDRIS**.

bucculentus Wheeler, W.M. 1922; see under **PARAPARATRECHINA**.

bufonum Wheeler, W.M. 1922; see under **PARAPARATRECHINA**.

butteli. *Pseudolasius butteli* Forel, 1913k: 115, fig. J (s.m.) WEST MALAYSIA (Penang I.).

Status as species: Emery, 1925b: 215; Chapman & Capco, 1951: 204; Bolton, 1995b: 370.

Current subspecies: nominal plus *abhorrens*.

caecus. *Pseudolasius caecus* Donisthorpe, 1949c: 758 (w.) NEW GUINEA (Indonesia).

Status as species: Chapman & Capco, 1951: 204; Bolton, 1995b: 370.

carinatus. *Pseudolasius carinatus* Karavaiev, 1929a: 44, fig. 2 (w.) INDONESIA (Aru Is.).

Status as species: Chapman & Capco, 1951: 204; Bolton, 1995b: 370.

cibdelus. *Pseudolasius cibdelus* Wu, J. & Wang, 1992: 1312, fig. 4607 (s.w.q.) CHINA (Hunan).

Status as species: Bolton, 1995b: 370; Wu, J. & Wang, 1995: 134; Xu, 1997: 2 (in key); Zhou, 2006: 587; Guénard & Dunn, 2012: 38.

circularis. *Pseudolasius circularis* Viehmeyer, 1916a: 149 (q.) SINGAPORE.

Status as species: Emery, 1925b: 215; Chapman & Capco, 1951: 204; Bolton, 1995b: 370.

crassicornis. *Pseudolasius minutus* var. *crassicornis* Forel, 1913k: 120 (q.m.) INDONESIA (Sumatra).

Subspecies of minutus: Emery, 1925b: 215; Santschi, 1928h: 132; Chapman & Capco, 1951: 206; Bolton, 1995b: 370.

deplanata, misspelling, see under *duplicatus*.

diversus. *Pseudolasius diversus* Wachkoo & Bharti, 2014b: 275, figs. 1-16 (s.w.q.m.) INDIA (Uttarakhand).

Status as species: Bharti, Guénard, *et al.* 2016: 32; Akbar, Bharti & Wachkoo, 2017: 137 (in key).

dodo Donisthorpe, 1946; see under **NYLANDERIA**.

duplicatus. *Pseudolasius mayri* var. *duplicata* Viehmeyer, 1916a: 150 (q.) SINGAPORE.

[Misspelled as *deplanata* by Emery, 1925b: 215, Chapman & Capco, 1951: 205.]

Subspecies of mayri: Emery, 1925b: 215; Chapman & Capco, 1951: 205; Bolton, 1995b: 370.

elisae. *Pseudolasius mayri* var. *elisae* Forel, 1913k: 107 (q.m.) INDONESIA (Sumatra, Java).

Subspecies of mayri: Viehmeyer, 1916a: 150; Emery, 1925b: 215; Chapman & Capco, 1951: 206; Bolton, 1995b: 370.

emeryi. *Pseudolasius emeryi* Forel, 1911g: 286 (w.) MYANMAR.

Wheeler, W.M. 1928c: 33 (s.w.q.m.).

Status as species: Emery, 1925b: 215; Wheeler, W.M. 1928c: 33 (redescription); Wheeler, W.M. 1930h: 79; Chapman & Capco, 1951: 204; Bolton, 1995b: 370; Wu, J. &

Wang, 1995: 136; Xu, 1997: 3 (in key); Zhou, 2001b: 184; Guénard & Dunn, 2012: 38; Akbar, Bharti & Wachkoo, 2017: 136 (in key).

emeryi. *Rhizomyrma emeryi* Forel, 1915c: 347 (w.) NEW GUINEA (Papua New Guinea).

[Unresolved junior secondary homonym of *Pseudolasius emeryi* Forel, 1911g: 286.] Combination in *Acropyga (Rhizomyrma)*: Emery, 1925b: 30; combination in *Pseudolasius*: LaPolla, 2004: 22.

Status as species: Emery, 1925b: 30; Menozzi, 1939a: 341; Chapman & Capco, 1951: 212; Bolton, 1995b: 57; Bharti, Guénard, *et al.* 2016: 32.

fallax. *Pseudolasius fallax* Emery, 1911a: 216 (w.) INDONESIA (Java).

[Note: bold print in the original description, p. 216, has *allax*. Printer's error as name in preceding key (p. 214) and following check-list (p. 218) of same publication both show the spelling *fallax*.] Forel, 1912d: 109 (q.m.).

Status as species: Forel, 1912d: 109; Emery, 1925b: 215; Chapman & Capco, 1951: 204; Bolton, 1995b: 370.

Current subspecies: nominal plus *slamatensis*.

familiaris. *Formica familiaris* Smith, F. 1860a: 68 (q.) INDONESIA (Sulawesi).

Mayr, 1867a: 75 (m.); Emery, 1887a: 244 (footnote) (w.); Forel, 1894c: 405 (w.).

Combination in *Lasius*: Roger, 1863b: 12; Mayr, 1865: 55; Mayr, 1867a: 74; combination in *Pseudolasius*: Emery, 1887a: 244 (footnote).

Status as species: Mayr, 1863: 414; Roger, 1863b: 12; Mayr, 1865: 55 (redescription); Mayr, 1867a: 74 (redescription); Smith, F. 1871a: 307; Dalla Torre, 1893: 180; Emery, 1893e: 195; Forel, 1894c: 405; Emery, 1900d: 700; Forel, 1901b: 25; Dahl, 1901: 12; Emery, 1901g: 568; Bingham, 1903: 338; Forel, 1905c: 26; Forel, 1906b: 85; Forel, 1907e: 18; Forel, 1911b: 207; Forel, 1911d: 390; Emery, 1911a: 215; Emery, 1925b: 215; Donisthorpe, 1932c: 457; Wheeler, W.M. 1935g: 48; Wheeler, W.M. 1937a: 24; Donisthorpe, 1942h: 168 (redescription); Chapman & Capco, 1951: 204; Bolton, 1995b: 370; Tang, J., Li, *et al.* 1995: 112; Mathew & Tiwari, 2000: 345; Pfeiffer, *et al.* 2011: 43 Bharti, Gul & Sharma, 2012b: 812 (in key); Guénard & Dunn, 2012: 38; Bharti, Guénard, *et al.* 2016: 32; Akbar, Bharti & Wachkoo, 2017: 137 (in key).

gowdeyi Wheeler, W.M. 1922; see under **PARAPARATRECHINA**.

hummeli. *Pseudolasius hummeli* Stitz, 1934: 5, figs. 3, 4 (q.m.) CHINA (Sichuan).

Status as species: Chapman & Capco, 1951: 204; Collingwood, 1962: 222; Bolton, 1995b: 370; Guénard & Dunn, 2012: 38.

isabellae. *Pseudolasius isabellae* Forel, 1908a: 4 (q.m.) SRI LANKA.

Status as species: Forel, 1909e: 396; Emery, 1911a: 214 (in key); Emery, 1925b: 215; Chapman & Capco, 1951: 204; Bolton, 1995b: 370.

Current subspecies: nominal plus *simaluranus*.

jacobsoni. *Pseudolasius jacobsoni* Crawley, 1924: 403, fig. 4 (s.w.) INDONESIA (Sumatra).

Status as species: Emery, 1925b: 215; Chapman & Capco, 1951: 204; Bolton, 1995b: 370.

karawajewi. *Pseudolasius karawajewi* Donisthorpe, 1942h: 166 (w.m.) NEW GUINEA (Indonesia: Waigeu I.).

Status as species: Donisthorpe, 1943d: 473; Chapman & Capco, 1951: 205; Bolton, 1995b: 370.

lasiooides. *Pseudolasius lasiooides* Wheeler, W.M. 1927h: 104, fig. 8b (w.) VIETNAM.

Status as species: Chapman & Capco, 1951: 205; Bolton, 1995b: 370.

leopoldi. *Pseudolasius leopoldi* Santschi, 1932b: 26, fig. 10 (m.) BORNEO (Indonesia: Kalimantan), INDONESIA (Ternate I.).

Status as species: Chapman & Capco, 1951: 205; Bolton, 1995b: 370; Pfeiffer, *et al.* 2011: 43.

liliputi. *Pseudolasius liliputi* Forel, 1913k: 121 (q.) INDONESIA (Sumatra).

Status as species: Emery, 1925b: 215; Chapman & Capco, 1951: 205; Bolton, 1995b: 370.

longiscapus. *Pseudolasius longiscapus* Wang, W. & Zhao, 2009: 161, fig. 3-129 (w.) CHINA (Hubei).

Status as species: Guénard & Dunn, 2012: 38.

ludovici. *Pseudolasius ludovici* Forel, 1913k: 110, figs. G, H (s.w.q.m.) INDONESIA (Sumatra), WEST MALAYSIA.

Status as species: Viehmeyer, 1916a: 149; Emery, 1925b: 215; Chapman & Capco, 1951: 205; Bolton, 1995b: 370.

Current subspecies: nominal plus *malaccanus, papuanus*.

machhediensis. *Pseudolasius machhediensis* Bharti, Gul & Sharma, 2012b: 806, figs. 1-6 (s.w.) INDIA (Jammu & Kashmir, Himachal Pradesh).

Status as species: Wachkoo & Bharti, 2014b: 277 (in key); Bharti, Guénard, *et al.* 2016: 32; Akbar, Bharti & Wachkoo, 2017: 137 (in key).

malaccanus. *Pseudolasius ludovici* var. *malaccana* Forel, 1913k: 114 (s.w.q.) WEST MALAYSIA.

Subspecies of ludovici: Emery, 1925b: 215; Chapman & Capco, 1951: 205; Bolton, 1995b: 370.

martini. *Pseudolasius martini* Forel, 1911d: 389 (q.m.) WEST MALAYSIA.

Status as species: Viehmeyer, 1916a: 150; Emery, 1925b: 215; Chapman & Capco, 1951: 205; Bolton, 1995b: 370.

mayri. *Pseudolasius mayri* Emery, 1911a: 215, fig. 2 (w.q.m.) INDONESIA (Java).

Status as species: Forel, 1913k: 106; Wheeler, W.M. 1919e: 104; Emery, 1925b: 215; Wheeler, W.M. 1927h: 101; Karavaiev, 1929a: 46, Chapman & Capco, 1951: 205; Bolton, 1995b: 370; Pfeiffer, *et al.* 2011: 44.

Current subspecies: nominal plus *adolphi, bedoti, duplicatus, elisae, sarawakanus, sericeus*.

minor. *Pseudolasius minor* Donisthorpe, 1947c: 593 (q.) NEW GUINEA (Papua New Guinea).

Status as species: Chapman & Capco, 1951: 206; Bolton, 1995b: 370.

minutissimus. *Pseudolasius minutissimus* Forel, 1913k: 122 (in text) (m.) INDONESIA (Sumatra).

Status as species: Emery, 1925b: 215; Chapman & Capco, 1951: 206; Bolton, 1995b: 370.

minutus. *Pseudolasius minutus* Emery, 1896f: 248 (q.m.) INDONESIA (Java).

Status as species: Emery, 1901g: 568; Forel, 1905c: 26; Emery, 1911a: 214 (in key); Forel, 1913k: 119; Emery, 1925b: 215; Wheeler, W.M. 1937a: 24; Chapman & Capco, 1951: 206; Collingwood, 1962: 228; Bolton, 1995b: 370.

Current subspecies: nominal plus *bandarensis, crassicornis*.

myersi Weber, 1943; see under **PARAPARATRECHINA**.

occipitalis Weber & Anderson, 1950; see under **PARAPARATRECHINA**.

overbecki. *Pseudolasius overbecki* Viehmeyer, 1914b: 44 (q.m.) INDONESIA (Java).

Status as species: Emery, 1925b: 215; Chapman & Capco, 1951: 206; Bolton, 1995b: 370.

pallidus. *Pseudolasius pallidus* Donisthorpe, 1949b: 505 (q.) NEW GUINEA (Indonesia).

Status as species: Chapman & Capco, 1951: 206; Bolton, 1995b: 370.

papuanus. *Pseudolasius ludovici* st. *papuanus* Santschi, 1932b: 27, fig. 11 (m.) NEW GUINEA (Indonesia).

Subspecies of ludovici: Chapman & Capco, 1951: 205; Bolton, 1995b: 370.

pheidolinus. *Pseudolasius pheidolinus* Emery, 1887a: 245 (s.w.q.) INDONESIA (Java).

Forel, 1913k: 110 (m.).

[Unjustified emendation of spelling to *phidolinus*: Schulz, W.A. 1906: 156.]

Status as species: Dalla Torre, 1893: 180; Emery, 1900d: 700; Emery, 1911a: 214 (in key); Forel, 1913k: 109; Emery, 1925b: 215; Karavaiev, 1929a: 47, Chapman & Capco, 1951: 206; Bolton, 1995b: 370.

polymorphicus. *Pseudolasius polymorphicus* Wachkoo & Bharti, 2014b: 276, figs. 17-32 (s.w.q.m.) INDIA (Himachal Pradesh).

Status as species: Bharti, Guénard, *et al.* 2016: 32; Akbar, Bharti & Wachkoo, 2017: 136 (in key).

pygmaeus. *Pseudolasius pygmaeus* Forel, 1913k: 117, fig. K (s.w.q.m.) WEST MALAYSIA, INDONESIA (Sumatra).

Status as species: Emery, 1925b: 215; Chapman & Capco, 1951: 206; Bolton, 1995b: 370.

risii. *Pseudolasius risii* Forel, 1894c: 405 (footnote) (w.q.) CHINA (Hong Kong).

Wheeler, W.M. 1927d: 12 (m.); Wheeler, W.M. 1928c: 37 (s.).

Status as species: Emery, 1911a: 214 (in key); Emery, 1925b: 215; Wheeler, W.M. 1927d: 11 (redescription); Wheeler, W.M. 1928c: 36; Wheeler, W.M. 1930h: 79; Chapman & Capco, 1951: 207; Bolton, 1995b: 370; Xu, 1997: 2 (in key); Zhou, 2001b: 185; Guénard & Dunn, 2012: 38.

salvazai. *Pseudolasius salvazai* Santschi, 1920a: 565, fig. 1 (s.w.) VIETNAM.

Status as species: Santschi, 1920h: 173; Santschi, 1924c: 113; Emery, 1925b: 215; Chapman & Capco, 1951: 207; Bolton, 1995b: 370; Xu, 1997: 3 (in key).

sarawakanus. *Pseudolasius mayri* var. *sarawakana* Forel, 1913k: 107 (footnote) (q.m.) BORNEO (East Malaysia: Sabah), WEST MALAYSIA.

Subspecies of mayri: Wheeler, W.M. 1919e: 105; Emery, 1925b: 215; Chapman & Capco, 1951: 206; Bolton, 1995b: 370; Pfeiffer, *et al.* 2011: 44.

sauteri. *Pseudolasius sauteri* Forel, 1913f: 199 (q.) TAIWAN.

Status as species: Emery, 1925b: 215; Wheeler, W.M. 1929g: 63; Chapman & Capco, 1951: 207; Bolton, 1995b: 370; Lin & Wu, 2003: 62; Terayama, 2009: 215.

sericeus. *Pseudolasius mayri* r. *sericeus* Forel, 1912d: 110 (q.m.) INDONESIA (Java).

[Misspelled as *sericca* by Emery, 1925b: 215, Chapman & Capco, 1951: 206.]

Subspecies of mayri: Emery, 1925b: 215; Chapman & Capco, 1951: 206; Bolton, 1995b: 370.

sexdentatus. *Pseudolasius sexdentatus* Donisthorpe, 1949c: 757 (q.) NEW GUINEA (Indonesia).

Donisthorpe, 1949g: 421 (m.).

Status as species: Donisthorpe, 1949g: 421; Chapman & Capco, 1951: 207; Bolton, 1995b: 370.

signatus. *Pseudolasius signatus* Stitz, 1911a: 370, fig. 17 (q.m.) NEW GUINEA (Papua New Guinea).

Junior synonym of *breviceps*: Viehmeyer, 1914b: 43; Emery, 1925b: 214; Bolton, 1995b: 370.

silvestrii. *Pseudolasius silvestrii* Wheeler, W.M. 1927h: 102, fig. 8a (s.) VIETNAM.

Status as species: Chapman & Capco, 1951: 207; Bolton, 1995b: 370; Xu, 1997: 2 (in key); Guénard & Dunn, 2012: 38.

simaluranus. *Pseudolasius isabellae* var. *simalurana* Forel, 1915a: 35 (w.q.) INDONESIA (Sumatra: Simalur I.).

Subspecies of isabellae: Emery, 1925b: 215; Bolton, 1995b: 370.

similus. *Pseudolasius similus* Zhou, 2001b: 186, 243, figs. 373-375 (s.w.) CHINA (Guangxi).

Status as species: Wang, W. & Zhao, 2009: 160; Guénard & Dunn, 2012: 38.

slamatensis. *Pseudolasius fallax* var. *slamatensis* Forel, 1913k: 108 (q.m.) INDONESIA (Sumatra).

Subspecies of fallax: Emery, 1925b: 215; Chapman & Capco, 1951: 204; Bolton, 1995b: 370.

sordida Santschi, 1914; see under **PARAPARATRECHINA**.

streesemanni. *Pseudolasius streesemanni* Viehmeyer, 1914a: 114 (q.) WEST MALAYSIA.

Status as species: Emery, 1925b: 215; Chapman & Capco, 1951: 207; Bolton, 1995b: 370.

sumatrensis. *Prenolepis sumatrensis* Mayr, 1883: 247 (q.m.) INDONESIA (Sumatra).

Combination in *Pseudolasius*: Forel, 1913k: 114.

Status as species: Dalla Torre, 1893: 180; Emery, 1925b: 215; Chapman & Capco, 1951: 207; Bolton, 1995b: 370.

sunda. *Pseudolasius sunda* Karavaiev, 1929a: 51, fig. 6 (q.) INDONESIA (Prince I.).

Status as species: Chapman & Capco, 1951: 207; Bolton, 1995b: 370.

sundaicus. *Pseudolasius amblyops* var. *sundaica* Forel, 1913k: 122 (w.) INDONESIA (Sumatra).

Subspecies of amblyops: Emery, 1925b: 214; Chapman & Capco, 1951: 203; Bolton, 1995b: 370.

taivanae. *Pseudolasius binghami* r. *taivanae* Forel, 1912a: 74 (w.q.) TAIWAN.

Subspecies of binghami: Emery, 1925b: 214; Wheeler, W.M. 1929g: 58; Teranishi, 1940: 60; Chapman & Capco, 1951: 203; Bolton, 1995b: 370; Lin & Wu, 2003: 62; Terayama, 2009: 215.

tenuicornis. *Pseudolasius tenuicornis* Emery, 1897d: 573 (q.) NEW GUINEA (Papua New Guinea).

Status as species: Emery, 1911a: 214 (in key); Emery, 1925b: 215; Chapman & Capco, 1951: 207; Bolton, 1995b: 370.

trimorphus. *Pseudolasius trimorphus* Karavaiev, 1929a: 52, fig. 7 (s.w.q.m.) INDONESIA (Java).

Status as species: Chapman & Capco, 1951: 207; Bolton, 1995b: 370.

typhlops. *Pseudolasius* (*Nesolasius*) *typhlops* Wheeler, W.M. 1935b: 50, fig. 3 (s.) PHILIPPINES (Luzon I.).

[Misspelled as *typhos* by Chapman & Capco, 1951: 203.]

Status as species: Chapman & Capco, 1951: 203; Baltazar, 1966: 265; Bolton, 1995b: 370.

undecemus Donisthorpe, 1949; see under **ACROPYGA**.

waigeuensis. *Pseudolasius waigeuensis* Donisthorpe, 1943d: 473 (w.) NEW GUINEA
(Indonesia: Waigeu I.).

Status as species: Chapman & Capco, 1951: 207; Bolton, 1995b: 370.

weissi Santschi, 1910; see under **PARAPARATRECHINA**.

zamrood. *Pseudolasius zamrood* Akbar, Bharti & Wachkoo, 2017: 134, figs. 1-10 (w.q.m.)
INDIA (Kerala).