

OPISTHOPSIS

aruana. *Opisthopsis manni* var. *aruana* Karavaiev, 1933a: 316 (w.) INDONESIA (Aru Is).

Subspecies of *manni*: Chapman & Capco, 1951: 256; Bolton, 1995b: 300.

bimaculata. *Opisthopsis pictus* var. *bimaculatus* Wheeler, W.M. 1918d: 352 (w.) AUSTRALIA (Queensland).

Subspecies of *picta*: Emery, 1925b: 56; Taylor & Brown, 1985: 128; Taylor, 1987a: 50; Bolton, 1995b: 300.

diademata. *Opisthopsis diadematus* Wheeler, W.M. 1918d: 357, pl. 3, figs. 20, 21 (w.) AUSTRALIA (Queensland).

Status as species: Emery, 1925b: 55; Taylor & Brown, 1985: 128; Taylor, 1987a: 50; Bolton, 1995b: 300.

Current subspecies: nominal plus *dubia*.

dubia. *Opisthopsis diadematus* var. *dubius* Wheeler, W.M. 1918d: 358 (w.q.) AUSTRALIA (Queensland).

Subspecies of *diademata*: Emery, 1925b: 55; Taylor & Brown, 1985: 128; Taylor, 1987a: 50; Bolton, 1995b: 300.

haddoni. *Opisthopsis haddoni* Emery, 1893e: 226 (w.) AUSTRALIA (Queensland).

Wheeler, W.M. 1918d: 354 (q.m.); Wheeler, G.C. & Wheeler, J. 1968: 215 (l.).

Status as species: Emery, 1895g: 353; Emery, 1896d: 378 (in list); Forel, 1915b: 95; Crawley, 1915a: 135; Wheeler, W.M. 1918d: 354 (redescription); Emery, 1925b: 55; Clark, 1928b: 170; Chapman & Capco, 1951: 256; Taylor & Brown, 1985: 128; Taylor, 1987a: 50; Bolton, 1995b: 300.

Current subspecies: nominal plus *rufonigra*.

halmaherae. *Opisthopsis halmaherae* Karavaiev, 1930a: 210, fig. 2 (w.q.m.) INDONESIA (Halmahera I.).

Status as species: Chapman & Capco, 1951: 256; Bolton, 1995b: 300.

jocosa. *Opisthopsis jocosus* Wheeler, W.M. 1918d: 359, pl. 3, figs. 22-24 (w.) AUSTRALIA (Queensland).

Status as species: Emery, 1925b: 55; Taylor & Brown, 1985: 128; Taylor, 1987a: 50; Bolton, 1995b: 300.

lepida. *Opisthopsis pictus* var. *lepidus* Wheeler, W.M. 1918d: 352, pl. 1, figs. 3, 4 (w.) AUSTRALIA (Queensland).

Subspecies of *picta*: Emery, 1925b: 56; Donisthorpe, 1947c: 590; Chapman & Capco, 1951: 256; Taylor & Brown, 1985: 128; Taylor, 1987a: 50; Bolton, 1995b: 301.

lienosa. *Opisthopsis lienosus* Wheeler, W.M. 1918d: 356, pl. 2, figs. 9, 10 (w.) AUSTRALIA (Queensland).

Status as species: Emery, 1925b: 55; Taylor & Brown, 1985: 128; Taylor, 1987a: 50; Bolton, 1995b: 301.

linnaei. *Opisthopsis linnaei* Forel, 1901b: 26 (w.) NEW GUINEA (Papua New Guinea: Bismarck Archipelago).

Status as species: Dahl, 1901: 14; Wheeler, W.M. 1918d: 360; Emery, 1925b: 55; Wheeler, W.M. 1935g: 39; Bolton, 1995b: 301.

major. *Opisthopsis major* Forel, 1902h: 492 (w.q.) AUSTRALIA (Queensland).

[*Opisthopsis major* Emery, 1895g: 354. *Nomen nudum* (attributed to Forel, in text).]

Status as species: Forel, 1910b: 70; Wheeler, W.M. 1918d: 358 (redescription); Emery, 1925b: 55; Taylor & Brown, 1985: 128; Taylor, 1987a: 50; Bolton, 1995b: 301.

- manni.** *Opisthopsis manni* Wheeler, W.M. 1918d: 361, pl. 3, figs. 25, 26 (w.q.) SOLOMON IS (Malapaina I., Malaita I., Yandina I.).
Status as species: Mann, 1919: 368; Emery, 1925b: 55; Karavaiev, 1933a: 316; Wheeler, W.M. 1935g: 39; Bolton, 1995b: 301; Sarnat, *et al.* 2013: 70.
Current subspecies: nominal plus *aruanus*.
- maura.** *Opisthopsis maurus* Wheeler, W.M. 1918d: 350, pl. 3, figs. 18, 19 (w.) AUSTRALIA (Queensland).
Status as species: Emery, 1925b: 55; Taylor & Brown, 1985: 128; Taylor, 1987a: 50; Bolton, 1995b: 301.
- moesta.** *Opisthopsis respiciens* var. *moestus* Wheeler, W.M. 1918d: 348 (w.q.m.) AUSTRALIA (Queensland).
Subspecies of respiciens: Emery, 1925b: 56; Taylor & Brown, 1985: 129; Taylor, 1987a: 50; Bolton, 1995b: 301.
- oculata.** *Formica oculata* Smith, F. 1859a: 137 (w.) INDONESIA (Aru Is)
[**Junior primary homonym** of **Formica oculata* Heer, 1849: 143.]
Combination in *Colobopsis*: Roger, 1863b: 10;
combination in *Opisthopsis*: Donisthorpe, 1932c: 452.
Status as species: Mayr, 1863: 418; Roger, 1863b: 10; Smith, F. 1871a: 307; Donisthorpe, 1932c: 452; Chapman & Capco, 1951: 200.
Replacement name: *Opisthopsis panops* Bolton, 1995b: 301.
- palliata.** *Opisthopsis pictus* var. *palliatus* Wheeler, W.M. 1918d: 352, pl. 3, fig. 28 (w.) AUSTRALIA (Queensland).
Subspecies of picta: Emery, 1925b: 56; Taylor & Brown, 1985: 128; Taylor, 1987a: 50; Bolton, 1995b: 301.
- panops.** *Opisthopsis panops* Bolton, 1995b: 301.
Replacement name for Formica oculata Smith, F. 1859a: 137. [Junior primary homonym of **Formica oculata* Heer, 1849: 143.]
- picta.** *Opisthopsis pictus* Emery, 1895g: 354, fig. 5B (w.) AUSTRALIA (Queensland).
Status as species: Emery, 1896d: 378 (in list); Wheeler, W.M. 1918d: 350 (redescription); Emery, 1925b: 56; Taylor & Brown, 1985: 128; Taylor, 1987a: 50; Bolton, 1995b: 301.
Current subspecies: nominal plus *bimaculata*, *lepida*, *palliata*.
- respiciens.** *Formica (Myrmecopsis) respiciens* Smith, F. 1865: 68, pl. 4, fig. 3 (w.) NEW GUINEA (no state data).
Forel, 1893d: 461 (q.).
Combination in *Myrmecopsis*: Mayr, 1876: 76;
combination in *Opisthopsis*: Emery, in Dalla Torre, 1893: 219.
Status as species: Mayr, 1876: 76; Dalla Torre, 1893: 219; Emery, 1896d: 378 (in list); Forel, 1907h: 299; Wheeler, W.M. 1918d: 347 (redescription); Emery, 1925b: 56; Clark, 1928b: 170; Donisthorpe, 1932c: 472; Chapman & Capco, 1951: 256; Taylor & Brown, 1985: 129; Taylor, 1987a: 50; Bolton, 1995b: 301.
Current subspecies: nominal plus *moesta*.
- rufithorax.** *Opisthopsis rufithorax* Emery, 1895g: 354, fig. 5A (w.) AUSTRALIA (Queensland).
Forel, 1915b: 95 (q.); Wheeler, G.C. & Wheeler, J. 1970: 648 (l.); Imai, Crozier & Taylor, 1977: 347 (k.).

Status as species: Emery, 1896d: 378 (in list); Forel, 1915b: 95; Wheeler, W.M. 1918d: 353 (redescription); Emery, 1925b: 56; Taylor & Brown, 1985: 129; Taylor, 1987a: 50; Bolton, 1995b: 301; Heterick, 2009: 104.

rufonigra. *Opisthopsis haddoni* subsp. *rufoniger* Forel, 1910b: 70 (w.) AUSTRALIA (Northern Territory).

Wheeler, W.M. 1918d: 356 (q.m.); Wheeler, G.C. & Wheeler, J. 1968: 216 (l.).

Subspecies of *haddoni*: Wheeler, W.M. 1918d: 356 (redescription); Emery, 1925b: 55; Taylor & Brown, 1985: 128; Taylor, 1987a: 50; Bolton, 1995b: 301.