

## **ODONTOMACHUS**

**aciculatus.** *Odontomachus aciculatus* Smith, F. 1863: 19 (w.) INDONESIA (Misool I.).

As unavailable (infrasubspecific) name: Emery, 1911c: 250; Emery, 1911d: 115; Stitz, 1911a: 356; Viehmeyer, 1912: 18; Chapman & Capco, 1951: 46.

**Subspecies of cephalotes:** Emery, 1887b: 428; Emery, 1892d: 561 (in text); Dalla Torre, 1893: 49.

**Status as species:** Roger, 1863b: 21; Smith, F. 1865: 70; Smith, F. 1871a: 320; Mayr, 1876: 86 (in text); Donisthorpe, 1932c: 471; Wilson, 1959a: 489; Brown, 1976a: 102, 123; Bolton, 1995b: 294.

**Senior synonym of aeneus:** Brown, 1976a: 102; Bolton, 1995b: 294.

Material of the unavailable name *verticillatus* referred here by Wilson, 1959a: 489; Brown, 1976a: 102; Bolton, 1995b: 294.

**acutidens.** *Odontomachus ruficeps* r. *acutidens* Forel, 1900b: 56 (w.) AUSTRALIA (Northern Territory).

Crawley, 1921: 90 (q.m.).

Subspecies of *ruficeps*: Emery, 1911d: 115; Stitz, 1911a: 356; Crawley, 1915a: 130; Forel, 1915b: 34; Crawley, 1921: 90.

Junior synonym of *ruficeps*: Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 294.

**aeneus.** *Odontomachus aeneus* Emery, 1911b: 534 (w.) NEW GUINEA (Indonesia).

**Status as species:** Chapman & Capco, 1951: 42; Wilson, 1959a: 489.

Junior synonym of *aciculatus*: Brown, 1976a: 102; Bolton, 1995b: 294.

**affinis.** *Odontomachus affinis* Guérin-Méneville, 1844a: 423 (w.) BRAZIL (no state data).

Roger, 1861a: 27 (q.).

**Status as species:** Smith, F. 1858b: 77; Roger, 1861a: 27; Mayr, 1862: 711; Roger, 1863b: 22; Mayr, 1863: 436; Mayr, 1865: 64; Emery, 1878a: ix (in list); Emery, 1892d: 560 (in key); Dalla Torre, 1893: 49; Forel, 1895b: 118; Forel, 1899c: 19; Emery, 1911d: 113; Mann, 1916: 418; Crawley, 1916b: 377; Luederwaldt, 1918: 36; Borgmeier, 1923: 77; Wheeler, W.M. 1923a: 3; Wheeler, W.M. 1942: 156; Kempf, 1962b: 17 (in key); Kempf, 1972a: 170; Kempf & Lenko, 1976: 59; Brown, 1976a: 102, 124; Bolton, 1995b: 294; Feitosa, 2015c: 99.

**ajax.** *Odontomachus ajax* Clark, 1928b: 169.

[First available use of *Odontomachus ruficeps* subsp. *turneri* var. *ajax* Forel, 1910b: 10 (w.) AUSTRALIA; unavailable (infrasubspecific) name (Taylor, 1986: 34).]

As unavailable (infrasubspecific) name: Emery, 1911c: 250; Emery, 1911d: 115.

Junior synonym of *cephalotes*: Brown, 1976a: 103; Bolton, 1995b: 294.

**alius.** *Odontomachus aliis* Sorger & Zettel, 2011: 152, figs. 5, 11, 17, 46 (w.q.) PHILIPPINES (Cebu I., Bohol I., Biliran I., Samar I., Catanduanes I.).

**allolabis.** *Odontomachus allolabis* Kempf, 1974c: 551, figs. 1-4 (q.) BRAZIL (Acre), ECUADOR.

**Status as species:** Brown, 1976a: 102; Brandão, 1991: 362; Bolton, 1995b: 294; Feitosa, 2015c: 99.

**angulatus.** *Odontomachus angulatus* Mayr, 1866a: 500, pl., fig. 10 (w.) FIJI IS (Ovalau I.).

Mann, 1921: 427 (q.).

**Status as species:** Mayr, 1876: 86; Dalla Torre, 1893: 49; Emery, 1911d: 113; Mann, 1921: 427; Wheeler, W.M. 1935g: 15; Wilson, 1959a: 489; Brown, 1976a: 102, 124; Drusky, 1994: 53; Bolton, 1995b: 294; Sarnat & Economo, 2012: 158.

**Senior synonym of politus:** Brown, 1976a: 102; Bolton, 1995b: 294.

**animosus.** *Odontomachus animosus* Smith, F. 1860b: 102 (w.) NEW GUINEA (Indonesia).

**Status as species:** Roger, 1863b: 21; Mayr, 1863: 436; Smith, F. 1871a: 319; Dalla Torre, 1893: 49; Emery, 1911d: 114; Donisthorpe, 1932c: 461; Chapman & Capco, 1951: 42; Wilson, 1959a: 489 (redescription); Brown, 1976a: 102, 125; Bolton, 1995b: 294.

**armatus.** *Odontomachus armatus* Westwood, 1840b: 83. *Nomen nudum* (attributed to Latreille).

[Note: text of Westwood, 1840b: 83, reads, “*Odontomachus armatus*, Latr. (neuter = *Daceton armigerum*, Perty”].

**aruanus.** *Odontomachus ruficeps* subsp. *aruanus* Karavaiev, 1925c: 295, fig. 14 (w.m.) INDONESIA (Aru Is.).

Subspecies of *ruficeps*: Chapman & Capco, 1951: 46.

Junior synonym of *cephalotes*: Wilson, 1959a: 491; Brown, 1976a: 103; Bolton, 1995b: 295.

**assiniensis.** *Odontomachus assiniensis* Emery, 1892d: 558 (w.) IVORY COAST.

Santschi, 1910c: 350 (q.); Forel, 1913e: 666 (q.m.); Santschi, 1914b: 57 (m.).

**Status as species:** Dalla Torre, 1893: 49; Emery, 1899e: 476; Santschi, 1910c: 350; Stitz, 1910: 130; Emery, 1911d: 113; Forel, 1911d: 362; Forel, 1913b: 309; Forel, 1913e: 666; Santschi, 1914b: 57; Santschi, 1914c: 288; Santschi, 1914d: 332; Stitz, 1916: 372; Wheeler, W.M. 1922a: 100, 793; Arnold, 1926: 218; Menozzi, 1933a: 101; Santschi, 1937b: 95; Weber, 1943c: 303; Bernard, 1953b: 214; Brown, 1976a: 102, 128; Bolton, 1995b: 295; Hita Garcia, et al. 2013: 220.

**Senior synonym of aterrimus:** Brown, 1976a: 102; Bolton, 1995b: 295.

**Senior synonym of caffrorum:** Brown, 1976a: 102; Bolton, 1995b: 295.

**Senior synonym of fauconnetti:** Brown, 1976a: 102; Bolton, 1995b: 295.

**Senior synonym of flavescens:** Brown, 1976a: 102; Bolton, 1995b: 295.

**Senior synonym of furvior:** Brown, 1976a: 102; Bolton, 1995b: 295.

**Senior synonym of fuscus** Stitz, 1916: Brown, 1976a: 102; Bolton, 1995b: 295.

**Senior synonym of intermedius:** Wheeler, W.M. 1922a: 101 (in text), 793; Brown, 1976a: 102; Bolton, 1995b: 295.

**Senior synonym of tropicalis:** Brown, 1976a: 102; Bolton, 1995b: 295.

Unavailable replacement name *oblita* referred here by Brown, 1976a: 102.

**aterrimus.** *Odontomachus assiniensis* var. *aterrimus* Wheeler, W.M. 1922a: 102 (w.) DEMOCRATIC REPUBLIC OF CONGO.

Junior synonym of *assiniensis*: Brown, 1976a: 102; Bolton, 1995b: 295.

**banksi.** *Odontomachus banksi* Forel, 1910d: 121 (w.) PHILIPPINES (Luzon I.).

Viehmeyer, 1916b: 284 (q.).

**Status as species:** Emery, 1911d: 113; Viehmeyer, 1916b: 284; Wheeler, W.M. & Chapman, 1925: 71; Chapman & Capco, 1951: 42; Baltazar, 1966: 239; Brown, 1976a: 102, 125; Bolton, 1995b: 295; Sorger & Zettel, 2011: 154 (redescription).

**bauri.** *Odontomachus bauri* Emery, 1892d: 561 (diagnosis in key) (w.) ECUADOR (Galapagos Is.).

[Also described as new in Emery, 1893d: 90.]

Emery, 1893d: 90 (w. description); Wheeler, W.M. 1919c: 267 (q.m.).

**Subspecies of *haematodus*:** Emery, 1911d: 115; Wheeler, W.M. 1919c: 266; Wheeler, W.M. 1933a: 58; Wheeler, W.M. 1935g: 16; Kempf, 1972a: 171.

**Status as species:** Dalla Torre, 1893: 49; Emery, 1893d: 90; Taylor & Wilson, 1962: 142; Linsley & Usinger, 1966: 174; Brown, 1976a: 102, 129; Brandão, 1991: 363; Bolton, 1995b: 295; Wild, 2007b: 39; Rodriguez, J. 2008: 155; Branstetter & Sáenz, 2012: 262; Bezděcková, et al. 2015: 124; Feitosa, 2015c: 99; Wetterer, et al. 2016: 13; Fernández & Guerrero, 2019: 538; Lubertazzi, 2019: 137.

**Senior synonym of *microcephalus*:** Brown, 1976a: 102; Brandão, 1991: 363; Bolton, 1995b: 295.

**Senior synonym of *notata*:** Brown, 1976a: 103; Brandão, 1991: 363; Bolton, 1995b: 295.

**Senior synonym of *paucidens*:** Brown, 1976a: 102; Brandão, 1991: 363; Bolton, 1995b: 295.

**Senior synonym of *pubescens*:** Brown, 1976a: 102; Brandão, 1991: 363; Bolton, 1995b: 295.

**Senior synonym of *rugisquama*:** Brown, 1976a: 103; Brandão, 1991: 363; Bolton, 1995b: 295.

**Senior synonym of *sericeus*:** Brown, 1976a: 102; Brandão, 1991: 363; Bolton, 1995b: 295.

***bolleyi*.** *Odontomachus biolleyi* Forel, 1908b: 35 (w.q.) COSTA RICA.

Wheeler, G.C. & Wheeler, J. 1952c: 651 (l.).

**Status as species:** Emery, 1911d: 114; Kempf, 1962b: 17 (in key); Kempf, 1972a: 170; Brown, 1976a: 103; Bolton, 1995b: 295.

*bispinosus* Smith, F. 1858; see under *ANOCHETUS*.

***biumbonatus*.** *Odontomachus biumbonatus* Brown, 1976a: 131, fig. 22, pl. 1B (w.q.) ECUADOR, PERU, BRAZIL (Pará, Amazonas, Guaporé, São Paulo), GUYANA.

**Status as species:** Kempf & Lenko, 1976: 61; Brandão, 1991: 362; Bolton, 1995b: 295; Rodriguez, J. 2008: 158; Bezděcková, et al. 2015: 124; Feitosa, 2015c: 99; Fernández & Guerrero, 2019: 538.

***bradleyi*.** *Odontomachus bradleyi* Brown, 1976a: 133 (w.) PERU.

**Status as species:** Brown, 1978b: 284; Brandão, 1991: 362; Bolton, 1995b: 295; Rodriguez, J. 2008: 158; Bezděcková, et al. 2015: 124; Fernández & Guerrero, 2019: 538.

*breviceps*. *Odontomachus haematoda* var. *breviceps* Crawley, 1915b: 239 (w.) CHRISTMAS I.

Subspecies of *haematodus*: Donisthorpe, 1935: 633.

Junior synonym of *simillimus*: Brown, 1976a: 106; Bolton, 1995b: 295; Fisher & Smith, 2008: 15; Satria, et al. 2015: 5.

*brunneipes*. *Odontomachus haematoda* var. *brunneipes* Menozzi, 1935b: 191.

[First available use of *Odontomachus haematodus* r. *pubescens* var. *brunneipes* Emery, 1893d: 91 (footnote) (w.) BRAZIL (Pará); unavailable (infrasubspecific) name (Bolton, 1995b: 295).]

[Misspelled as *beuneipes* by MacGown, et al. 2014: 537.]

As unavailable (infrasubspecific) name: Emery, 1911d: 115; Borgmeier, 1923: 79; Eidmann, 1936a: 37; Kempf, 1972a: 171.

Junior synonym of *haematodus*: Brown, 1976a: 104; Brandão, 1991: 364; Zhou, 2001b: 27; MacGown, et al. 2014: 537.

***brunneus*.** *Atta brunnea* Patton, 1894: 618 (w.) U.S.A. (Georgia) (attributed to Roger).

Deyrup, Trager & Carlin, 1985: 191 (m.); MacGown, *et al.* 2014: 529 (q.).

Combination in *Odontomachus*: Emery, 1895c: 268.

Junior synonym of *insularis*: Emery, 1895c: 268; Emery, 1911d: 115; Wheeler, W.M. 1919d: 303; Borgmeier, 1923: 78.

**Status as species:** Brown, 1976a: 103, 139; Deyrup, Trager & Carlin, 1985: 191; Deyrup & Trager, 1986: 214; Deyrup, *et al.* 1989: 94; Brandão, 1991: 363; Bolton, 1995b: 295; Deyrup, 2003: 45; Deyrup & Cover, 2004b: 141 (in key); MacGown & Forster, 2005: 67; Rodriguez, J. 2008: 159; Branstetter & Sáenz, 2012: 262; MacGown, *et al.* 2014: 526 (redescription); Feitosa, 2015c: 99; Guénard & Economo, 2015: 228; Deyrup, 2017: 27; Fernández & Guerrero, 2019: 538.

**Senior synonym of *fuscus*** Stitz, 1925: Brown, 1976a: 103; Brandão, 1991: 363; Bolton, 1995b: 295; MacGown, *et al.* 2014: 526.

Unavailable replacement name *repetita* referred here by Brown, 1976a: 103; Brandão, 1991: 363.

***caelatus*.** *Odontomachus caelatus* Brown, 1976a: 140, fig. 23, pl. 1A (w.m.) BRAZIL (Amazonas, Amapá, Pará), PERU, ECUADOR, GUYANA.

**Status as species:** Brandão, 1991: 362; Bolton, 1995b: 295; Rodriguez, J. 2008: 160; Bezděcková, *et al.* 2015: 124; Feitosa, 2015c: 99; Fernández & Guerrero, 2019: 538.

***caffrorum*.** *Odontomachus assiniensis* st. *caffrorum* Santschi, 1914e: 14 (w.) SOUTH AFRICA.

Subspecies of *assiniensis*: Wheeler, W.M. 1922a: 793; Arnold, 1926: 218.

Junior synonym of *assiniensis*: Brown, 1976a: 102; Bolton, 1995b: 295.

***cephalotes*.** *Odontomachus cephalotes* Smith, F. 1863: 19 (w.) INDONESIA (Seram I.).

Forel, 1915b: 34 (q.m.); Wheeler, G.C. & Wheeler, J. 1971b: 1212 (l.).

**Subspecies of *ruficeps*:** Emery, 1911b: 531; Emery, 1911c: 250; Emery, 1911d: 115; Stitz, 1911a: 356; Forel, 1911e: 251; Stitz, 1912: 501; Viehmeyer, 1913: 155; Viehmeyer, 1914a: 113; Forel, 1915b: 34; Donisthorpe, 1932c: 471; Donisthorpe, 1940c: 108; Donisthorpe, 1941h: 53; Donisthorpe, 1943d: 446; Chapman & Capco, 1951: 46.

**Status as species:** Roger, 1863b: 21; Smith, F. 1865: 70; Smith, F. 1871a: 320; Mayr, 1886c: 363; Emery, 1887b: 428; Emery, 1892d: 561 (in key); Dalla Torre, 1893: 49; Crawley, 1922b: 441 (redescription); Wilson, 1959a: 490; Brown, 1976a: 103, 120; Taylor & Brown, 1985: 36; Taylor, 1987a: 48; Bolton, 1995b: 295.

**Senior synonym of *ajax*:** Brown, 1976a: 103; Bolton, 1995b: 295.

**Senior synonym of *aruanus*:** Wilson, 1959a: 491; Brown, 1976a: 103; Bolton, 1995b: 295.

**Senior synonym of *tamensis*:** Wilson, 1959a: 491; Brown, 1976a: 103; Bolton, 1995b: 295.

Material of the unavailable names *cruenta*, *fusca*, *longitudinalis*, *ternatensis* referred here by Wilson, 1959a: 491; Brown, 1976a: 103.

Material of the unavailable names *cooktownensis*, *obtusa*, *yorkensis* referred here by Brown, 1976a: 103.

***chelifer*.** *Formica chelifera* Latreille, 1802c: 188, pl. 8, fig. 51 (w.) (no state data; “J’ignore sa patrie.....Je ne connois point son lieu natal”).

Forel, 1909a: 252 (q.m.); Wheeler, G.C. & Wheeler, J. 1952c: 651 (l.).

[Misspelled as *cheliferus* by Smith, F. 1858b: 77.]

Combination in *Odontomachus*: Latreille, 1809: 128.

**Status as species:** Leach, 1815: 147; Lepeletier de Saint-Fargeau, 1835: 186; Le Guillou, 1842: 318; Smith, F. 1858b: 77; Roger, 1861a: 27; Roger, 1863b: 22; Mayr, 1863: 436; Mayr, 1865: 63 (footnote); Forel, 1886a: 217; Emery, 1888c: 353; Emery, 1890a: 65; Emery, 1890b: 44; Emery, 1892d: 560 (in key); Dalla Torre, 1893: 49; von Jhering, 1894: 381; Emery, 1894k: 50; Forel, 1895b: 118; Emery, 1896h: 625; Forel, 1899c: 19; Emery, 1904b: 595; Forel, 1905b: 156; Emery, 1906c: 118; Forel, 1908e: 64; Forel, 1909a: 252; Emery, 1911d: 114; Forel, 1912c: 28; Forel, 1914e: 9; Bruch, 1914: 213; Wheeler, W.M. 1916c: 3; Gallardo, 1918b: 96; Luederwaldt, 1918: 36; Mann, 1922: 18; Borgmeier, 1923: 77; Wheeler, W.M. 1925a: 10; Eidmann, 1936a: 37; Kempf, 1962b: 17 (in key); Kempf, 1972a: 170; Kempf & Lenko, 1976: 59; Brown, 1976a: 103; Brandão, 1991: 364; Bolton, 1995b: 295; Wild, 2007b: 39; Rodriguez, J. 2008: 161; Branstetter & Sáenz, 2012: 262; Bezděcková, *et al.* 2015: 124; Feitosa, 2015c: 99; Fernández & Guerrero, 2019: 538.

**Senior synonym of *emacerata*:** Brown, 1976a: 103; Brandão, 1991: 364; Bolton, 1995b: 295.

**Senior synonym of *leptocephalus*:** Emery, 1911d: 114; Borgmeier, 1923: 77; Kempf, 1972a: 170; Brown, 1976a: 103; Bolton, 1995b: 295.

**Senior synonym of *theresiae*:** Forel, 1899c: 19; Gallardo, 1918b: 96; Brown, 1976a: 103; Brandão, 1991: 364; Bolton, 1995b: 295.

***circulus*.** *Odontomachus circulus* Wang, M. 1993a: 220, fig. 1 (w.) CHINA (Yunnan).

**Status as species:** Bolton, 1995b: 295; Zhou & Ran, 2010: 106; Guénard & Dunn, 2012: 60; Chen, Shi & Zhou, 2018: 6 (in key).

***clarionensis*.** *Odontomachus haematoda* subsp. *clarionensis* Wheeler, W.M. 1934f: 141 (w.) MEXICO (Revillagigedo Is.).

Subspecies of *haematodus*: Wheeler, W.M. 1935g: 16; Kempf, 1972a: 171.

Junior synonym of *clarus*: Taylor & Wilson, 1962: 142; Brown, 1976a: 103; Smith, D.R. 1979: 1344; Brandão, 1991: 363; Bolton, 1995b: 295; MacGown, *et al.* 2014: 529.

***clarus*.** *Odontomachus clarus* Roger, 1861a: 26 (w.) U.S.A. (Texas).

Patton, 1894: 618 (m.); Wheeler, W.M. 1908e: 407 (q.); Petralia & Vinson, 1980: 381 (l.).

**Subspecies of *haematodus*:** Emery, 1911d: 115; Wheeler, W.M. 1914b: 40; Smith, M.R. 1939d: 129 (redescription); Creighton, 1950a: 55; Smith, M.R. 1951a: 787; Smith, M.R. 1958c: 112; Kempf, 1972a: 171.

**Status as species:** Roger, 1863b: 22; Mayr, 1863: 436; Mayr, 1886d: 437; Cresson, 1887: 258; Emery, 1892d: 561 (in key); Dalla Torre, 1893: 49; Emery, 1895c: 269; Forel, 1901c: 124; Wheeler, W.M. 1908e: 407; Wheeler, W.M. 1910g: 562; Santschi, 1911d: 3; Cole, 1937a: 98; Taylor & Wilson, 1962: 142; Hunt & Snelling, 1975: 20; Brown, 1976a: 103, 136; Smith, D.R. 1979: 1344; Deyrup, Trager & Carlin, 1985: 191; Deyrup & Trager, 1986: 214; Deyrup, *et al.* 1989: 94; Brandão, 1991: 363; Bolton, 1995b: 295; Mackay & Mackay, 2002: 37; Deyrup & Cover, 2004b: 141 (in key); MacGown, *et al.* 2014: 529 (redescription).

**Senior synonym of *clarionensis*:** Taylor & Wilson, 1962: 142; Brown, 1976a: 103; Smith, D.R. 1979: 1344; Brandão, 1991: 363; Bolton, 1995b: 295; MacGown, *et al.* 2014: 529.

**Senior synonym of *coninodis*:** Brown, 1976a: 103; Bolton, 1995b: 295; MacGown, *et al.* 2014: 529.

**Senior synonym of *texana*:** Wheeler, W.M. 1902f: 26; Wheeler, W.M. 1908e: 407; Emery, 1911d: 114; Creighton, 1950a: 55; Smith, M.R. 1951a: 787; Brown, 1976a: 103; Smith, D.R. 1979: 1344; Bolton, 1995b: 295; MacGown, *et al.* 2014: 529.

*concentrica*. *Odontomachus papuanus* var. *concentrica* Emery, 1897d: 557 (w.) NEW GUINEA (Papua New Guinea).

Subspecies of *papuanus*: Emery, 1911d: 113; Chapman & Capco, 1951: 45.

Junior synonym of *papuanus*: Wilson, 1959a: 497; Brown, 1976a: 105; Bolton, 1995b: 295.

*conifera*. *Odontomachus rixosus* var. *conifera* Forel, 1913k: 19 (w.q.) INDONESIA (Java).

Subspecies of *rixosus*: Chapman & Capco, 1951: 45.

Junior synonym of *rixosus*: Brown, 1976a: 105; Bolton, 1995b: 295; Satria, *et al.* 2015: 21.

*coninodis*. *Odontomachus haematodus* subsp. *coninodis* Wheeler, W.M. 1915b: 391 (w.q.) U.S.A. (Arizona).

Subspecies of *haematodus*: Cole, 1937a: 98; Smith, M.R. 1939d: 128 (redescription); Creighton, 1950a: 55; Smith, M.R. 1951a: 787.

Status as species: Smith, D.R. 1979: 1344.

Junior synonym of *clarus*: Brown, 1976a: 103; Bolton, 1995b: 295; MacGown, *et al.* 2014: 529.

*cooktownensis*. *Odontomachus ruficeps* r. *cephalotes* var. *cooktownensis* Forel, 1915b: 35 (w.m.) AUSTRALIA; unavailable (infrasubspecific) name.

Declared as unavailable (infrasubspecific) name: Taylor, 1986: 34.

Material referred to *cephalotes* by Brown, 1976a: 103.

*coquereli*. *Odontomachus coquereli* Roger, 1861a: 30 (w.) MADAGASCAR.

Fisher & Smith, 2008: 14 (q.m.).

Combination in *Stenomyrmex*: Mayr, 1865: 63 (footnote);

combination in *Champsomyrmex*: Emery, 1892d: 558.

**Status as species:** Roger, 1863b: 21; Mayr, 1863: 436; Forel, 1891b: 105 (redescription); Dalla Torre, 1893: 49; Wasmann, 1897: 250; Emery, 1911d: 111; Wheeler, W.M. 1922a: 1013; Brown, 1976a: 103, 143; Bolton, 1995b: 295; Fisher & Smith, 2008: 13 (redescription).

**Senior synonym of *minor*:** Brown, 1976a: 103; Bolton, 1995b: 295; Fisher & Smith, 2008: 14.

*coriarius*. *Odontomachus coriarius* Mayr, 1876: 85 (w.m.) AUSTRALIA (Queensland).

Status as species: Emery, 1892d: 561 (in key); Dalla Torre, 1893: 50; Crawley, 1922b: 440 (in text).

Subspecies of *ruficeps*: Forel, 1893d: 459 (in text); Emery, 1911d: 115.

Subspecies of *haematodus*: Wheeler, W.M. 1915g: 806.

Junior synonym of *ruficeps*: Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 295.

*cornutus*. *Odontomachus cornutus* Stitz, 1933: 67, fig. 1 (w.) ECUADOR.

Kugler, C. 1980a: 227 (q.m.).

**Status as species:** Kempf, 1962b: 17 (in key); Kempf, 1972a: 170; Brown, 1976a: 103, 144; Kugler, C. 1980a: 225 (redescription); Brandão, 1991: 363; Bolton, 1995b: 295; Rodriguez, J. 2008: 162; Fernández & Guerrero, 2019: 539.

*cruenta*. *Odontomachus ruficeps* susbp. *cephalotes* var. *cruenta* Emery, 1911c: 251 (w.q.) NEW GUINEA (Indonesia); unavailable (infrasubspecific) name.

[Misspelled as *cruentata* by Viehmeyer, 1912: 18.]

As unavailable (infrasubspecific) name: Viehmeyer, 1912: 18; Chapman & Capco, 1951: 46.

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 295.

Material referred to *cephalotes* by Wilson, 1959a: 491.

*desertorum*. *Odontomachus haematoda* subsp. *desertorum* Wheeler, W.M. 1915b: 391 (w.) U.S.A. (Arizona).

MacGown, *et al.* 2014: 536 (m.).

**Subspecies of *haematodus*:** Cole, 1937a: 98; Smith, M.R. 1939d: 128 (redescription); Creighton, 1950a: 56; Smith, M.R. 1951a: 787.

Junior synonym of *clarus*: Brown, 1976a: 103; Bolton, 1995b: 295.

**Status as species:** Smith, D.R. 1979: 1345; MacGown, *et al.* 2014: 533 (redescription).

*dulcis*. *Odontomachus haematoda* subsp. *dulcis* Mann, 1922: 18 (w.) HONDURAS.

Subspecies of *haematodus*: Kempf, 1972a: 171.

Junior synonym of *minuta*: Brown, 1976a: 104.

Junior synonym of *meinerti*: Bolton, 1995b: 296.

*emacerata*. *Odontomachus chelifer* var. *emacerata* Santschi, 1922d: 243 (w.) BRAZIL (Santa Catarina), ARGENTINA (Santiago del Estero).

Subspecies of *chelifer*: Kempf, 1972a: 170.

Junior synonym of *chelifer*: Brown, 1976a: 103; Brandão, 1991: 364; Bolton, 1995b: 295.

*emeryi*. *Odontomachus imperator* subsp. *emeryi* Mann, 1919: 303, fig. 12 (w.q.m.) SOLOMON IS (Florida I., Isabel I.).

Subspecies of *imperator*: Wheeler, W.M. 1935g: 16.

Status as species: Wilson, 1959a: 492.

Junior synonym of *rufithorax*: Brown, 1976a: 106; Bolton, 1995b: 295.

*erythrocephalus*. *Odontomachus haematodes* r. *erythrocephalus* Emery, 1890b: 44 (w.) COSTA RICA.

[Also described as new by Emery, 1894k: 50.]

Forel, 1914e: 9 (q.); Wheeler, G.C. & Wheeler, J. 1952c: 650 (l.).

**Subspecies of *haematodus*:** Emery, in Dalla Torre, 1893: 50 (footnote); Forel, 1899c: 21; Forel, 1907e: 1; Emery, 1911d: 115; Forel, 1914e: 9.

**Status as species:** Dalla Torre, 1893: 50; Kempf, 1972a: 7, 170; Brown, 1976a: 103, 144; Brandão, 1991: 363; Bolton, 1995b: 295; Rodriguez, J. 2008: 162; Guénard & Economo, 2015: 228; Fernández & Guerrero, 2019: 539.

*fauconneti*. *Odontomachus assiniensis* subsp. *fauconneti* Forel, 1910a: 27 (w.) DEMOCRATIC REPUBLIC OF CONGO.

Subspecies of *assiniensis*: Emery, 1911d: 113; Wheeler, W.M. 1922a: 793.

Junior synonym of *assiniensis*: Brown, 1976a: 102; Bolton, 1995b: 295.

*fermina*. *Odontomachus fermina* General, 2018: 158, figs. 1-8 (w.q.) PHILIPPINES (Romblon I.: Sibuyan I.).

*flavescens*. *Odontomachus assiniensis* subsp. *flavescens* Bernard, 1953b: 215 (w.q.) GUINEA.

Junior synonym of *assiniensis*: Brown, 1976a: 102; Bolton, 1995b: 295.

*floresensis*. *Odontomachus floresensis* Brown, 1976a: 146 (w.) INDONESIA (Flores I.).

**Status as species:** Bolton, 1995b: 295.

*formosae*. *Odontomachus monticola* var. *formosae* Forel, 1912a: 46 (w.q.m.) TAIWAN.

Subspecies of *monticola*: Forel, 1913f: 183; Santschi, 1925f: 82; Wheeler, W.M. 1929g: 59; Wheeler, W.M. 1930h: 61; Teranishi, 1940: 61; Chapman & Capco, 1951: 44.

Junior synonym of *monticola*: Yasumatsu, 1962: 93; Brown, 1976a: 105; Onoyama, 1980: 196; Bolton, 1995b: 295; Zhou, 2001b: 26; Imai, *et al.* 2003: 212; Yoshimura, Onoyama & Ogata, 2007: 102; Terayama, 2009: 116.

***fulgidus*.** *Odontomachus fulgidus* Wang, M. 1993a: 222, fig. 3 (w.) CHINA (Guizhou).

[*Odontomachus fulgidus* Wang, M. 1992: 678. *Nomen nudum.*]

**Status as species:** Bolton, 1995b: 295; Zhou, 2001b: 25; Zhou & Ran, 2010: 106; Guénard & Dunn, 2012: 60; Chen, Shi & Zhou, 2018: 6 (in key).

*furvior*. *Odontomachus assiniensis* var. *furvior* Wheeler, W.M. 1922a: 101 (w.q.) DEMOCRATIC REPUBLIC OF CONGO.

Subspecies of *assiniensis*: Weber, 1943c: 303.

Junior synonym of *assiniensis*: Brown, 1976a: 102; Bolton, 1995b: 295.

***fusca*.** *Odontomachus ruficeps* subsp. *cephalotes* var. *fusca* Emery, 1911c: 251 (w.) NEW GUINEA (Indonesia); unavailable (infrasubspecific) name.

[*Odontomachus ruficeps* subsp. *cephalotes* var. *fusca* Emery, 1911b: 531. *Nomen nudum.*]

As unavailable (infrasubspecific) name: Viehmeyer, 1912: 18.

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 295.

Material referred to *cephalotes* by Wilson, 1959a: 491.

*fuscipennis*. *Odontomachus haematodes* var. *fuscipennis* Forel, 1913k: 19 (w.q.m.) SRI LANKA, INDONESIA (Sumatra).

Subspecies of *haematodus*: Forel, 1915a: 22; Santschi, 1919a: 326; Wheeler, W.M. 1924b: 243; Karavaiev, 1925c: 295; Wheeler, W.M. 1934a: 174; Wheeler, W.M. 1935g: 16; Chapman & Capco, 1951: 43.

Junior synonym of *simillimus*: Wilson, 1959a: 499; Wilson & Taylor, 1967: 31; Brown, 1976a: 106; Bolton, 1995b: 295; Fisher & Smith, 2008: 15; Satria, *et al.* 2015: 5.

*fuscus*. *Odontomachus assiniensis* var. *fuscus* Stitz, 1916: 372 (w.q.) DEMOCRATIC REPUBLIC OF CONGO.

[*assiniensis* var. *oblita* Baroni Urbani, 1971b: 360. Unavailable replacement name (variety proposed after 1960) for *fuscus* Stitz, 1916 (Bolton, 1995b: 296).]

Subspecies of *assiniensis*: Wheeler, W.M. 1922a: 793.

Junior synonym of *assiniensis*: Brown, 1976a: 102; Bolton, 1995b: 295.

*fuscus*. *Odontomachus haematodes* var. *fuscus* Stitz, 1925: 115, fig. 2 (w.) CUBA.

[Unresolved junior primary homonym of *Odontomachus assiniensis* var. *fuscus* Stitz, 1916: 372 (Bolton, 1995b: 295).]

[*haematoda* var. *repetita* Baroni Urbani, 1971b: 361. Unavailable replacement name (variety proposed after 1960) for *fuscus* Stitz, 1925: Bolton, 1995b: 295.]

Subspecies of *haematodus*: Kempf, 1972a: 170.

Junior synonym of *brunneus*: Brown, 1976a: 103; Brandão, 1991: 363; Bolton, 1995b: 295; MacGown, *et al.* 2014: 526.

*ghilianii* Spinola, 1851; see under *ANOCHETUS*.

*gladiator* Smith, F. 1871; see under *ANOCHETUS*.

*gladiator* Donisthorpe, 1932; see under *ANOCHETUS*.

**granatus**. *Odontomachus granatus* Wang, M. 1993a: 224, fig. 5 (w.) CHINA (Yunnan).

**Status as species**: Bolton, 1995b: 295; Zhou, 2001b: 25; Zhou & Ran, 2010: 106; Guénard & Dunn, 2012: 60; Chen, Shi & Zhou, 2018: 6 (in key).

**gressitti**. *Odontomachus gressitti* Wilson, 1959a: 492, fig. 4, no. 8 (w.) NEW GUINEA (Papua New Guinea), SOLOMON IS (Guadalcanal I.).

Junior synonym of *rufithorax*: Brown, 1976a: 106; Bolton, 1995b: 295.

**gulosus**. *Odontomachus gulosus* Emery, 1901h: 160 (w.) NEW GUINEA (Papua New Guinea).

Status as species: Emery, 1911c: 250; Emery, 1911d: 113; Viehmeyer, 1914c: 515; Chapman & Capco, 1951: 42.

Junior synonym of *testaceus*: Wilson, 1959a: 500; Brown, 1976a: 106; Bolton, 1995b: 295.

**haematodus**. *Formica haematoda* Linnaeus, 1758: 582 (q.) (no state data, "Habitat in America meridionali").

[Misspelled as *haematodes* by Lepeletier de Saint-Fargeau, 1835: 187; Mayr, 1862: 711; André, 1887: 290; Emery, 1887b: 428, and many others.]

André, 1887: 290 (m.); Emery, 1899c: 5 (l.); Wheeler, W.M. 1900b: 16 (l.); Eidmann, 1944: 437 (l.); Wheeler, G.C. & Wheeler, J. 1952c: 646 (l.); MacGown, *et al.* 2014: 539 (m.).

Combination in *Myrmecia*: Fabricius, 1804: 425; Gravenhorst, 1807: 287;

combination in *Odontomachus*: Latreille, 1804: 179; Lepeletier de Saint-Fargeau, 1835: 187.

**Status as species**: Linnaeus, 1767: 965; De Geer, 1773: 601; Fabricius, 1775: 395; Fabricius, 1782: 494; Retzius, 1783: 75; Fabricius, 1787: 311; Gmelin, 1790: 2803; Christ, 1791: 516; Olivier, 1792: 502; Fabricius, 1793: 364; Latreille, 1802c: 192; Fabricius, 1804: 425; Latreille, 1804: 179; Gravenhorst, 1807: 287; Latreille, 1818c: 570; Lepeletier de Saint-Fargeau, 1835: 187; Smith, F. 1858b: 76; Gerstäcker, 1859: 262; Roger, 1861a: 24; Smith, F. 1862b: 31; Mayr, 1862: 711; Gerstäcker, 1862: 503; Roger, 1863b: 22; Mayr, 1863: 436; Mayr, 1865: 63; Mayr, 1867a: 79 (redescription); Mayr, 1872: 148; Mayr, 1876: 85; Emery, 1878a: ix (in list); André, 1884b: 538; Mayr, 1884: 33; Mayr, 1886d: 437; Cresson, 1887: 258; André, 1887: 290; Emery, 1887b: 428; Emery, 1890a: 65; Emery, 1890b: 44; Forel, 1891b: 104 (redescription); Cameron, 1891: 93; André, 1892b: 52; Emery, 1892d: 557, 561 (in key); Forel, 1893g: 353; André, 1893b: 152; Dalla Torre, 1893: 50; Emery, 1893e: 190; Emery, 1893f: 243; Emery, 1893g: 262; Forel, 1894b: 74; Emery, 1894k: 50; Emery, 1895h: 22; Mayr, 1895: 125; André, 1895a: 3; Forel, 1895b: 118; Mayr, 1896: 238; Pergande, 1896: 873; Mayr, 1897: 424; Emery, 1897d: 557; Wasmann, 1897: 250; Forel, 1899c: 20; Emery, 1899a: 500; Emery, 1899c: 5; Forel, 1900c: 58; Emery, 1900d: 672; Wheeler, W.M. 1900b: 2; Forel, 1901b: 5; Forel, 1901h: 81; Dahl, 1901: 12; Emery, 1901f: 113; Emery, 1901g: 566; Bingham, 1903: 47; Forel, 1903d: 399; Emery, 1904b: 591; Ruzsky, 1905b: 759; Forel, 1905c: 8; Wheeler, W.M. 1905b: 122; Emery, 1906c: 118; Forel, 1907e: 1; Forel, 1908a: 2; Forel, 1908b: 35; Wheeler, W.M. 1908a: 126; Wheeler, W.M. 1908b: 159; Wheeler, W.M. 1909b: 231; Wheeler, W.M. 1909d: 339; Forel, 1909b: 51; Forel, 1909d: 221; Santschi, 1910c: 350; Stitz, 1910: 130; Forel, 1910f: 4; Emery, 1911b: 531; Emery, 1911d: 114; Wheeler, W.M. 1911a: 22; Wheeler, W.M. 1911b: 168; Forel, 1911b: 193; Forel, 1911i: 215; Stitz, 1911a: 357; Wheeler, W.M. 1912a: 45; Forel, 1912d: 97; Forel, 1912j: 179; Forel, 1912k: 159; Forel, 1913a: 108; Forel, 1913b: 309; Forel, 1913h: 347;

Forel, 1913k: 159; Wheeler, W.M. 1913d: 239; Santschi, 1914b: 58; Santschi, 1914d: 331; Emery, 1914b: 180; Emery, 1914f: 400; Bruch, 1914: 213; Viehmeyer, 1914c: 516; Wheeler, W.M. & Mann, 1914: 16; Arnold, 1915: 108; Stitz, 1916: 373; Mann, 1916: 418; Wheeler, W.M. 1916c: 3; Wheeler, W.M. 1916d: 323; Viehmeyer, 1916a: 116; Crawley, 1916b: 367; Gallardo, 1918b: 99; Wheeler, W.M. 1919e: 60; Mann, 1919: 303; Mann, 1920: 404; Santschi, 1920i: 2; Mann, 1921: 427; Mann, 1922: 18; Wheeler, W.M. 1922a: 102, 793, 1013; Wheeler, W.M. 1922c: 4; Borgmeier, 1923: 78; Viehmeyer, 1923: 87; Wheeler, W.M. 1923a: 3; Wheeler, W.M. 1924b: 243; Crawley, 1924: 388; Stitz, 1925: 115; Mann, 1925b: 5; Karavaiev, 1925c: 293; Wheeler, W.M. & Chapman, 1925: 71; Wheeler, W.M. 1925a: 10; Karavaiev, 1926d: 422; Menozzi, 1927c: 267; Wheeler, W.M. 1927d: 2; Wheeler, W.M. 1927h: 86; Santschi, 1928a: 44; Santschi, 1928c: 68; Santschi, 1928h: 124; Wheeler, W.M. 1929f: 2; Wheeler, W.M. 1929g: 37; Karavaiev, 1930a: 212; Santschi, 1930b: 60; Menozzi, 1930b: 80; Menozzi, 1930d: 327; Stärcke, 1930: 373; Wheeler, W.M. 1930h: 61; Aguayo, 1932: 216; Kutter, 1932: 207; Santschi, 1932b: 13; Stitz, 1932a: 367; Wheeler, W.M. 1932d: 14; Menozzi, 1933a: 101; Wheeler, W.M. 1934a: 173; Karavaiev, 1935a: 75; Santschi, 1935b: 263; Wheeler, W.M. 1935g: 15; Wheeler, W.M. 1936f: 5; Smith, M.R. 1937: 827; Wheeler, W.M. 1937a: 22; Wheeler, W.M. 1938: 251; Finzi, 1939a: 154; Santschi, 1939f: 160; Teranishi, 1940: 64; Menozzi, 1942: 166; Weber, 1943c: 303; Santschi, 1937b: 95; Donisthorpe, 1943d: 445; Eidmann, 1944: 437, 469; Stärcke, 1944b: xviii; Donisthorpe, 1947c: 579; Donisthorpe, 1948b: 303; Donisthorpe, 1949g: 408; Creighton, 1950a: 55; Chapman & Capco, 1951: 43; Menozzi & Consani, 1952: 61; Bernard, 1953b: 214; Kusnezov, 1953b: 336; Kempf, 1961b: 497; Kempf, 1962b: 17 (in key); Prins, 1963: 100; Baltazar, 1966: 239; Kempf, 1970b: 327; Kempf, 1972a: 170; Kempf & Lenko, 1976: 60; Brown, 1976a: 104, 148; Brandão, 1991: 363; Bolton, 1995b: 295; Tiwari, 1999: 21; Mathew & Tiwari, 2000: 289; Zhou, 2001b: 27; Zhou, 2006: 579; Wild, 2007b: 39; Rodriguez, J. 2008: 163; Zhou & Ran, 2010: 106; Guénard & Dunn, 2012: 60; MacGown, *et al.* 2014: 536 (redescription); Bezděcková, *et al.* 2015: 124; Feitosa, 2015c: 99; Deyrup, 2017: 29; Fernández & Guerrero, 2019: 539.

**Senior synonym of *brunneipes*:** Brown, 1976a: 104; Brandão, 1991: 364; Zhou, 2001b: 27; MacGown, *et al.* 2014: 537.

**Senior synonym of *hirsutiusculus*:** Roger, 1861a: 24; Roger, 1863b: 22; Mayr, 1863: 437; Mayr, 1865: 64; Mayr, 1872: 148; Forel, 1891b: 104; Brown, 1976a: 104; Brandão, 1991: 364; Bolton, 1995b: 295; Zhou, 2001b: 27; MacGown, *et al.* 2014: 537.

**Senior synonym of *maxillosa*:** Retzius, 1783: 75; Gmelin, 1790: 2803; Olivier, 1792: 502; Latreille, 1802c: 192; Lepeletier de Saint-Fargeau, 1835: 187; Smith, F. 1858b: 76; Gerstäcker, 1862: 503; Mayr, 1863: 437; Roger, 1863b: 22; Mayr, 1865: 63; Mayr, 1872: 148; Forel, 1891b: 104; Dalla Torre, 1893: 50; Wheeler, W.M. 1908a: 125; Emery, 1911d: 114; Arnold, 1915: 108; Gallardo, 1918b: 99; Wheeler, W.M. 1919e: 60; Wheeler, W.M. 1922a: 793; Borgmeier, 1923: 78; Kempf, 1972a: 170; Brown, 1976a: 104; Bolton, 1995b: 295; Zhou, 2001b: 27; MacGown, *et al.* 2014: 536.

**Senior synonym of *pallipes*:** Brown, 1976a: 104; Brandão, 1991: 364; Bolton, 1995b: 295; Zhou, 2001b: 27; MacGown, *et al.* 2014: 537.

[Note: Afrotropical records of *haematodus* prior to Brown, 1976a: 167, are correctly referred to *troglodytes*. Oriental, Indo-Australian, and Australasian records of *haematodus* prior to Brown, 1976a: 167, are mostly misidentifications of *simillimus*. ]

*hainanensis*. *Odontomachus monticola* var. *hainanensis* Stitz, 1925: 115, fig. 3 (w.) CHINA (Hainan I.).

Subspecies of *monticola*: Wheeler, W.M. 1930h: 61; Chapman & Capco, 1951: 44.

Junior synonym of *monticola*: Brown, 1976a: 105; Bolton, 1995b: 295; Zhou, 2001b: 26; Yoshimura, Onoyama & Ogata, 2007: 102.

***hastatus***. *Myrmecia hastata* Fabricius, 1804: 426 (w.) (no state data, “Habitat in America meridionali”).

Wheeler, G.C. & Wheeler, J. 1971b: 1212 (l.).

Combination in *Odontomachus*: Illiger, 1807: 194.

**Status as species**: Mayr, 1862: 711; Roger, 1861a: 31; Roger, 1863b: 22; Mayr, 1863: 437; Emery, 1878a: ix (in list); Emery, 1890b: 44; Emery, 1892d: 559 (in key); Dalla Torre, 1893: 51; Emery, 1894k: 50; Forel, 1895b: 118; Forel, 1899c: 19; Forel, 1907e: 1; Forel, 1908b: 36; Emery, 1911d: 113; Stitz, 1913: 207; Wheeler, W.M. 1916c: 3; Luederwaldt, 1918: 36; Borgmeier, 1923: 80; Wheeler, W.M. 1925a: 10; Wheeler, W.M. 1942: 156; Kempf, 1960e: 391; Kempf, 1962b: 17 (in key); Kempf, 1970b: 328; Kempf, 1972a: 171; Kempf & Lenko, 1976: 60; Brown, 1976a: 104; Bolton, 1995b: 295; Rodriguez, J. 2008: 164; Branstetter & Sáenz, 2012: 262; Bezděcková, et al. 2015: 124; Feitosa, 2015c: 99; Fernández & Guerrero, 2019: 539.

**Senior synonym of *maxillaris***: Roger, 1863b: 22; Dalla Torre, 1893: 51; Forel, 1895b: 118; Forel, 1899c: 20; Emery, 1911d: 113; Borgmeier, 1923: 80; Kempf, 1972a: 171; Brown, 1976a: 104; Bolton, 1995b: 296.

*hirsutiusculus*. *Odontomachus hirsutiusculus* Smith, F. 1858b: 78 (w.) BRAZIL (Pará).

[Misspelled as *hushirsutiusculus* by Zhou, 2001b: 27.]

Forel, 1909a: 252 (q.).

As unavailable (infrasubspecific) name: Forel, 1899c: 20; Forel, 1909a: 252; Wheeler, W.M. 1905b: 122; Emery, 1911d: 115; Forel, 1912c: 28 (in text); Forel, 1913l: 205; Wheeler, W.M. 1916d: 323; Wheeler, W.M. 1922c: 4; Borgmeier, 1923: 79; Santschi, 1939f: 160; Kempf, 1972a: 171.

Subspecies of *insularis*: Emery, in Dalla Torre, 1893: 51.

Subspecies of *haematodus*: Roger, 1861a: 24; Emery, 1890b: 44 (footnote); Forel, 1893g: 354; Emery, 1896h: 625; Forel, 1907e: 1; Forel, 1908b: 35; Wheeler, W.M. 1911a: 22; Emery, 1911d: 115; Luederwaldt, 1918: 36.

Junior synonym of *haematodus*: Roger, 1861a: 24; Roger, 1863b: 22; Mayr, 1863: 437; Mayr, 1865: 64; Mayr, 1872: 148; Forel, 1891b: 104; Brown, 1976a: 104; Brandão, 1991: 364; Bolton, 1995b: 296; Zhou, 2001b: 27; MacGown, et al. 2014: 537.

***imperator***. *Odontomachus imperator* Emery, 1887b: 429, pl. 1, fig. 1 (w.) NEW GUINEA (Indonesia).

**Status as species**: Emery, 1892d: 559 (in key); Dalla Torre, 1893: 51; Forel, 1901b: 5; Dahl, 1901: 12; Emery, 1911b: 534; Emery, 1911c: 249; Emery, 1911d: 113; Stitz, 1925: 116; Wheeler, W.M. 1935g: 16; Chapman & Capco, 1951: 43; Wilson, 1959a: 493; Brown, 1976a: 104, 152; Bolton, 1995b: 296.

***infandus***. *Odontomachus infandus* Smith, F. 1858b: 81 (w.) PHILIPPINES (no island nominated).

Sorger & Zettel, 2011: 150 (q.)

**Status as species**: Roger, 1861a: 28; Mayr, 1862: 711; Roger, 1863b: 22; Mayr, 1863: 437; Mayr, 1865: 64; Smith, F. 1871a: 319; Emery, 1892d: 561 (in key); Dalla Torre,

1893: 51; Emery, 1893g: 262; Wheeler, W.M. 1909d: 339; Forel, 1910d: 122; Emery, 1911d: 114; Viehmeyer, 1916b: 284; Wheeler, W.M. & Chapman, 1925: 71; Chapman & Capco, 1951: 43; Baltazar, 1966: 239; Brown, 1976a: 104, 125; Bolton, 1995b: 296; Sorger & Zettel, 2011: 149 (redescription).

**Senior synonym of *striaticeps*:** Brown, 1976a: 104; Bolton, 1995b: 296; Sorger & Zettel, 2011: 149.

***insularis*.** *Odontomachus insularis* Guérin-Méneville, 1844a: 423 (w.m.) CUBA.

Forel, 1897b: 298 (q.).

**Subspecies of *haematodus*:** Emery, 1890b: 44 (footnote); Emery, in Dalla Torre, 1893: 50 (footnote); Emery, 1895c: 268; Forel, 1897b: 298; Forel, 1899c: 20; Wheeler, W.M. 1905b: 82, 122; Wheeler, W.M. 1906e: 349; Forel, 1908c: 340; Forel, 1909a: 252; Forel, 1910b: 10; Wheeler, W.M. 1910g: 562; Emery, 1911d: 115; Forel, 1912c: 28; Wheeler, W.M. 1913b: 482; Wheeler, W.M. 1913c: 113; Wheeler, W.M. 1913d: 240; Forel, 1913l: 207; Wheeler, W.M. & Mann, 1914: 17; Wheeler, W.M. 1916d: 323; Wheeler, W.M. 1917g: 458; Luederwaldt, 1918: 36; Wheeler, W.M. 1919d: 303; Mann, 1920: 404; Wheeler, W.M. 1922c: 4; Borgmeier, 1923: 78; Wheeler, W.M. 1923c: 3; Menozzi, 1929a: 2; Menozzi & Russo, 1930: 151; Smith, M.R. 1930a: 2; Wheeler, W.M. 1932a: 3; Wheeler, W.M. 1934f: 139; Wheeler, W.M. 1935g: 16; Wheeler, W.M. 1936b: 196; Wheeler, W.M. 1937b: 446; Smith, M.R. 1939d: 127 (redescription); Creighton, 1950a: 56; Smith, M.R. 1951a: 787; Smith, M.R. 1954c: 2; Smith, M.R. 1958c: 112; Smith, M.R. 1967: 348; Kempf, 1972a: 171; Alayo, 1974: 31.

**Status as species:** Smith, F. 1858b: 79; Roger, 1861a: 26; Roger, 1863b: 22; Mayr, 1863: 438; Dalla Torre, 1893: 51; Taylor & Wilson, 1962: 142; Brown, 1976a: 104, 135; Smith, D.R. 1979: 1345; Brandão, 1991: 363; Bolton, 1995b: 296; Guénard & Economo, 2015: 228; Wetterer, *et al.* 2016: 14; Lubertazzi, 2019: 138.

Material of the unavailable names *pallens*, *wheeleri* referred here by Brown, 1976a: 104; Brandão, 1991: 363.

***intermedius*.** *Odontomachus intermedius* Stitz, 1911b: 378 (w.) TANZANIA.

Subspecies of *assiniensis*: Santschi, 1914e: 14.

Junior synonym of *assiniensis*: Wheeler, W.M. 1922a: 101 (in text), 793; Brown, 1976a: 102; Bolton, 1995b: 296.

***kuroiwae*.** *Myrtoteras kuroiwae* Matsumura, 1912: 192, pl. 54, fig. 1 (w.) JAPAN (Okinawa I.).

Yoshimura, Onoyama & Ogata, 2007: 98 (q.m.).

Combination in *Myrmoteras*: Matsumura & Uchida, 1926: 51;

combination in *Odontomachus*: Crieghton, 1939: 40.

Junior synonym of *formosae*: Teranishi, 1940: 61.

Junior synonym of *monticola*: Brown, 1976a: 105; Onoyama, 1980: 196; Bolton, 1995b: 295; Imai, *et al.* 2003: 212.

**Status as species:** Matsumura & Uchida, 1926: 51; Yoshimura, Onoyama & Ogata, 2007: 93 (redescription).

***laticeps*.** *Odontomachus haematodus* var. *laticeps* Roger, 1861a: 25 (w.) MEXICO (Veracruz).

**Subspecies of *haematodus*:** Emery, 1890b: 44; Emery, in Dalla Torre, 1893: 50 (footnote), 51; Emery, 1894k: 50; Forel, 1899c: 21; Forel, 1911e: 251; Emery, 1911d: 115; Crawley, 1916b: 367; Mann, 1916: 419; Mann, 1922: 18; Borgmeier, 1923: 79; Wheeler, W.M. 1925a: 10; Menozzi, 1931b: 267.

**Status as species:** Dalla Torre, 1893: 51; Kempf, 1970b: 328; Kempf, 1972a: 172; Brown, 1976a: 104, 154; Brown, 1978b: 284; Brandão, 1991: 363; Bolton, 1995b: 296; Branstetter & Sáenz, 2012: 262; Feitosa, 2015c: 99; Guénard & Economo, 2015: 228.

**Senior synonym of *striativentris*:** Brown, 1976a: 104; Brandão, 1991: 364; Bolton, 1995b: 296.

***latidens*.** *Odontomachus latidens* Mayr, 1867a: 80 (q.) INDONESIA (Java).

Emery, 1892d: 560 (w.); Imai, *et al.* 1984: 67 (k.); Satria, *et al.* 2015: 14 (m.).

**Status as species:** Emery, 1887b: 428; Emery, 1892d: 560 (in key); Dalla Torre, 1893: 51; Forel, 1905c: 8; Forel, 1909d: 221; Emery, 1911d: 114; Forel, 1912d: 97; Crawley, 1924: 388; Karavaiev, 1925c: 292; Chapman & Capco, 1951: 44; Brown, 1976a: 104; Bolton, 1995b: 296; Jaitrong & Nabhitabhata, 2005: 29; Pfeiffer, *et al.* 2011: 56; Satria, *et al.* 2015: 11 (redescription).

***latissimus*.** *Odontomachus latissimus* Viehmeyer, 1914b: 31, fig. 5 (w.) NEW GUINEA (Papua New Guinea).

**Status as species:** Chapman & Capco, 1951: 44; Wilson, 1959a: 494; Brown, 1976a: 104, 128; Bolton, 1995b: 296.

***leptocephalus*.** *Odontomachus chelifer* var. *leptocephalus* Emery, 1890b: 45 (in text), pl. 5, fig. 2 (w.) BRAZIL (Rio Grande do Sul).

Subspecies of *chelifer*: Dalla Torre, 1893: 49; Forel, 1895b: 118.

Junior synonym of *chelifer*: Emery, 1911d: 114; Borgmeier, 1923: 77; Kempf, 1972a: 170; Brown, 1976a: 103; Bolton, 1995b: 296.

***linae*.** *Odontomachus saevissimus* var. *linae* Donisthorpe, 1940c: 107 (w.q.) NEW GUINEA (Indonesia).

Status as species: Wilson, 1959a: 494.

Junior synonym of *saevissimus*: Brown, 1976a: 106; Bolton, 1995b: 296.

***linearis*.** *Odontomachus linearis* Chen & Zhou, in Chen, Shi & Zhou, 2018: 3, figs. 1-4 (w.) CHINA (Hunan).

***longi*.** *Odontomachus monticola* var. *longi* Forel, 1900c: 58 (w.) INDIA (Assam, Meghalaya).

Subspecies of *monticola*: Bingham, 1903: 49; Forel, 1911d: 379; Emery, 1911d: 114; Chapman & Capco, 1951: 44.

Junior synonym of *monticola*: Brown, 1976a: 105; Bolton, 1995b: 296; Zhou, 2001b: 26; Yoshimura, Onoyama & Ogata, 2007: 102.

***longitudinalis*.** *Odontomachus ruficeps* subsp. *cephalotes* var. *longitudinalis* Donisthorpe, 1940c: 108, fig. 1 (w.) NEW GUINEA (Indonesia: Waigeu I.); unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Donisthorpe, 1941h: 53 (in text); Chapman & Capco, 1951: 46.

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 296.

Material referred to *cephalotes* by Wilson, 1959a: 491.

***macrorhynchus*.** *Pedetes macrorhynchus* Bernstein, 1861: 8 (q.) INDONESIA (Java).

Combination in *Odontomachus*: Dalla Torre, 1893: 51.

Status as species: Dalla Torre, 1893: 51.

[Note: Emery, 1911d: 111 (footnote), Wheeler, W.M. 1911f: 170, Brown, 1976a: 104, 159, give this name as a *nomen nudum*, which is incorrect as Bernstein provides an indication.]

Unidentifiable taxon; *incertae sedis* in *Odontomachus*: Bolton, 1995b: 296.

***magnus*.** *Odontomachus coriarius* var. *magnus* Mayr, 1876: 85 (w.) AUSTRALIA (Queensland).

As unavailable (infrasubspecific) name: Emery, 1911d: 115.

Subspecies of *coriarius*: Dalla Torre, 1893: 50.

Junior synonym of *ruficeps*: Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 296.

*major*. *Odontomachus monticola* var. *major* Forel, 1913f: 183 (w.) TAIWAN.

Subspecies of *monticola*: Wheeler, W.M. 1929g: 59; Chapman & Capco, 1951: 44.

Junior synonym of *monticola*: Brown, 1976a: 105; Bolton, 1995b: 296; Zhou, 2001b: 26; Yoshimura, Onoyama & Ogata, 2007: 102; Terayama, 2009: 116.

**malignus**. *Odontomachus malignus* Smith, F. 1859a: 144 (w.) INDONESIA (Aru Is.).

**Status as species**: Roger, 1861a: 28; Smith, F. 1863: 19; Roger, 1863b: 21; Mayr, 1863: 437; Smith, F. 1871a: 319; Emery, 1887b: 429; Emery, 1892d: 560 (in key); Dalla Torre, 1893: 51; Emery, 1911d: 113; Viehmeyer, 1914a: 112; Wheeler, W.M. 1919e: 61; Santschi, 1932b: 13; Donisthorpe, 1932c: 455; Donisthorpe, 1940c: 107; Chapman & Capco, 1951: 44; Wilson, 1959a: 495; Wilson, 1962c: 15; Brown, 1976a: 104, 159; Taylor, 1976a: 81; Bolton, 1995b: 296; Pfeiffer, *et al.* 2011: 56; Sorger & Zettel, 2011: 155 (redescription); Sarnat, *et al.* 2013: 73.

**Senior synonym of *retrolatior***: Brown, 1976a: 104; Bolton, 1995b: 296; Sorger & Zettel, 2011: 156.

**Senior synonym of *tuberculatus***: Emery, 1887b: 429; Emery, 1892d: 560 (in key); Dalla Torre, 1893: 51; Emery, 1911d: 113; Wheeler, W.M. 1919e: 61; Wilson, 1959a: 495; Brown, 1976a: 104; Bolton, 1995b: 296; Sorger & Zettel, 2011: 156.

*maxillaris*. *Odontomachus maxillaris* Smith, F. 1858b: 77, pl. 5, figs. 12-14 (w.q.) BRAZIL (Amazonas).

**Status as species**: Roger, 1861a: 27; Mayr, 1863: 437.

Junior synonym of *hastatus*: Roger, 1863b: 22; Dalla Torre, 1893: 51; Forel, 1895b: 118; Forel, 1899c: 20; Emery, 1911d: 113; Borgmeier, 1923: 80; Kempf, 1972a: 171; Brown, 1976a: 104; Bolton, 1995b: 296.

*maxillosa*. *Formica maxillosa* De Geer, 1773: 601, pl. 31, figs. 3-5 (q.) SURINAME.

Junior synonym of *haematodus*: Retzius, 1783: 75; Gmelin, 1790: 2803; Olivier, 1792: 502; Latreille, 1802c: 192; Lepeletier de Saint-Fargeau, 1835: 187; Smith, F. 1858b: 76; Gerstäcker, 1862: 503; Mayr, 1863: 437; Roger, 1863b: 22; Mayr, 1865: 63; Mayr, 1872: 148; Forel, 1891b: 104; Dalla Torre, 1893: 50; Wheeler, W.M. 1908a: 125; Emery, 1911d: 114; Arnold, 1915: 108; Gallardo, 1918b: 99; Wheeler, W.M. 1919e: 60; Wheeler, W.M. 1922a: 793; Borgmeier, 1923: 78; Kempf, 1972a: 170; Brown, 1976a: 104; Bolton, 1995b: 296; Zhou, 2001b: 27; MacGown, *et al.* 2014: 536.

**mayi**. *Odontomachus affinis* subsp. *mayi* Mann, 1912: 39 (w.) BRAZIL (Mato Grosso).

[Misspelled as *mayri* by Wheeler, W.M. 1942: 156.]

**Subspecies of *affinis***: Mann, 1916: 418; Borgmeier, 1923: 77; Wheeler, W.M. 1942: 156.

**Status as species**: Kempf, 1972a: 7, 172; Brown, 1976a: 104, 124; Bolton, 1995b: 296; Rodriguez, J. 2008: 165; Feitosa, 2015c: 99; Fernández & Guerrero, 2019: 539.

**mayri**, misspelling, see under *mayi*.

**meinerti**. *Odontomachus haematodes* r. *meinerti* Forel, 1905b: 156 (w.) VENEZUELA.

**Subspecies of *haematodus***: Emery, 1911d: 115; Wheeler, W.M. 1916d: 323; Wheeler, W.M. 1922c: 4; Kempf, 1972a: 171.

**Status as species**: Bolton, 1995b: 296; Wild, 2007b: 39; Rodriguez, J. 2008: 166; Branstetter & Sáenz, 2012: 262; Feitosa, 2015c: 99; Fernández & Guerrero, 2019: 539.

Synonym of *minuta*: Brown, 1976a: 104.

[Note: Brown gives *minuta* as senior synonym, but *meinerti* has priority (Bolton, 1995b: 296).]

**Senior synonym of *dulcis*:** Bolton, 1995b: 296.

**Senior synonym of *minuta*:** Bolton, 1995b: 296.

*microcephalus*. *Odontomachus haematodes* var. *microcephalus* Emery, 1890b: 45, pl. 5, fig. 1 (w.) COSTA RICA.

[Also described as new by Emery, 1894k: 50.]

As unavailable (infrasubspecific) name: Emery, 1894k: 50.

Subspecies of *haematodus*: Dalla Torre, 1893: 51.

Junior synonym of *haematodus*: Forel, 1899c: 20; Emery, 1911d: 114; Wheeler, W.M. 1922a: 795; Borgmeier, 1923: 78; Kempf, 1972a: 170.

Junior synonym of *bauri*: Brown, 1976a: 102; Brandão, 1991: 363; Bolton, 1995b: 296.

**minangkabau**. *Odontomachus minangkabau* Satria, et al. 2015: 28, figs. 14-18 (w.q.m.) INDONESIA (Sumatra).

*minor*. *Champsomyrmex coquereli* var. *minor* Emery, 1899f: 273 (w.q.) MADAGASCAR.

Subspecies of *coquereli*: Forel, 1907g: 75; Emery, 1911d: 111; Wheeler, W.M. 1922a: 1013.

Junior synonym of *coquereli*: Brown, 1976a: 103; Bolton, 1995b: 296; Fisher & Smith, 2008: 14.

*minuta*. *Odontomachus haematoda* subsp. *minuta* Luederwaldt, 1918: 36.

[First available use of *Odontomachus haematodes* subsp. *pubescens* var. *minutus* Emery, 1894c: 146 (w.) BRAZIL (Mato Grosso); unavailable (infrasubspecific) name.]

As unavailable (infrasubspecific) name: Emery, 1911d: 115; Borgmeier, 1923: 79.

Status as species: Kempf, 1972a: 7, 172; Kempf & Lenko, 1976: 60; Brown, 1976a: 104, 160; Brandão, 1991: 364.

Synonym of *meinerti*: Brown, 1976a: 104; Brandão, 1991: 364.

[Note: Brown gives *minuta* as senior synonym, but *meinerti* has priority (Bolton, 1995b: 296).]

Junior synonym of *meinerti*: Bolton, 1995b: 296.

**montanus**. *Odontomachus imperator* var. *montanus* Stitz, 1925: 116 (w.) NEW GUINEA (Papua New Guinea).

**Subspecies of *imperator*:** Chapman & Capco, 1951: 43.

**Status as species:** Wilson, 1959a: 495; Brown, 1976a: 104; Bolton, 1995b: 296.

**monticola**. *Odontomachus monticola* Emery, 1892d: 560 (diagnosis in key) (w.) MYANMAR.

Emery, 1895k: 463 (q.); Ogata, 1987: 126 (m.).

**Status as species:** Dalla Torre, 1893: 51; Emery, 1895k: 463 (redescription); Forel, 1900c: 58; Bingham, 1903: 48; Emery, 1911d: 114; Forel, 1913e: 659; Wheeler, W.M. 1913e: 233; Santschi, 1920h: 159; Santschi, 1924c: 97; Chapman & Capco, 1951: 44; Yasumatsu, 1962: 93; Brown, 1976a: 105, 157; Onoyama, 1980: 196; Morisita, et al. 1989: 29; Terayama, 1989a: 28; Wang, M. 1992: 678; Wu, J. & Wang, 1992: 1301; Wang, M. 1993a: 220 (in key); Radchenko, 1993a: 77; Bolton, 1995b: 296; Wu, J. & Wang, 1995: 34; Tang, J., Li, et al. 1995: 31; Mathew & Tiwari, 2000: 289; Zhou, 2001b: 26; Zhang, W. & Zheng, 2002: 218; Imai, et al. 2003: 212; Lin & Wu, 2003: 67; Jaitrong & Nabhitabhata, 2005: 29; Yoshimura, Onoyama & Ogata, 2007: 102 (redescription); Terayama, 2009: 116; Zhou & Ran, 2010: 106; Pfeiffer, et al. 2011: 56; Jaitrong, Guénard, et al. 2016: 42; Chen, Shi & Zhou, 2018: 6 (in key).

**Senior synonym of *formosae*:** Yasumatsu, 1962: 93; Brown, 1976a: 105; Onoyama, 1980: 196; Bolton, 1995b: 296; Zhou, 2001b: 26; Imai, et al. 2003: 212; Yoshimura, Onoyama & Ogata, 2007: 102; Terayama, 2009: 116; Guénard & Dunn, 2012: 60; Bharti, Guénard, et al. 2016: 52.

**Senior synonym of *hainanensis*:** Brown, 1976a: 105; Bolton, 1995b: 296; Zhou, 2001b: 26; Yoshimura, Onoyama & Ogata, 2007: 102.

**Senior synonym of *longi*:** Brown, 1976a: 105; Bolton, 1995b: 296; Zhou, 2001b: 26; Yoshimura, Onoyama & Ogata, 2007: 102.

**Senior synonym of *major*:** Brown, 1976a: 105; Bolton, 1995b: 296; Zhou, 2001b: 26; Yoshimura, Onoyama & Ogata, 2007: 102; Terayama, 2009: 116.

**Senior synonym of *pauperculus*:** Yasumatsu, 1962: 93; Brown, 1976a: 105; Bolton, 1995b: 296; Zhou, 2001b: 26; Yoshimura, Onoyama & Ogata, 2007: 102.

**Senior synonym of *punctulatus*:** Brown, 1976a: 105; Bolton, 1995b: 296; Zhou, 2001b: 26; Yoshimura, Onoyama & Ogata, 2007: 102.

**Senior synonym of *striata*:** Brown, 1976a: 105; Bolton, 1995b: 296; Zhou, 2001b: 26; Yoshimura, Onoyama & Ogata, 2007: 104.

***mormo*.** *Odontomachus mormo* Brown, 1976a: 161, figs. 10, 15 (w.) ECUADOR.

**Status as species:** Brown, 1978b: 284; Brandão, 1991: 362; Bolton, 1995b: 296; Rodriguez, J. 2008: 166; Fernández & Guerrero, 2019: 539.

*nietneri* Roger, 1861; see under **ANOCHECUS**.

***nigriceps*.** *Odontomachus nigriceps* Smith, F. 1860b: 103, pl. 1, fig. 9 (w.) NEW GUINEA (Indonesia).

**Subspecies of *tyrannicus*:** Emery, 1897d: 557; Emery, 1911d: 113; Donisthorpe, 1947c: 579; Chapman & Capco, 1951: 47.

**Status as species:** Smith, F. 1863: 19; Roger, 1863b: 21; Mayr, 1863: 437; Smith, F. 1865: 70; Smith, F. 1871a: 319; Mayr, 1876: 85; Emery, 1887b: 429; Emery, 1892d: 559 (in key); Dalla Torre, 1893: 51; Emery, 1911b: 531; Donisthorpe, 1932c: 461; Wilson, 1959a: 496; Brown, 1976a: 105; Bolton, 1995b: 296.

**Senior synonym of *praefectus*:** Wilson, 1959a: 496; Brown, 1976a: 105; Bolton, 1995b: 296.

*nigrifrons*. *Odontomachus nigrifrons* Donisthorpe, 1940c: 106 (w.) NEW GUINEA (Indonesia).

Junior synonym of *testaceus*: Wilson, 1959a: 500; Brown, 1976a: 106; Bolton, 1995b: 296.

*notata*. *Odontomachus haematoda* var. *notata* Mann, 1920: 404 (w.) PUERTO RICO.

Subspecies of *haematodus*: Smith, M.R. 1937: 828; Kempf, 1972a: 170.

Junior synonym of *bauri*: Brown, 1976a: 102; Brandão, 1991: 363; Bolton, 1995b: 296.

*nubila*. *Odontomachus gulosus* var. *nubila* Emery, 1911c: 250 (w.) NEW GUINEA (Indonesia).

Subspecies of *gulosus*: Chapman & Capco, 1951: 42.

Junior synonym of *testaceus*: Wilson, 1959a: 500; Brown, 1976a: 106; Bolton, 1995b: 296.

***oblita*.** *Odontomachus assiniensis* var. *oblita* Baroni Urbani, 1971b: 360; unavailable name.

[Unavailable name (variety proposed after 1960); hence unavailable replacement name for *fuscus* Stitz, 1916: 372 (Bolton, 1995b: 296).]

*obscura*. *Odontomachus coriarius* var. *obscura* Crawley, 1922b: 437, fig. 1 (w.) AUSTRALIA (Western Australia).

Junior synonym of *ruficeps*: Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 296.

*obscurior*. *Odontomachus rixosus* var. *obscurior* Forel, 1900c: 58 (w.) MYANMAR, THAILAND.

Viehmeyer, 1916a: 116 (q.).

Subspecies of *rixosus*: Bingham, 1903: 48; Emery, 1911d: 114; Viehmeyer, 1916a: 116; Stitz, 1925: 115; Chapman & Capco, 1951: 45.

Junior synonym of *rixosus*: Brown, 1976a: 105; Bolton, 1995b: 296; Sorger & Zettel, 2011: 157; Satria, *et al.* 2015: 21.

*obsolescens*. *Odontomachus tyraunicus* var. *obsolescens* Donisthorpe, 1940c: 106 (w.m.) NEW GUINEA (Papua New Guinea).

Subspecies of *tyraunicus*: Donisthorpe, 1943d: 446; Donisthorpe, 1949g: 408; Chapman & Capco, 1951: 47.

Junior synonym of *tyraunicus*: Wilson, 1959a: 501; Brown, 1976a: 106; Bolton, 1995b: 296.

*obtusa*. *Odontomachus ruficeps* subsp. *cephalotes* var. *obtusa* Emery, 1911c: 251 (w.) NEW GUINEA (Indonesia); unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Viehmeyer, 1912: 18; Viehmeyer, 1914a: 113; Chapman & Capco, 1951: 46.

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 296.

Material referred to *cephalotes* by Brown, 1976a: 103.

*opaciventris*. *Odontomachus haematodus* r. *opaciventris* Forel, 1899c: 21, pl. 1, fig. 14 (w.q.) MEXICO (Tabasco), GUATEMALA, COSTA RICA, PANAMA, COLOMBIA.

**Subspecies of *haematodus***: Forel, 1901h: 46; Forel, 1911e: 251; Emery, 1911d: 115; Forel, 1912c: 28; Borgmeier, 1923: 79.

**Status as species**: Kempf, 1972a: 172; Brown, 1976a: 105; Bolton, 1995b: 296; Rodriguez, J. 2008: 167; Branstetter & Sáenz, 2012: 262; Feitosa, 2015c: 99; Fernández & Guerrero, 2019: 539.

*opaculus*. *Odontomachus imperator* subsp. *opaculus* Viehmeyer, 1912: 6, fig. 6 (w.) NEW GUINEA (Papua New Guinea).

**Subspecies of *imperator***: Kutter, 1932: 207; Chapman & Capco, 1951: 43.

**Status as species**: Wilson, 1959a: 496; Brown, 1976a: 105, 152; Bolton, 1995b: 296.

\**paleomyagra*. \**Odontomachus paleomyagra* Wappler, *et al.* 2014: 498, figs. 1, 2 (q.) CZECH REPUBLIC (Miocene).

*pallens*. *Odontomachus haematodes* subsp. *insularis* var. *pallens* Wheeler, W.M. 1905b: 82, 122 (w.q.m.) BAHAMAS (Andros I., New Providence I.), CUBA; unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Emery, 1911d: 115; Wheeler, W.M. 1913b: 482; Mann, 1920: 405; Menozzi, 1929a: 2; Aguayo, 1932: 216; Wheeler, W.M. 1937b: 446; Smith, M.R. 1954c: 2; Kempf, 1972a: 171.

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 296.

Material referred to *insularis* by Brown, 1976a: 104.

*pallidicornis*. *Ponera pallidicornis* Smith, F. 1860a: 73 (m.) INDONESIA (Sulawesi).

Combination in *Euponera (Brachyponera)*: Donisthorpe, 1932c: 458;

combination in *Odontomachus*: Brown, 1976a: 106.

**Status as species**: Mayr, 1863: 449; Smith, F. 1871a: 322; Dalla Torre, 1893: 40; Emery, 1901g: 566; Emery, 1911d: 116; Donisthorpe, 1932c: 458; Chapman & Capco, 1951: 71.

Junior synonym of *simillimus*: Brown, 1976a: 106; Bolton, 1995b: 296; Fisher & Smith, 2008: 15; Satria, *et al.* 2015: 5.

*pallipes*. *Odontomachus haematoda* var. *pallipes* Crawley, 1916b: 368 (w.) GUYANA.

Subspecies of *haematodus*: Kempf, 1972a: 170.

Junior synonym of *haematodus*: Brown, 1976a: 104; Brandão, 1991: 364; Bolton, 1995b: 296; Zhou, 2001b: 27; MacGown, *et al.* 2014: 537.

**panamensis.** *Odontomachus affinis* r. *panamensis* Forel, 1899c: 19, pl. 1, fig. 13 (w.q.m.) PANAMA.

**Subspecies of *affinis*:** Emery, 1911d: 113; Wheeler, W.M. 1923a: 3.

**Status as species:** Kempf, 1972a: 7, 172; Brown, 1976a: 105, 124; Brandão, 1991: 364; Bolton, 1995b: 296; Rodriguez, J. 2008: 168; Feitosa, 2015c: 99; Fernández & Guerrero, 2019: 539.

**papuanus.** *Odontomachus rixosus* var. *papuanus* Emery, 1887b: 429 (w.) INDONESIA (Aru Is). Viehmeyer, 1916b: 284 (footnote) (q.).

**Status as species:** Emery, 1892d: 559 (in key); Dalla Torre, 1893: 52; Emery, 1897d: 557; Emery, 1901g: 566; Wheeler, W.M. 1909d: 339; Emery, 1911d: 113; Viehmeyer, 1914c: 516; Chapman & Capco, 1951: 45; Wilson, 1959a: 496; Baltazar, 1966: 239; Brown, 1976a: 105, 125; Bolton, 1995b: 296.

**Senior synonym of *concentrica*:** Wilson, 1959a: 497; Brown, 1976a: 105; Bolton, 1995b: 296.

**pararixosus.** *Odontomachus pararixosus* Terayama & Ito, 2014: 181, figs. 1, 2 (w.) WEST MALAYSIA.

**paucidens.** *Odontomachus haematodus* var. *paucidens* Emery, 1893d: 91 (footnote) (w.) HAITI. Menozzi & Russo, 1930: 151 (m.).

**Subspecies of *haematodus*:** Forel, 1907e: 1; Emery, 1911d: 115; Wheeler, W.M. & Mann, 1914: 17; Menozzi & Russo, 1930: 151; Wheeler, W.M. 1936b: 196; Kempf, 1972a: 171.

Junior synonym of *bauri*: Brown, 1976a: 102; Brandão, 1991: 363; Bolton, 1995b: 296.

**pauperculus.** *Odontomachus monticola* subsp. *pauperculus* Wheeler, W.M. 1921c: 530 (w.) CHINA (Zhejiang).

**Subspecies of *monticola*:** Wheeler, W.M. 1930h: 61; Chapman & Capco, 1951: 45.

Junior synonym of *monticola*: Yasumatsu, 1962: 93; Brown, 1976a: 105; Bolton, 1995b: 296; Zhou, 2001b: 26; Yoshimura, Onoyama & Ogata, 2007: 102.

**peruanus.** *Odontomachus haematodes* var. *peruana* Stitz, 1933: 68 (q.) PERU.

**Subspecies of *haematodus*:** Kempf, 1972a: 171; Brandão, 1991: 364.

**Status as species:** Brown, 1976a: 105, 163 (*nomen dubium*); Bolton, 1995b: 296; Bezděcková, *et al.* 2015: 124.

**philippinus.** *Odontomachus papuanus* r. *philippinus* Emery, 1893e: 203 (in text) (w.) PHILIPPINES (Luzon I.).

**Subspecies of *papuanus*:** Emery, 1911d: 113; Wheeler, W.M. & Chapman, 1925: 71; Chapman & Capco, 1951: 45; Baltazar, 1966: 239.

Junior synonym of *infandus*: Brown, 1976a: 104; Bolton, 1995b: 297.

**Status as species:** Sorger & Zettel, 2011: 153 (redescription).

**politus.** *Odontomachus politus* Stitz, 1925: 116 (w.) FIJI IS (no island nominated).

Status as species: Wheeler, W.M. 1935g: 16.

Junior synonym of *angulatus*: Brown, 1976a: 102, 124; Bolton, 1995b: 297.

**praefectus.** *Odontomachus angulatus* subsp. *praefectus* Forel, 1911e: 251 (w.) NEW GUINEA (no state data).

Junior synonym of *nigriceps*: Wilson, 1959a: 496; Brown, 1976a: 105; Bolton, 1995b: 297.

**procerus.** *Odontomachus latidens* r. *procerus* Emery, 1893e: 203 (in text) (q.) WEST MALAYSIA.

Satria, et al. 2015: 20 (m.).

**Subspecies of latidens:** Emery, 1911d: 114; Eidmann, 1941: 13; Chapman & Capco, 1951: 44.

Junior synonym of *latidens*: Brown, 1976a: 104; Bolton, 1995b: 297.

**Status as species:** Satria, et al. 2015: 16 (redescription).

**Senior synonym of sumatranaus:** Satria, et al. 2015: 16.

\***pseudobauri.** \**Odonotomachus pseudobauri* De Andrade, 1994: 9, fig. 14 (w.) DOMINICAN AMBER (Dominican Republic, Miocene).

**Status as species:** Bolton, 1995b: 297.

*pubescens.* *Odontomachus haematodus* var. *pubescens* Roger, 1861a: 25 (w.) VENEZUELA.

Forel, 1909a: 252 (q.).

**Status as species:** Dalla Torre, 1893: 52; Forel, 1895b: 118.

**Subspecies of haematodus:** Emery, 1890b: 44 (footnote); Emery, in Dalla Torre, 1893: 50 (footnote), 52; Emery, 1894c: 146; Forel, 1899c: 21; Forel, 1905b: 156; Forel, 1908c: 340; Forel, 1908e: 64; Forel, 1909a: 252; Emery, 1911d: 115; Mann, 1916: 419; Borgmeier, 1923: 79; Wheeler, W.M. 1925a: 10; Eidmann, 1936: 37; Kempf, 1972a: 171. Junior synonym of *bauri*: Brown, 1976a: 102; Brandão, 1991: 363; Bolton, 1995b: 297.

*punctulatus.* *Odontomachus monticola* r. *punctulatus* Forel, 1900c: 58 (w.) INDIA (Assam).

**Status as species:** Bingham, 1903: 49; Emery, 1911d: 114; Wheeler, W.M. 1928c: 8; Mukerjee, 1930: 149; Wheeler, W.M. 1930h: 61; Wu, C.F. 1941: 149; Chapman & Capco, 1951: 45; Mathew & Tiwari, 2000: 290 (error).

Junior synonym of *monticola*: Brown, 1976a: 105; Bolton, 1995b: 297; Zhou, 2001b: 26; Yoshimura, Onoyama & Ogata, 2007: 102.

*quadrispinosus* Smith, F. 1858; see under **ANOCHECUS**.

**relictus.** *Odontomachus relictus* Deyrup & Cover, 2004b: 137, figs. 1, 2A (w.q.m.) U.S.A. (Florida).

**Status as species:** MacGown, et al. 2014: 540 (redescription); Deyrup, 2017: 30.

**repetita.** *Odontomachus haematoda* var. *repetita* Baroni Urbani, 1971b: 361; unavailable name.

[Unavailable name (variety proposed after 1960); hence unavailable replacement name for *fuscus* Stitz, 1925: 115 (Bolton, 1995b: 297).]

*retrolatior.* *Odontomachus retrolatior* Viehmeyer, 1914a: 113 (w.) NEW GUINEA (Papua New Guinea).

Junior synonym of *malignus*: Brown, 1976a: 104; Bolton, 1995b: 297; Sorger & Zettel, 2011: 156.

**rixosus.** *Odontomachus rixosus* Smith, F. 1857a: 64 (w.) SINGAPORE.

Crawley, 1924: 388 (q.); Wheeler, G.C. & Wheeler, J. 1952c: 651 (l.); Imai, et al. 1984: 67 (k.); Satria, et al. 2015: 27 (m.).

**Status as species:** Smith, F. 1858b: 79; Roger, 1861a: 27; Smith, F. 1861b: 44; Roger, 1863b: 21; Mayr, 1863: 437; Smith, F. 1871a: 319; Mayr, 1872: 148; Mayr, 1886c: 358; Emery, 1887b: 428; André, 1892b: 52; Emery, 1892d: 560 (in key); Dalla Torre, 1893: 52; Emery, 1893g: 261; Emery, 1895k: 463; Forel, 1900c: 58; Emery, 1900d: 672; Emery, 1901g: 566; Bingham, 1903: 48; Forel, 1905c: 8; Emery, 1911d: 114; Forel, 1911b: 193; Forel, 1911d: 382; Forel, 1912d: 97; Forel, 1913k: 19; Forel, 1915a: 22; Viehmeyer, 1916a: 116; Wheeler, W.M. 1919e: 60; Crawley, 1924: 388; Stitz, 1925:

115; Karavaiev, 1925c: 293; Wheeler, W.M. 1927h: 86; Santschi, 1928h: 124; Stitz, 1932b: 733; Donisthorpe, 1932c: 447; Karavaiev, 1935a: 75; Chapman & Capco, 1951: 45; Brown, 1976a: 105, 163; Bolton, 1995b: 297; Mathew & Tiwari, 2000: 290; Jaitrong & Nabhitabhata, 2005: 29; Zhou & Ran, 2010: 107; Pfeiffer, *et al.* 2011: 56; Sorger & Zettel, 2011: 157 (redescription); Guénard & Dunn, 2012: 60; Satria, *et al.* 2015: 21 (redescription); Bharti, Guénard, *et al.* 2016: 53; Jaitrong, Guénard, *et al.* 2016: 42; Chen, Shi & Zhou, 2018: 6 (in key).

**Senior synonym of *conifera*:** Brown, 1976a: 105; Bolton, 1995b: 297; Satria, *et al.* 2015: 21.

**Senior synonym of *obscurior*:** Brown, 1976a: 105; Bolton, 1995b: 297; Sorger & Zettel, 2011: 157; Satria, *et al.* 2015: 21.

*rossi* Donisthorpe, 1947; see under *ANOCHECUS*.

*rubriceps*. *Odontomachus ruficeps* var. *rubriceps* Forel, 1915b: 33 (w.m.) AUSTRALIA (Western Australia).

Junior synonym of *ruficeps*: Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

*rufescens*. *Odontomachus ruficeps* var. *rufescens* Forel, 1915b: 34 (w.) AUSTRALIA (Western Australia).

Junior synonym of *ruficeps*: Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

***ruficeps***. *Odontomachus ruficeps* Smith, F. 1858b: 81 (w.) AUSTRALIA (no state data).

Forel, 1910b: 10 (m.).

**Status as species:** Roger, 1863b: 22; Mayr, 1863: 437; Mayr, 1886c: 358; Forel, 1893d: 459; Dalla Torre, 1893: 52; Forel, 1907h: 272; Forel, 1910b: 10; Emery, 1911d: 115; Forel, 1915b: 33; Crawley, 1922b: 438 (redescription); Karavaiev, 1925c: 295; Brown, 1976a: 105, 120; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297; Heterick, 2009: 134.

**Senior synonym of *acutidens*:** Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

**Senior synonym of *coriarius*:** Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

**Senior synonym of *magnus*:** Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

**Senior synonym of *obscura*:** Brown, 1976a: 106; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

**Senior synonym of *rubriceps*:** Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

**Senior synonym of *rufescens*:** Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

**Senior synonym of *semicircularis*:** Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

**Senior synonym of *septentrionalis*:** Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

**Senior synonym of *sharpei*:** Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

**rufithorax**. *Odontomachus imperator* subsp. *rufithorax* Emery, 1911b: 534 (w.) NEW GUINEA (Indonesia).

**Subspecies of imperator**: Chapman & Capco, 1951: 43.

**Status as species**: Wilson, 1959a: 497; Brown, 1976a: 106, 164; Bolton, 1995b: 297; Sarnat, *et al.* 2013: 73.

**Senior synonym of emeryi**: Brown, 1976a: 106; Bolton, 1995b: 297.

**Senior synonym of gressitti**: Brown, 1976a: 106; Bolton, 1995b: 297.

*rufus* Jerdon, 1851; see under *ANOCHETUS*.

**ruginodis**. *Odontomachus haematodes* var. *ruginodis* Wheeler, W.M. 1908a: 126.

[First available use of *Odontomachus haematodes* subsp. *insularis* var. *ruginodis* Wheeler, W.M. 1905b: 82, 122 (w.q.) BAHAMAS (New Providence I.), CUBA; unavailable (infrasubspecific) name.]

Deyrup, Trager & Carlin, 1985: 192 (m.).

As unavailable (infrasubspecific) name: Emery, 1911d: 115; Forel, 1912c: 28 (in text); Wheeler, W.M. 1913b: 483; Wheeler, W.M. 1913d: 240; Wheeler, W.M. 1917g: 458; Mann, 1920: 404; Kempf, 1972a: 171.

**Subspecies of haematodus**: Forel, 1912c: 28; Smith. M.R. 1937: 828.

Junior synonym of *brunneus*: Brown, 1976a: 103.

**Status as species**: Wilson, 1964b: 4; Deyrup, Trager & Carlin, 1985: 192; Deyrup & Trager, 1986: 214; Deyrup, *et al.* 1989: 94; Brandão, 1991: 363; Bolton, 1995b: 297; Deyrup, *et al.* 2000: 295; Deyrup, 2003: 45; Deyrup & Cover, 2004b: 141 (in key); Wetterer & Wetterer, 2004: 215; MacGown & Forster, 2005: 67; Rodriguez, J. 2008: 168; Branstetter & Sáenz, 2012: 262; MacGown, *et al.* 2014: 543 (redescription); Bezděcková, *et al.* 2015: 124; Wetterer, *et al.* 2016: 14; Deyrup, 2017: 30; Fernández & Guerrero, 2019: 539; Lubertazzi, 2019: 139.

*rugisquama*. *Odontomachus haematodes* var. *rugisquama* Forel, 1908b: 35 (w.) COSTA RICA.

Forel, 1912c: 28 (q.).

**Subspecies of haematodus**: Emery, 1911d: 115; Forel, 1912c: 28; Forel, 1914e: 9; Wheeler, W.M. 1925a: 10; Kempf, 1972a: 171.

Junior synonym of *bauri*: Brown, 1976a: 102; Brandão, 1991: 363; Bolton, 1995b: 297.

*rugosus* Smith, F. 1857; see under *ANOCHETUS*.

**saevissimus**. *Odontomachus saevissimus* Smith, F. 1858b: 80, pl. 5, fig. 10 (w.) INDONESIA (Bacan I., Seram I.).

Smith, F. 1860b: 102 (q.); Karavaiev, 1925c: 291 (m.).

**Status as species**: Smith, F. 1861b: 44; Roger, 1861a: 28; Mayr, 1862: 711; Roger, 1863b: 21; Mayr, 1863: 437; Mayr, 1867a: 79 (redescription); Smith, F. 1871a: 319; Emery, 1892d: 559 (in key); Dalla Torre, 1893: 52; Emery, 1901g: 566; Wheeler, W.M. 1909d: 339; Emery, 1911d: 113; Stitz, 1912: 503; Viehmeyer, 1913: 155; Viehmeyer, 1914a: 112; Wheeler, W.M. & Chapman, 1925: 71; Karavaiev, 1925c: 290; Donisthorpe, 1932c: 461; Chapman & Capco, 1951: 46; Wilson, 1959a: 497; Baltazar, 1966: 240; Brown, 1976a: 106, 152; Bolton, 1995b: 297; Sarnat, *et al.* 2013: 73.

**Senior synonym of linae**: Brown, 1976a: 106; Bolton, 1995b: 297.

**Senior synonym of tauerni**: Wilson, 1959a: 498; Brown, 1976a: 106; Bolton, 1995b: 297.

**Senior synonym of transversostriatus**: Wilson, 1959a: 498; Brown, 1976a: 106; Bolton, 1995b: 297.

**scalptus.** *Odontomachus scalptus* Brown, 1978b: 281 (w.) ECUADOR, SURINAME, GUYANA.

**Status as species:** Brandão, 1991: 363; Bolton, 1995b: 297; Rodriguez, J. 2008: 169; Fernández & Guerrero, 2019: 539.

**schoedli.** *Odontomachus schoedli* Sorger & Zettel, 2011: 151, figs. 4, 10, 16, 47 (w.q.) PHILIPPINES (Luzon I.).

**scifictus.** *Odontomachus scifictus* Sorger & Zettel, 2011: 154, figs. 7, 13, 19, 46 (w.) PHILIPPINES (Camiguin I.).

**semicircularis.** *Odontomachus coriarius* var. *semicircularis* Mayr, 1876: 85 (w.) AUSTRALIA (Queensland).

As unavailable (infrasubspecific) name: Forel, 1902h: 535; Emery, 1911d: 115.

Subspecies of *coriarius*: Dalla Torre, 1893: 50.

Junior synonym of *ruficeps*: Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

**septentrionalis.** *Odontomachus septentrionalis* Crawley, 1915a: 130 (w.) AUSTRALIA (Northern Territory).

Junior synonym of *ruficeps*: Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

**sericeus.** *Odontomachus sericeus* Provancher, 1895: 97 (q.) TRINIDAD.

Junior synonym of *bauri*: Brown, 1976a: 102; Brandão, 1991: 363; Bolton, 1995b: 297.

**sharpei.** *Odontomachus sharpei* Forel, 1893d: 458 (q.) AUSTRALIA (Northern Territory).

Status as species: Emery, 1911d: 115.

Junior synonym of *ruficeps*: Brown, 1976a: 105; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

**silvestrii.** *Odontomachus silvestrii* Wheeler, W.M. 1927h: 85, fig. 1 (w.) VIETNAM.

**Status as species:** Chapman & Capco, 1951: 46; Brown, 1976a: 106, 165; Wang, M. 1993a: 220 (in key); Radchenko, 1993a: 77; Bolton, 1995b: 297; Guénard & Dunn, 2012: 60; Chen, Shi & Zhou, 2018: 6 (in key).

**Senior synonym of *substriatus*:** Brown, 1976a: 106; Bolton, 1995b: 297.

**simillimus.** *Odontomachus simillimus* Smith, F. 1858b: 80, pl. 5, figs. 8, 9 (q.) FIJI IS (Ovalau I.), SRI LANKA.

Mayr, 1867a: 79 (w.); Karavaiev, 1925c: 294 (m.); Wheeler, G.C. & Wheeler, J. 1980: 530 (l.); Imai, *et al.* 1984: 67 (k.); Tjan, Imai, *et al.* 1986: 57 (k.).

Junior synonym of *haematodus*: Roger, 1861a: 24; Roger, 1863b: 22; Mayr, 1863: 437; Mayr, 1865: 64; Mayr, 1872: 148; Emery, 1890b: 44 (footnote, in text); Forel, 1891b: 104; Dalla Torre, 1893: 51; Emery, 1901g: 566; Ruzsky, 1905b: 759; Emery, 1911d: 114; Gallardo, 1918b: 99; Wheeler, W.M. 1919e: 60; Wheeler, W.M. 1922a: 795; Borgmeier, 1923: 78; Kempf, 1972a: 170.

**Status as species:** Smith, F. 1859a: 144; Smith, F. 1860a: 72; Smith, F. 1863: 19; Motschoulsky, 1863: 15; Smith, F. 1871a: 319; Chapman & Capco, 1951: 46; Wilson, 1959a: 499; Taylor & Wilson, 1962: 142; Wilson, 1962c: 14; Wilson & Taylor, 1967: 31; Brown, 1976a: 106, 165; Taylor, 1976a: 80; Taylor, 1987a: 49; Radchenko, 1993a: 77; Dlussky, 1994: 53; Bolton, 1995b: 297; Wetterer, 2002: 128; Wetterer & Vargo, 2003: 416; Jaitrong & Nabhitabhata, 2005: 29; Wetterer, 2006: 415; Clouse, 2007b: 266; Framenau & Thomas, 2008: 79; Fisher & Smith, 2008: 15 (redescription); Mohanraj, *et al.* 2010: 6; Pfeiffer, *et al.* 2011: 56; Sorger & Zettel, 2011: 158 (redescription); Sarnat &

Econo, 2012: 159; Sarnat, *et al.* 2013: 73; Ramage, 2014: 151; Satria, *et al.* 2015: 5 (redescription) ; Bharti, Guénard, *et al.* 2016: 53; Jaitrong, Guénard, *et al.* 2016: 42.

**Senior synonym of *breviceps*:** Brown, 1976a: 106; Bolton, 1995b: 297; Fisher & Smith, 2008: 15; Satria, *et al.* 2015: 5.

**Senior synonym of *fuscipennis*:** Wilson, 1959a: 499; Wilson & Taylor, 1967: 31; Brown, 1976a: 106; Bolton, 1995b: 297; Fisher & Smith, 2008: 15; Satria, *et al.* 2015: 5.

**Senior synonym of *pallidicornis*:** Brown, 1976a: 106; Bolton, 1995b: 297; Fisher & Smith, 2008: 15; Satria, *et al.* 2015: 5.

*smithii* Roger, 1863; see under ***ANOCHECUS***.

\****spinifer***. \**Odontomachus spinifer* De Andrade, 1994: 7, fig. 13 (w.) DOMINICAN AMBER (Dominican Republic, Miocene).

**Status as species:** Bolton, 1995b: 297.

***spissus***. *Odontomachus spissus* Kempf, 1962b: 17, figs. 5-7 (w.) BRAZIL (Mato Grosso).

Kempf, 1975c: 345 (q.).

**Status as species:** Kempf, 1972a: 172; Kempf, 1975c: 345; Brown, 1976a: 106; Brandão, 1991: 363; Bolton, 1995b: 297; Feitosa, 2015c: 99.

*stanleyi*. *Odontomachus haematoda* var. *stanleyi* Wheeler, W.M. 1922a: 102 (w.) DEMOCRATIC REPUBLIC OF CONGO.

Junior synonym of *troglodytes*: Brown, 1976a: 106; Bolton, 1995b: 297; Fisher & Smith, 2008: 15.

*striata*. *Odontomachus latidens* susbp. *striata* Menozzi, 1930d: 329 (w.) CHINA (Hong Kong).

Subspecies of *latidens*: Chapman & Capco, 1951: 44.

Junior synonym of *monticola*: Brown, 1976a: 105; Bolton, 1995b: 297; Zhou, 2001b: 26; Yoshimura, Onoyama & Ogata, 2007: 104.

*striaticeps*. *Odontomachus infandus* r. *striaticeps* Stitz, 1925: 117 (w.) PHILIPPINES (Luzon I.).

Subspecies of *infandus*: Chapman & Capco, 1951: 43; Baltazar, 1966: 239.

Junior synonym of *infandus*: Brown, 1976a: 104; Bolton, 1995b: 297; Sorger & Zettel, 2011: 149.

*striativentris*. *Odontomachus haematodes* r. *striativentris* Emery, 1890b: 44 (w.) COSTA RICA.

[Also described as new by Emery, 1894k: 50.]

Subspecies of *haematodus*: Emery, in Dalla Torre, 1893: 50 (footnote), 52; Forel, 1899c: 21; Forel, 1908b: 35; Emery, 1911d: 115; Mann, 1922: 18.

**Status as species:** Dalla Torre, 1893: 52; Kempf, 1970b: 329; Kempf, 1972a: 172.

Junior synonym of *laticeps*: Brown, 1976a: 104; Brandão, 1991: 364; Bolton, 1995b: 297.

*substriatus*. *Odontomachus silvestrii* var. *substriatus* Wheeler, W.M. 1927h: 86 (w.) VIETNAM.

Subspecies of *silvestrii*: Chapman & Capco, 1951: 47.

Junior synonym of *silvestrii*: Brown, 1976a: 106; Bolton, 1995b: 297.

*sumatranus*. *Odontomachus latidens* subsp. *sumatranus* Emery, 1900d: 671, fig. 4 (w.q.) INDONESIA (Sumatra).

Subspecies of *latidens*: Emery, 1911d: 114; Chapman & Capco, 1951: 44.

Junior synonym of *latidens*: Brown, 1976a: 104; Bolton, 1995b: 297.

Junior synonym of *procerus*: Satria, *et al.* 2015: 16.

***sumbensis***. *Odontomachus sumbensis* Brown, 1976a: 166 (w.) INDONESIA (Sumba I.).

**Status as species:** Bolton, 1995b: 297.

*tamensis*. *Odontomachus ruficeps* var. *tamensis* Chapman & Capco, 1951: 45.

[First available use of *Odontomachus ruficeps* r. *cephalotes* var. *tamensis* Stitz, 1912: 503, fig. 7 (w.) NEW GUINEA (no state data); unavailable (infrasubspecific) name.]  
Junior synonym of *cephalotes*: Wilson, 1959a: 491; Brown, 1976a: 103; Bolton, 1995b: 297.

*tauerni*. *Odontomachus imperator* var. *tauerni* Stitz, 1925: 116 (w.) INDONESIA (Seram I.).

Subspecies of *imperator*: Chapman & Capco, 1951: 43.

Junior synonym of *saevissimus*: Wilson, 1959a: 498; Brown, 1976a: 106; Bolton, 1995b: 297.

**tensus**. *Odontomachus tensus* Wang, M. 1993a: 223, fig. 4 (w.) CHINA (Yunnan).

**Status as species**: Bolton, 1995b: 297; Zhou & Ran, 2010: 107; Guénard & Dunn, 2012: 60.

*ternatensis*. *Odontomachus ruficeps* subsp. *cephalotes* var. *ternatensis* Forel, 1911e: 252 (w.) INDONESIA (Ternate I.); unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Viehmeyer, 1912: 18.

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 297.

Material referred to *cephalotes* by Wilson, 1959a: 491.

**testaceus**. *Odontomachus tyrannicus* var. *testacea* Emery, 1897d: 557 (w.) NEW GUINEA (Papua New Guinea).

**Subspecies of *tyrannicus***: Emery, 1911d: 113; Donisthorpe, 1947c: 579; Chapman & Capco, 1951: 47.

**Status as species**: Wilson, 1959a: 500; Brown, 1976a: 106; Bolton, 1995b: 297.

**Senior synonym of *gulosus***: Wilson, 1959a: 500; Brown, 1976a: 106; Bolton, 1995b: 297.

**Senior synonym of *nigrifrons***: Wilson, 1959a: 500; Brown, 1976a: 106; Bolton, 1995b: 297.

**Senior synonym of *nubila***: Wilson, 1959a: 500; Brown, 1976a: 106; Bolton, 1995b: 297.

*texana*. *Odontomachus texana* Buckley, 1867: 335 (w.) U.S.A. (Texas).

**Status as species**: Cresson, 1887: 258; Dalla Torre, 1893: 52.

Junior synonym of *insularis*: Emery, 1895c: 268.

Junior synonym of *clarus*: Wheeler, W.M. 1902f: 26; Wheeler, W.M. 1908e: 407; Emery, 1911d: 114; Creighton, 1950a: 55; Smith, M.R. 1951a: 787; Brown, 1976a: 103; Smith, D.R. 1979: 1344; Bolton, 1995b: 297; MacGown, *et al.* 2014: 529.

*theresiae*. *Odontomachus haematodes* r. *theresiae* Forel, 1895a: 41 (w.) MEXICO (Veracruz).

Emery, 1901a: 53 (m.).

**Subspecies of *chelifer***: Emery, 1901a: 53; Emery, 1911d: 114; Forel, 1912c: 28; Borgmeier, 1923: 77; Kempf, 1972a: 170.

Junior synonym of *chelifer*: Forel, 1899c: 19; Gallardo, 1918b: 96; Brown, 1976a: 103; Brandão, 1991: 364; Bolton, 1995b: 297.

*transversostriatus*. *Odontomachus transversostriatus* Donisthorpe, 1941h: 53 (w.) NEW GUINEA (Indonesia: Yapen I.).

**Status as species**: Chapman & Capco, 1951: 47.

Junior synonym of *saevissimus*: Wilson, 1959a: 498; Brown, 1976a: 106; Bolton, 1995b: 297.

**troglodytes**. *Odontomachus haematodes* var. *troglodytes* Santschi, 1914b: 58 (w.) KENYA.

André, 1887: 290 (m.); Arnold, 1915: 109 (q.); Menozzi, in Eidmann, 1944: 437 (l.).

**Subspecies of *haematodus***: Wheeler, W.M. 1922a: 795.

**Status as species:** Brown, 1976a: 106, 167; Bolton, 1995b: 297; Dorow, 1996a: 76; Fisher & Smith, 2008: 16 (redescription); Hita Garcia, *et al.* 2013: 220; Borowiec, L. 2014: 139; Madl, 2019: 17.

**Senior synonym of stanleyi:** Brown, 1976a: 106; Bolton, 1995b: 297; Fisher & Smith, 2008: 16.

*tropicalis*. *Odontomachus assiniensis* var. *tropicalis* Menozzi, 1922a: 352 (w.q.m.) PRINCIPE I.  
Junior synonym of *assiniensis*: Brown, 1976a: 102; Bolton, 1995b: 297.

*tuberculatus*. *Odontomachus tuberculatus* Roger, 1861a: 28 (w.) (no state data, “aus Asien stammt”).

Status as species: Mayr, 1862: 711; Roger, 1863b: 22; Mayr, 1863: 437; Mayr, 1872: 149.

Subspecies of *malignus*: Mann, 1919: 305; Wheeler, W.M. 1935g: 16.

Junior synonym of *malignus*: Emery, 1887b: 429; Emery, 1892d: 560 (in key); Dalla Torre, 1893: 51; Emery, 1911d: 113; Wheeler, W.M. 1919e: 61; Wilson, 1959a: 495; Brown, 1976a: 104; Bolton, 1995b: 297; Sorger & Zettel, 2011: 156.

**turneri**. *Odontomachus ruficeps* r. *turneri* Forel, 1900b: 56 (w.) AUSTRALIA (Queensland).

As unavailable (infrasubspecific) name: Emery, 1911c: 250; Emery, 1911d: 115.

**Subspecies of ruficeps**: Forel, 1910b: 10.

Junior synonym of *cephalotes*: Brown, 1976a: 103.

**Status as species:** Clark, 1928b: 169; Brown, 1978b: 283; Taylor & Brown, 1985: 36; Taylor, 1987a: 49; Bolton, 1995b: 297.

**tyrannicus**. *Odontomachus tyrannicus* Smith, F. 1859a: 144 (w.) INDONESIA (Aru Is.).

[Misspelled as *tyranicus* by Donisthorpe, 1949g: 408.]

Emery, 1897d: 557 (q.); Wheeler, G.C. & Wheeler, J. 1952c: 652 (l.).

**Status as species:** Roger, 1861a: 28; Roger, 1863b: 21; Mayr, 1863: 437; Smith, F. 1871a: 319; Emery, 1887b: 429; Emery, 1892d: 559 (in key); Dalla Torre, 1893: 52; Emery, 1897d: 557; Forel, 1901b: 5; Dahl, 1901: 12; Emery, 1911b: 531; Emery, 1911d: 113; Viehmeyer, 1912: 6; Viehmeyer, 1914c: 516; Donisthorpe, 1932c: 455; Wheeler, W.M. 1935g: 16; Chapman & Capco, 1951: 47; Wilson, 1959a: 501; Brown, 1976a: 106, 162; Bolton, 1995b: 297.

**Senior synonym of obsolescens**: Wilson, 1959a: 501; Brown, 1976a: 106; Bolton, 1995b: 297.

*tyrannicus* Smith, F. 1861; see under *ANOCHECUS*.

**unispinosa**. *Formica unispinosa* Fabricius, 1793: 359 (w.) GUADELOUPE I.

Combination in *Myrmecia*: Fabricius, 1804: 423;

combination in *Odontomachus*: Latreille, 1809: 128; Latreille, 1818c: 570.

Status as species: Latreille, 1802c: 193; Fabricius, 1804: 423; Latreille, 1818c: 570; Lepeletier de Saint-Fargeau, 1835: 187; Le Guillou, 1842: 318.

Junior synonym of *haematodus*: Smith, F. 1858b: 76; Roger, 1861a: 24; Gerstäcker, 1862: 503; Roger, 1863b: 22; Mayr, 1863: 436; Mayr, 1865: 63; Mayr, 1872: 148; Forel, 1891b: 104; Dalla Torre, 1893: 50; Ruzsky, 1905b: 759; Wheeler, W.M. 1908a: 126; Emery, 1911d: 114; Gallardo, 1918b: 99; Wheeler, W.M. 1919e: 60; Wheeler, W.M. 1922a: 793; Borgmeier, 1923: 78; Kempf, 1972a: 170.

Synonym of *bauri*: Brandão, 1991: 363.

[Note: Brandão gives *bauri* as senior synonym, but *unispinosa* has priority.]

Unidentifiable taxon; *incertae sedis* in *Odontomachus*: Bolton, 1995b: 297.

[Note: Latreille, 1802c: 194, suspected that, “cette fourmi n'est que le mulet de l'haematode de Linnée, ou une variété”. Brown, 1976a: 102, suggests possible synonymy with *bauri*.]

*verticillatus*. *Odontomachus ruficeps* r. *cephalotes* Stitz, 1912: 501, figs. 5, 6  
(w.) NEW GUINEA (no state data); unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Chapman & Capco, 1951: 46.

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 297.

Material referred to *aciculatus* by Wilson, 1959a: 489.

*wheeleri*. *Odontomachus haematodus* subsp. *insularis* var. *wheeleri* Mann, 1920: 405 (w.)  
CUBA; unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Aguayo, 1932: 216; Kempf, 1972a: 171.

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 298.

Material referred to *insularis* by Brown, 1976a: 104.

*xizangensis*. *Odontomachus xizangensis* Wang, M. 1993a: 222, fig. 2 (w.) CHINA (Xizang).

**Status as species:** Bolton, 1995b: 298; Zhou & Ran, 2010: 107; Guénard & Dunn, 2012: 60; Chen, Shi & Zhou, 2018: 6 (in key).

*yorkensis*. *Odontomachus ruficeps* r. *acutidens* var. *yorkensis* Stitz, 1911a: 356 (w.)  
AUSTRALIA; unavailable (infrasubspecific) name.

Declared as unavailable (infrasubspecific) name: Taylor, 1986: 34.

Material referred to *cephalotes* by Brown, 1976a: 103.

*yucatecus*. *Odontomachus yucatecus* Brown, 1976a: 169 (w.) MEXICO (Campeche, Yucatan,  
Veracruz), GUATEMALA, BELIZE.

**Status as species:** Brandão, 1991: 363; Bolton, 1995b: 298; Rodriguez, J. 2008: 170;  
Branstetter & Sáenz, 2012: 262; Fernández & Guerrero, 2019: 539.