

SIMOPELTA

andersoni. *Simopelta andersoni* Mackay & Mackay, 2008: 296, figs. 6, 25, 27, 28 (w.) COSTA RICA.

anomma. *Simopelta anomma* Fernandes, et al. 2015: 297, figs. 1-3 (w.) BRAZIL (Rondônia), COSTA RICA.

bicolor. *Simopelta bicolor* Borgmeier, 1950a: 377, figs. 13-20 (w.) BRAZIL (Espírito Santo).

Combination in *Belonopelta*: Baroni Urbani, 1975b: 299 (in key);
combination in *Simopelta*: Bolton, 1995b: 383.

Status as species: Gotwald & Brown, 1967: 273; Kempf, 1972a: 230; Baroni Urbani, 1975b: 299 (in key); Brandão, 1991: 330; Bolton, 1995b: 383; Mackay & Mackay, 2008: 297 (redescription); Feitosa, 2015c: 99.

breviscapa. *Simopelta breviscapa* Mackay & Mackay, 2008: 298, figs. 6, 12, 13, 16, 30 (w.) PANAMA.

curvata. *Belonopelta curvata* Mayr, 1887: 532 (w.) BRAZIL (Santa Catarina).

Combination in *B. (Simopelta)*: Mann, 1922: 10;
combination in *Simopelta*: Wheeler, W.M. 1935d: 13;
combination in *Belonopelta*: Baroni Urbani, 1975b: 300 (in key);
combination in *Simopelta*: Bolton, 1995b: 383.

Status as species: Dalla Torre, 1893: 43; Forel, 1895b: 116; Emery, 1901a: 44; Emery, 1911d: 88; Borgmeier, 1923: 72; Wheeler, W.M. 1935d: 13; Borgmeier, 1950a: 369; Kempf, 1964e: 48; Gotwald & Brown, 1967: 265; Kempf, 1972a: 230; Baroni Urbani, 1975b: 300 (in key); Brandão, 1991: 330; Bolton, 1995b: 383; Mackay & Mackay, 2008: 300 (redescription); Feitosa, 2015c: 99.

fernandezi. *Simopelta fernandezi* Mackay & Mackay, 2008: 301, figs. 15, 33 (w.) COLOMBIA.

Status as species: Fernández & Guerrero, 2019: 546.

jeckylli. *Belonopelta jeckylli* Mann, 1916: 415, pl. 2, figs. 12, 13 (w.) BRAZIL (Rondônia).

Combination in *B. (Simopelta)*: Mann, 1922: 10;
combination in *Simopelta*: Wheeler, W.M. 1935d: 14;
combination in *Belonopelta*: Baroni Urbani, 1975b: 300 (in key);
combination in *Simopelta*: Bolton, 1995b: 383.

Status as species: Borgmeier, 1923: 72; Wheeler, W.M. 1935d: 14; Borgmeier, 1950a: 369; Gotwald & Brown, 1967: 267; Kempf, 1972a: 230; Baroni Urbani, 1975b: 300 (in key); Brandão, 1991: 331; Bolton, 1995b: 383; Mackay & Mackay, 2008: 303 (redescription); Feitosa, 2015c: 99.

laevigata. *Simopelta laevigata* Mackay & Mackay, 2008: 304, figs. 8, 37 (w.) COLOMBIA.

Status as species: Fernández & Guerrero, 2019: 546.

laticeps. *Simopelta laticeps* Gotwald & Brown, 1967: 273, figs. 15, 16 (w.) PERU.

Combination in *Belonopelta*: Baroni Urbani, 1975b: 299 (in key);
combination in *Simopelta*: Bolton, 1995b: 383.

Status as species: Kempf, 1972a: 230; Baroni Urbani, 1975b: 299 (in key); Brandão, 1991: 331; Bolton, 1995b: 383; Mackay & Mackay, 2008: 305 (redescription); Bezděčková, et al. 2015: 125; Fernández & Guerrero, 2019: 546.

longinoda. *Simopelta longinoda* Mackay & Mackay, 2008: 307, figs. 17, 39 (w.) COSTA RICA.

longirostris. *Simopelta longirostris* Mackay & Mackay, 2008: 308, figs. 14, 40 (w.) COLOMBIA.

Status as species: Fernández & Guerrero, 2019: 546.

manni. *Simopelta manni* Wheeler, W.M. 1935d: 17, fig. 4 (w.) ECUADOR.

Combination in *Belonopelta*: Baroni Urbani, 1975b: 299 (in key);
combination in *Simopelta*: Bolton, 1995b: 383.

Status as species: Borgmeier, 1950a: 369; Gotwald & Brown, 1967: 273; Kempf, 1972a: 230; Baroni Urbani, 1975b: 299 (in key); Brandão, 1991: 331; Bolton, 1995b: 383; Mackay & Mackay, 2008: 310 (redescription).

mayri. *Simopelta mayri* Mackay & Mackay, 2008: 311, figs. 43, 44 (w.) COLOMBIA.

Status as species: Fernández & Guerrero, 2019: 546.

minima. *Belonopelta minima* Brandão, 1989: 136, figs. 1-4 (w.) BRAZIL (Bahia).

Combination in *Simopelta*: Bolton, 1995b: 383.

Status as species: Brandão, 1991: 330; Bolton, 1995b: 383; Mackay & Mackay, 2008: 312 (redescription); Feitosa, 2015c: 99; Fernández & Guerrero, 2019: 546.

oculata. *Simopelta oculata* Gotwald & Brown, 1967: 267, figs. 1-14 (w.q.l.) COSTA RICA.

Combination in *Belonopelta*: Baroni Urbani, 1975b: 300 (in key);
combination in *Simopelta*: Bolton, 1995b: 383.

Status as species: Kempf, 1972a: 230; Baroni Urbani, 1975b: 300 (in key); Brandão, 1991: 331; Bolton, 1995b: 383; Mackay & Mackay, 2008: 314 (redescription).

paemino. *Simopelta paemino* Snelling, R.R. 1971b: 17, fig. 1 (w.) COSTA RICA.

Combination in *Belonopelta*: Baroni Urbani, 1975b: 300 (in key);
combination in *Simopelta*: Bolton, 1995b: 383.

Status as species: Baroni Urbani, 1975b: 300 (in key); Brandão, 1991: 331; Bolton, 1995b: 383; Mackay & Mackay, 2008: 315 (redescription).

pentadentata. *Simopelta pentadentata* Mackay & Mackay, 2008: 316, figs. 5, 52 (w.) COSTA RICA.

pergandei. *Belonopelta pergandei* Forel, 1909a: 242 (w.) GUATEMALA.

Borgmeier, 1950a: 374 (dichthadiigyne q.l.); Wheeler, G.C. & Wheeler, J. 1957b: 192 (l.).

Combination in *B. (Simopelta)*: Mann, 1922: 10;
combination in *Simopelta*: Wheeler, W.M. 1935d: 11;
combination in *Belonopelta*: Baroni Urbani, 1975b: 300 (in key);
combination in *Simopelta*: Bolton, 1995b: 383.

Status as species: Emery, 1911d: 88; Wheeler, W.M. 1935d: 11 (redescription);
Borgmeier, 1950a: 372; Gotwald & Brown, 1967: 265; Kempf, 1972a: 230; Baroni Urbani, 1975b: 300 (in key); Brandão, 1991: 331; Bolton, 1995b: 383; Mackay & Mackay, 2008: 318 (redescription); Branstetter & Sáenz, 2012: 263; Guénard & Economo, 2015: 228; Fernández & Guerrero, 2019: 546.

quadridentata. *Simopelta quadridentata* Mackay & Mackay, 2008: 319, figs. 26, 55 (w.) COSTA RICA.

transversa. *Simopelta transversa* Mackay & Mackay, 2008: 321, figs. 11, 13, 56-59 (w.q.) COLOMBIA.

Status as species: Fernández & Guerrero, 2019: 546.

vieirai. *Simopelta vieirai* Mackay & Mackay, 2008: 323, figs. 13, 60-62 (w.) ECUADOR.

Status as species: Fernández & Guerrero, 2019: 546.

williamsi. *Simopelta williamsi* Wheeler, W.M. 1935d: 14, fig. 3 (w.) ECUADOR.

Combination in *Belonopelta*: Baroni Urbani, 1975b: 300 (in key);
combination in *Simopelta*: Bolton, 1995b: 383.

Status as species: Borgmeier, 1950a: 369; Gotwald & Brown, 1967: 267; Kempf, 1972a: 230; Baroni Urbani, 1975b: 300 (in key); Brandão, 1991: 331; Bolton, 1995b: 383; Mackay & Mackay, 2008: 324 (redescription); Fernández & Guerrero, 2019: 546.