

BARRY BOLTON'S ANT CATALOGUE, 2020 (latest update)

FULAKORA

agostii. *Amblyopone agostii* Lacau & Delabie, 2002: 36, figs. 3-4 (w.) BRAZIL (Bahia).

Type-material: holotype worker, 11 paratype workers.

Type-locality: holotype Brazil: Bahia, Mt Pascoal, 16°52'03"S, 39°55'03"W, 18.vii.1997 (*J.R. Maia dos Santos*); paratypes with same data.

Type-depositories: MZSP (holotype); AMNH, BMNH, CPDC, LACM, MCZC, MNHN, MZSP (paratypes).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Feitosa, 2015c: 97.

Distribution: Brazil

armigera. *Amblyopone armigera* Mayr, 1887: 547 (w.) BRAZIL (Santa Catarina).

Type-material: syntype workers (number not stated).

Type-locality: Brazil: Santa Catarina (no collector's name).

Type-depository: NHMW.

Combination in *Stigmatomma*: Emery, in Dalla Torre, 1893: 14;
combination in *Stigmatomma* (*Fulakora*): Mann, 1919: 279;
combination in *Amblyopone*: Borgmeier, 1957: 109;
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Dalla Torre, 1893: 14; Forel, 1895b: 110; Emery, 1911d: 25; Bruch, 1921: 186; Borgmeier, 1923: 52; Borgmeier, 1957: 109; Brown, 1960a: 167, 192 (in key); Kempf, 1968b: 374; Kempf, 1972a: 19; Lattke, 1991c: 6 (in key); Bolton, 1995b: 61; Lacau & Delabie, 2002: 40 (in key); Wild, 2007b: 23; Feitosa, 2015c: 97.

Distribution: Argentina, Brazil, Paraguay.

barretoi. *Stigmatomma* (*Fulakora*) *elongata* st. *barretoi* Bruch, 1921: 184, fig. 6 (1,2) (w.) ARGENTINA (Buenos Aires).

Type-material: 5 syntype workers.

Type-locality: Argentina: Buenos Aires, San Jerónimo, Monte Veloz (*C. Bruch*).

Type-depository: MLPA, NHMB.

Junior synonym of *elongata*: Borgmeier, 1957: 110; Brown, 1960a: 168; Bolton, 1995b: 61.

bierigi. *Stigmatomma* (*Fulakora*) *bierigi* Santschi, 1930e: 75 (w.) CUBA.

Type-material: holotype worker.

Type-locality: Cuba: Habana (Caimilo) (*A. Bierig*).

Type-depository: NHMB.

Combination in *Amblyopone*: Brown, 1960a: 167;
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Brown, 1960a: 167, 192 (in key); Kempf, 1972a: 19; Alayo, 1974: 30; Lattke, 1991c: 6 (in key); Bolton, 1995b: 61; Lacau & Delabie, 2002: 41 (in key).

Distribution: Cuba.

celata. *Stigmatomma* (*Fulakora*) *celata* Mann, 1919: 279, fig. 2 (w.) SOLOMON IS (Isabel I., Malaita I., Florida I., San Cristoval I.).

Type-material: syntype workers (number not stated, "small colonies").

Type-locality: Solomon Is: Isabel I., Fulakora (*W.M. Mann*).

Type-depository: MCZC.

Taylor, 1979: 832 (q.).

Combination in *Amblyopone*: Wilson, 1958a: 143;
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Wheeler, W.M. 1935g: 9; Wilson, 1958a: 143; Brown, 1960a: 168, 213; Taylor, 1976a: 78; Taylor, 1979: 830; Bolton, 1995b: 61; Sarnat, *et al.* 2013: 69.

Distribution: Solomon Is.

***chilensis*.** *Amblyopone chilensis* Mayr, 1887: 547 (w.) CHILE.

Type-material: holotype worker.

Type-locality: Chile: Valdivia (*E. Reitter*).

Type-depository: NHMW.

Combination in *Stigmatomma*: Emery, in Dalla Torre, 1893: 14;
combination in *Stigmatomma (Fulakora)*: Mann, 1919: 279;
combination in *Amblyopone*: Brown, 1960a: 183;
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Dalla Torre, 1893: 14; Emery, 1911d: 25; Goetsch & Menozzi, 1935: 94; Brown, 1960a: 167, 183, 192 (in key); Kempf, 1970a: 19; Kempf, 1972a: 19; Snelling, R.R. & Hunt, 1976: 66; Lattke, 1991c: 6 (in key); Bolton, 1995b: 61; Lacau & Delabie, 2002: 41 (in key).

Distribution: Chile.

***cleae*.** *Amblyopone cleae* Delabie, in Lacau & Delabie, 2002: 34, figs. 1-2 (w.q.m.l.) BRAZIL (Bahia).

Type-material: holotype worker, 14 paratype workers, 1 paratype queen.

Type-locality: holotype Brazil: Bahia, Itororo (ca 1 km. N Fazenda Engenho Novo), 600 m., 14°57'31"S, 40°02'33"W, 20.vii.2000, nest 1 (*S. Lacau*); paratypes with same data.

Type-depositories: MZSP (holotype); AMNH, BMNH, CPDC, LACM, MCZC, MNHN, MZSP (paratypes).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Feitosa, 2015c: 97.

Distribution: Brazil.

***degenerata*.** *Amblyopone degenerata* Borgmeier, 1957: 111, figs. 18-20 (w.) BRAZIL (Santa Catarina).

Type-material: holotype worker.

Type-locality: Brazil: Santa Catarina, Nova Teutonia, iv.1954 (*F. Plaumann*).

Type-depository: MCZC.

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Brown, 1960a: 168, 191 (in key); Kempf, 1961b: 486; Kempf, 1972a: 19; Lattke, 1991c: 5; Bolton, 1995b: 61; Lacau & Delabie, 2002: 40 (in key); Arias-Penna, 2008a: 45; Branstetter & Sáenz, 2012: 253; Feitosa, 2015c: 97; Guénard & Economo, 2015: 226; Fernández, Delsinne & Arias-Penna, 2019: 504.

Distribution: Brazil, Colombia, Guatemala, Peru.

***egregia*.** *Ericapelta egregia* Kusnezov, 1955: 274, figs. 5c-7 (m.) ARGENTINA (Tucumán).

Type-material: holotype male, 1 paratype male.

Type-locality: holotype Argentina: Tucumán, 1.xii.1953, no. 9231 (*N. Kusnezov*); paratype with same data but 23.xi.1953, no. 9131.

Type-depository: IMLT.

Combination in *Amblyopone*: Brown, 1960a: 168;

combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Brown, 1960a: 168, 183; Kempf, 1972a: 19; Bolton, 1995b: 62.

Distribution: Argentina.

***elongata*.** *Stigmatomma elongata* Santschi, 1912e: 519, fig. 1 (w.) URUGUAY.

Type-material: holotype worker.

Type-locality: Uruguay: Nueva Helvecia (*von Steiger*).

Type-depository: NHMB.

Borgmeier, 1957: 110 (q.).

Combination in *Stigmatomma* (*Fulakora*): Santschi, 1922d: 241;

combination in *Amblyopone*: Borgmeier, 1957: 110;

combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Kusnezov, 1953b: 339; Borgmeier, 1957: 110; Brown, 1960a: 168, 192 (in key); Kempf, 1972a: 19; Zolessi, *et al.* 1988: 2; Lattke, 1991c: 6 (in key); Bolton, 1995b: 62; Lacau & Delabie, 2002: 41 (in key); Feitosa, 2015c: 97.

Senior synonym of *barretoi*: Borgmeier, 1957: 110; Brown, 1960a: 168; Bolton, 1995b: 62.

Senior synonym of *minor*: Borgmeier, 1957: 110; Brown, 1960a: 168; Bolton, 1995b: 62.

Senior synonym of *paranense*: Borgmeier, 1957: 110; Brown, 1960a: 168; Bolton, 1995b: 62.

Distribution: Argentina, Brazil, Uruguay.

***exigua*.** *Amblyopone exigu*a Clark, 1928a: 35, pl. 1, figs. 20-23 (q.) AUSTRALIA (Victoria).

Type-material: holotype queen.

Type-locality: Australia: Victoria, Belgrave (*F.E. Wilson*).

Type-depository: MVMA.

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Brown, 1960a: 168, 211; Taylor & Brown, 1985: 19; Taylor, 1987a: 6; Bolton, 1995b: 62.

Distribution: Australia.

***falcata*.** *Amblyopone falcata* Lattke, 1991c: 1, fig. 1 (w.) PUERTO RICO.

Type-material: holotype worker, 9 paratype workers.

Type-locality: holotype Puerto Rico: Guayama, carr. 7740, km. 4 (8 km. N Guayama, 18°4'N, 66°07'W, 985 m.), San Lorenzo, 22.iv.1980, no. 33 (*J.A. Torres*); paratypes: 8 workers with same data, 1 worker

Puerto Roci: Aguas Buenas Forest, Aguas Buenas Cave, 18°14'N, 66°07'W, 250 m., 7-17.v.1973 (*S. Peck*).

Type-depositories: LACM (holotype); BMNH, LACM, MCZC, MIZA, MZSP (paratypes).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Bolton, 1995b: 62; Lacau & Delabie, 2002: 40 (in key); Bharti & Rilta, 2015b: 509 (in key); Lubertazzi, 2019: 113.

Distribution: Dominican Republic, Puerto Rico.

***gnoma*.** *Amblyopone gnoma* Taylor, 1979: 829, figs. 13-16 (w.q.) SOLOMON IS (Guadalcanal I.).

Type-material: holotype worker, 1 paratype worker, 3 paratype queens.

Type-locality: holotype Solomon Is: Guadalcanal I., Kukum-Mt Austen Road, 10.viii.1966, acc. 23445 (*P.J.M. Greenslade*); paratypes: 1 worker Mt Austen, 28.iii.1966, acc. 22470 (*P.J.M. Greenslade*), 1 queen Mt Austen, 4.x.1966, acc. 11640 (*P.J.M. Greenslade*), 1 queen Mt Austen, iii.1966, acc. 21296 (*P.J.M. Greenslade*), 1 queen Mt Malukuna, 3000 ft, 9.iv.1966, acc. 22662 (*P.J.M. Greenslade*).

Type-depositories: ANIC (holotype); ANIC, MCZC (paratypes).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Bolton, 1995b: 62; Sarnat, *et al.* 2013: 69.

Distribution: Solomon Is.

gracilis. *Amblyopone (Fulakora) gracilis* Clark, 1934c: 52, pl. 4, figs. 3, 4 (w.q.) AUSTRALIA (Victoria).

Type-material: syntype workers (number not stated, “two nests”), 1 syntype queen.

Type-locality: Australia: Victoria, Otway Ranges, Beech Forest, i.1932 (*J. Clark*).

Type-depository: MVMA.

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Brown, 1960a: 168, 211; Taylor & Brown, 1985: 19; Taylor, 1987a: 6;
Bolton, 1995b: 62.

Distribution: Australia.

heraldoi. *Amblyopone heraldoi* Lacau & Delabie, 2002: 37, figs. 6-7 (w.) BRAZIL (Amazonas).

Type-material: holotype worker, 1 paratype worker.

Type-locality: holotype Brazil: Amazonas-4832, Manaus-Rs 1301, 12.xii.1993, L50-5 (*A. Batista Casimiro*); paratype with same data but Manaus-Rs 1202, 12.xi.1993, K14-5.

Type-depositories: INPA (holotype); CPDC (paratype).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Feitosa, 2015c: 97.

Distribution: Brazil.

lucida. *Amblyopone (Fulakora) lucida* Clark, 1934b: 27, pl. 2, fig. 8 (w.) AUSTRALIA (Australian Capital Territory).

Type-material: syntype workers (number not stated).

Type-locality: Australia: Federal (= Australian) Capital Territory, Corrie Creek, 20.vii.1930 (*G.F. Hill*).

Type-depository: MVMA.

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Brown, 1960a: 168, 210; Taylor & Brown, 1985: 20; Taylor, 1987a: 6;
Bolton, 1995b: 62.

lurilabes. *Amblyopone lurilabes* Lattke, 1991c: 2, fig. 2 (w.q.) VENEZUELA, COLOMBIA, ECUADOR, TRINIDAD, ARGENTINA, PERU.

Type-material: holotype worker, 17 paratype workers, 1 paratype queen.

Type-locality: holotype Venezuela: Portuguesa, 6 km. SE Biscucuy, 9°18'N, 70°01'W, 1000 m., 18.viii.1983, no. 438 (*J. Lattke*); paratypes: 11 workers, 1 queen with same data, 1(?) worker Colombia: Guajira, Serranía de Macuira, 6-8 km. S Nazareth, 70-200 m., 13.vi.1975 (*W.L. Brown & C. Kugler*), 1(?) worker Colombia: Magdalena, Parque Tayrona, nr Pueblito, 200 m., 15.x.1977 (*C. Kugler*), 1(?) worker Colombia: Meta, Villavicencio, 3.iii.1972 (*S. & J. Peck*), 1(?) worker Ecuador: Pichincha, Tinalandia, 16 km. Santo Domingo de los Colorados, 4.vi.1976 (*S. & J. Peck*), 1(?) worker Ecuador: Manabí, 73 km. NE Chone, 300 m., 12.vi.1976 (*S. & J. Peck*).

Type-depositories: MIZA (holotype); CASC, LACM, MCZC, MZSP (paratypes).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Bolton, 1995b: 62; Lacau & Delabie, 2002: 40 (in key); Wild, 2007b: 23; Arias-Penna, 2008a: 45; Feitosa, 2015c: 97; Guénard & Economo, 2015: 226; Fernández, Delsinne & Arias-Penna, 2019: 505.

Distribution: Argentina, Brazil, Colombia, Ecuador, Paraguay, Peru, Trinidad, Venezuela.

minima. *Paraprionopelta minima* Kusnezov, 1955: 271, figs. 1, 2, 5a (m.) ARGENTINA (Tucumán).

Type-material: holotype male, 8 paratype males.

Type-locality: holotype Argentina: Tucumán, 29.i.1953, no.8289 (*N. Kusnezov*); paratypes with same data but 1 male 20.xi.1953, no. 9128, 7 males 1.xii.1953, nos 9198-9201, 9211, 9229.

Type-depository: IMLT.

[*Paraprionopelta minima* Kusnezov, 1953b: 339 (in list), and Kusnezov, 1954b: 34. *Nomina nuda*.]

Combination (provisional) in *Amblyopone*: Brown, 1973b: 183; combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Kempf, 1972a: 181; Bolton, 1995b: 312.

Distribution: Argentina.

minor. *Stigmatomma (Fulakora) elongata* var. *minor* Santschi, 1922d: 241 (w.) ARGENTINA (Córdoba).

Type-material: 4 syntype workers.

Type-locality: Argentina: Córdoba, Alta Gracia (*C. Bruch*).

Type-depository: NHMB.

Junior synonym of *elongata*: Borgmeier, 1957: 110; Brown, 1960a: 168; Bolton, 1995b: 62.

monrosi. *Amblyopone monrosi* Brown, 1960a: 188, fig. 20 (w.) CHILE.

Type-material: holotype worker, 1 paratype worker.

Type-locality: holotype Chile: ca 10 mi. NE Pucon (*E.S. Ross & A.E. Michelbacher*); paratype with same data.

Type-depositories: CASC (holotype); MCZC (paratype).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19; combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Kempf, 1970a: 19; Kempf, 1972a: 19; Snelling, R.R. & Hunt, 1976: 66; Lattke, 1991c: 6 (in key); Bolton, 1995b: 62; Lacau & Delabie, 2002: 41 (in key).

Distribution: Chile.

mystriops. *Amblyopone mystriops* Brown, 1960a: 185, fig. 19 (q.) GUATEMALA.

Type-material: holotype queen.

Type-locality: Guatemala: Los Amates (*Kellerman*).

Type-depository: MCZC.

Lattke, 1991c: 5 (w.).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19; combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Brown, 1960a: 191 (in key); Kempf, 1972a: 20; Lattke, 1991c: 5; Bolton, 1995b: 62; Lacau & Delabie, 2002: 40 (in key); Arias-Penna, 2008a: 46; Branstetter & Sáenz, 2012: 253; Feitosa, 2015c: 97; Fernández, Delsinne & Arias-Penna, 2019: 505.

Distribution: Colombia, Costa Rica, Guatemala, Venezuela.

orizabana. *Amblyopone orizabana* Brown, 1960a: 190 (w.) MEXICO (Veracruz).

Type-material: holotype worker.

Type-locality: Mexico: Veracruz, Pico Orizaba, 24.viii.1953 (*E.O. Wilson*).

Type-depository: MCZC.

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19; combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Kempf, 1972a: 20; Lattke, 1991c: 5; Bolton, 1995b: 62; Lacau & Delabie, 2002: 41 (in key); Arias-Penna, 2008a: 47; Branstetter & Sáenz, 2012: 253; Fernández, Delsinne & Arias-Penna, 2019: 505.

Senior synonym of *tropicalis*: Lattke, 1991c: 5; Bolton, 1995b: 62.

Distribution: Colombia, Costa Rica, El Salvador, Mexico, Panama.

***papuana*.** *Amblyopone papuana* Taylor, 1979: 828, figs. 5-8 (w.q.) NEW GUINEA (Papua New Guinea).

Type-material: holotype worker, 29 paratype worker, 1 paratype queen.

Type-locality: holotype Papua New Guinea: Morobe Dist., Bulolo, 15.ix.1970 (*B.B. Lowery*); paratypes: 28 workers, 1 queen with same data, 1 worker Papua New Guinea: Northern Dist., Kokoda, 44.v.1973 (*P.M. Room*).

Type-depositories: ANIC (holotype); ANIC, BMNH, BPBM, DASF, MCZC, MHNG, ZMUC (paratypes).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Bolton, 1995b: 62; Xu & Chu, 2012: 1183 (in key).

Distribution: Papua New Guinea.

***paranense*.** *Stigmatomma (Fulakora) elongatum* var. *paranense* Santschi, 1925b: 6 (w.) BRAZIL (Paraná).

Type-material: holotype worker.

Type-locality: Brazil: Paraná, Rio Negro (*Reichensperger*).

Type-depository: NHMB.

Junior synonym of *elongata*: Borgmeier, 1957: 110; Brown, 1960a: 168; Bolton, 1995b: 62.

***punctulata*.** *Amblyopone (Fulakora) punctulata* Clark, 1934b: 28, pl. 2, figs. 9, 10 (w.q.) AUSTRALIA (Tasmania).

Type-material: syntype workers, syntype ergatoid queens (numbers not stated).

Type-locality: Australia: Tasmania, Trevallyn (*V.V. Hickman*).

Type-depository: MVMA.

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Brown, 1960a: 169; Taylor & Brown, 1985: 20; Taylor, 1987a: 6; Bolton, 1995b: 62.

Distribution: Australia.

***saundersi*.** *Amblyopone saundersi* Forel, 1892c: 336 (q.) NEW ZEALAND (North I.).

Type-material: holotype queen.

Type-locality: New Zealand: (no further data) (*Brown*).

Type-depository: MHNG.

Clark, 1928a: 36 (w.).

Combination in *Stigmatomma*: Emery, in Dalla Torre, 1893: 15; Yoshimura & Fisher, 2012a: 19;

combination in *Stigmatomma (Fulakora)*: Mann, 1919: 279;

combination in *Amblyopone*: Brown, 1958h: 15;

combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Dalla Torre, 1893: 15; Forel, 1905a: 354; Emery, 1911d: 25; Clark, 1928a: 36; Wheeler, W.M. 1935g: 8; Brown, 1958h: 15 (redescription); Brown, 1960a: 169, 209; Wilson & Taylor, 1967: 102; Taylor, 1987a: 7; Bolton, 1995b: 63; Don, 2007: 54.

Distribution: New Zealand.

***smithi*.** *Amblyopone smithi* Brown, 1960a: 211, fig. 40 (w.) AUSTRALIA (South Australia).

Type-material: holotype worker, 1 paratype worker.

Type-locality: holotype Australia: South Australia, Lofty Ranges, nr Mt Lofty, ca 550 m., 8.xii.1950 (*W.L. Brown*); paratype with same data.

Type-depositories: MCZC (holotype); unknown (paratype).

[Note: Brown, 1960a: 212 says the paratype “to be deposited in a major Australian collection”; presently unknown.]

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Taylor & Brown, 1985: 20; Taylor, 1987a: 6; Bolton, 1995b: 63.
tropicalis. *Amblyopone tropicalis* Brown, 1962a: 73 (w.q.) PANAMA (Barro Colorado I.).

Type-material: holotype worker, 1 paratype queen.

Type-locality: holotype Panama: Canal Zone, Barro Colorado I., 6.i.1960 (*W.L. Brown*); paratype with same data.

Type-depository: MCZC.

Status as species: Kempf, 1972a: 20.

Junior synonym of *orizabana*: Lattke, 1991c: 5; Bolton, 1995b: 63.

wilsoni. *Amblyopone wilsoni* Clark, 1928a: 34, pl.1, figs. 16-19 (w.) AUSTRALIA (New South Wales).

Type-material: holotype (?) worker.

[Note: no indication of number of specimens is given.]

Type-locality: Australia: New South Wales, Barrington Tops (*F.E. Wilson*).

Type-depository: MVMA.

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;
combination in *Fulakora*: Ward & Fisher, 2016: 691.

Status as species: Brown, 1960a: 169; Taylor & Brown, 1985: 20; Taylor, 1987a: 6;
Bolton, 1995b: 63.

Distribution: Australia.