

## AZTECA

**adrepens.** *Azteca adrepens* Forel, 1911e: 284 (w.) PARAGUAY.

**Status as species:** Emery, 1913a: 31; Kempf, 1972a: 29; Shattuck, 1994: 10; Bolton, 1995b: 78; Wild, 2007b: 23.

**aequalis.** *Azteca alfari* var. *aequalis* Forel, 1906d: 239 (w.) BRAZIL (Pará).

Forel, 1908c: 387 (q.m.).

Subspecies of *alfari*: Forel, 1908c: 386; Forel, 1912h: 51; Emery, 1913a: 31; Borgmeier, 1923: 88; Wheeler, W.M. 1942: 216; Kempf, 1972a: 29.

Junior synonym of *ovaticeps*: Longino, 1989: 8; Brandão, 1991: 329; Bolton, 1995b: 78; Longino, 2007: 42.

**aequilata.** *Azteca alfari* var. *aequilata* Forel, 1904e: 691 (w.q.m.) BRAZIL (Amazonas).

Subspecies of *alfari*: Forel, 1906d: 239; Emery, 1913a: 31; Borgmeier, 1923: 89; Wheeler, W.M. 1942: 217; Kempf, 1972a: 29.

Junior synonym of *ovaticeps*: Longino, 1989: 8; Brandão, 1991: 329; Bolton, 1995b: 78; Longino, 2007: 42.

**aesopus.** *Azteca aesopus* Forel, 1908c: 392 (s.w.) BRAZIL (São Paulo).

**Status as species:** Emery, 1913a: 31; Luederwaldt, 1918: 47; Borgmeier, 1923: 88; Kempf, 1972a: 29; Shattuck, 1994: 11; Bolton, 1995b: 78.

**alfari.** *Azteca alfari* Emery, 1893b: 138, pl. 2, figs. 48, 49 (s.w.) COSTA RICA.

[Misspelled as *alfaroi* by Emery, 1896c: 4, Forel, 1899c: 112, many others; misspelled as *alforoi* by Forel, 1908e: 63.]

Emery, 1896c: 3 (q.); Wheeler, G.C. & Wheeler, J. 1951: 192 (l.).

**Status as species:** Emery, 1896c: 4; Forel, 1903c: 259; Forel, 1905b: 159; Forel, 1909a: 250; Emery, 1913a: 31; Stitz, 1913: 212; Mann, 1916: 471; Wheeler, W.M. 1922c: 14; Mann, 1922: 51; Borgmeier, 1923: 88; Menozzi, 1927c: 268; Wheeler, W.M. & Darlington, 1930: 114; Santschi, 1939f: 166; Wheeler, W.M. 1942: 215; Kempf, 1972a: 29; Longino, 1989: 5 (redescription); Brandão, 1991: 329; Longino, 1991: 1575; Shattuck, 1994: 11; Bolton, 1995b: 78; Wild, 2007b: 24; Longino, 2007: 15 (redescription); Branstetter & Sáenz, 2012: 253; Bezděcková, et al. 2015: 107; Guerrero, 2019: 705.

**Senior synonym of argentina:** Longino, 1989: 7; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

**Senior synonym of bicolor:** Longino, 1991: 1575; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

**Senior synonym of breviscapa:** Longino, 1989: 7; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

**Senior synonym of cecropiae:** Longino, 1989: 5; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

**Senior synonym of curtiscapa:** Longino, 1989: 7; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

**Senior synonym of fumaticeps:** Longino, 1989: 7; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

**Senior synonym of langi:** Longino, 1989: 7; Brandão, 1991: 329; Shattuck, 1994: 12; Bolton, 1995b: 78; Longino, 2007: 15.

**Senior synonym of lucidula:** Longino, 1989: 5; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

**Senior synonym of *lynchi*:** Longino, 1989: 7; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

**Senior synonym of *mixta*:** Longino, 1989: 6; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

**Senior synonym of *virens*:** Longino, 1989: 5; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

Material of the unavailable name *zonalis* referred here by Longino, 1989: 7; Brandão, 1991: 329; Shattuck, 1994: 12; Bolton, 1995b: 78; Longino, 2007: 15.

*alfaroi*, misspelling, see under *alfari*.

\****alpha***. \**Azteca alpha* Wilson, 1985c: 58, figs. 5-8 (w.q.m.) DOMINICAN AMBER (Dominican Republic, Miocene).

**Status as species:** Brandão, 1991: 329; Shattuck, 1994: 12; Bolton, 1995b: 78.

***andreae***. *Azteca andreae* Guerrero, *et al.* 2010: 54, figs. 1-2 (w.q.m.) FRENCH GUIANA.

***angusticeps***. *Azteca angusticeps* Emery, 1893b: 144, pl. 2, figs. 66-71 (s.w.q.) BRAZIL (Amazonas).

**Status as species:** Forel, 1895b: 109; Emery, 1913a: 32; Mann, 1916: 471; Borgmeier, 1923: 89; Wheeler, W.M. 1942: 224; Kempf, 1972a: 30; Shattuck, 1994: 12; Bolton, 1995b: 78.

***antillana***. *Azteca delpini* r. *antillana* Forel, 1899c: 111 (w.) ST LUCIA.

**Subspecies of *delpini*:** Wheeler, W.M. 1905b: 131; Forel, 1912h: 50; Emery, 1913a: 32; Wheeler, W.M. 1913d: 243; Kempf, 1972a: 31; Shattuck, 1994: 16; Bolton, 1995b: 78; Guerrero, 2019: 705.

***aragua***. *Azteca aragua* Longino, 1991: 1575, figs. 11, 31, 45 (q.) VENEZUELA.

**Status as species:** Shattuck, 1994: 12; Bolton, 1995b: 78.

***argentina***. *Azteca alfari* var. *argentina* Forel, 1914d: 287 (w.) ARGENTINA (Misiones) (date of publication (31).xii.1914).

Gallardo, 1916a: 115 (q.).

Subspecies of *alfari*: Gallardo, 1916a: 114; Kempf, 1972a: 29.

Junior synonym of *lynchi*: Bruch, 1915: 534; Gallardo, 1915: 20.

Junior synonym of *alfari*: Longino, 1989: 5; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 79; Longino, 2007: 15.

***aurita***. *Azteca aurita* Emery, 1893b: 146, pl. 2, figs. 85, 86 (q.) BRAZIL (Pará).

Longino, 2007: 55 (w.).

**Status as species:** Forel, 1895b: 109; Forel, 1899c: 115; Forel, 1901h: 65; Forel, 1906d: 237; Emery, 1913a: 32; Mann, 1916: 470; Borgmeier, 1923: 89; Kempf, 1972a: 30; Shattuck, 1994: 12; Bolton, 1995b: 78; Longino, 2007: 55 (redescription); Guerrero, *et al.* 2010: 53 (in key); Bezděčková, *et al.* 2015: 107; Guerrero, 2019: 705.

**Senior synonym of *silvae*:** Longino, 2007: 55.

***australis***. *Azteca xanthochroa* subsp. *australis* Wheeler, W.M. 1942: 249 (q.) PERU.

Longino, 1991: 1582 (w.).

**Subspecies of *xanthochroa*:** Kempf, 1972a: 36.

**Status as species:** Longino, 1991: 1578 (redescription); Shattuck, 1994: 13; Bolton, 1995b: 78; Bezděčková, *et al.* 2015: 107.

***bahiana***. *Azteca polymorpha* var. *bahiana* Forel, 1912h: 56 (w.) BRAZIL (Bahia).

**Subspecies of *polymorpha*:** Borgmeier, 1923: 95; Kempf, 1972a: 34; Shattuck, 1994: 24; Bolton, 1995b: 78.

**barbifex**. *Azteca barbifex* Forel, 1906d: 242 (s.w.q.) BRAZIL (Maranhão).

**Status as species**: Emery, 1913a: 32; Mann, 1916: 471; Wheeler, W.M. 1916d: 330; Wheeler, W.M. 1922c: 14; Borgmeier, 1923: 90; Kempf, 1972a: 30; Shattuck, 1994: 13; Bolton, 1995b: 78.

**beltii**. *Azteca bicolor* r. *beltii* Emery, 1893b: 142, pl. 2, figs. 61-63 (s.w.) COSTA RICA, MEXICO (no state data).

**Subspecies of bicolor**: Forel, 1899c: 120; Emery, 1913a: 32; Wheeler, W.M. 1922c: 14; Kempf, 1972a: 30; Brandão, 1991: 329; Shattuck, 1994: 13; Bolton, 1995b: 78.

**Status as species**: Longino, 1996: 136; Longino, 2007: 21 (redescription); Branstetter & Sáenz, 2012: 253.

**Senior synonym of laeta**: Longino, 1996: 136; Longino, 2007: 21.

**Senior synonym of stolli**: Longino, 1996: 136; Longino, 2007: 21.

**bequaerti**. *Azteca bequaerti* Wheeler, W.M. & Bequaert, 1929: 35 (w.q.) BRAZIL (“Vista Alegre”, Pará).

[Note: type-locality of Vista Alegre is a name which applies to localities in the Brazilian states of Minas Gerais, Rio de Janeiro, São Paulo, and Paraná.]

**Status as species**: Kempf, 1972a: 30; Shattuck, 1994: 13; Bolton, 1995b: 78; Bezděčková, et al. 2015: 107.

**bicolor**. *Azteca bicolor* Emery, 1893b: 141, pl. 2, figs. 54-60 (s.w.q.) PARAGUAY, BRAZIL (Mato Grosso).

**Status as species**: Forel, 1895b: 109; Forel, 1899c: 119; Emery, 1913a: 32; Wheeler, W.M. 1922c: 14; Borgmeier, 1923: 90; Wheeler, W.M. 1942: 225; Kempf, 1972a: 30.

**Junior synonym of alafari**: Longino, 1991: 1575; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

**boliviana**. *Azteca brevicornis* var. *boliviana* Wheeler, W.M. & Mann, in Wheeler, W.M. 1942: 225 (w.) BOLIVIA.

**Subspecies of brevicornis**: Kempf, 1972a: 30; Shattuck, 1994: 13; Bolton, 1995b: 78.

**bondari**. *Azteca paraensis* var. *bondari* Borgmeier, 1937b: 250 (w.q.) BRAZIL (Bahia).

**Subspecies of paraensis**: Kempf, 1972a: 34; Shattuck, 1994: 24; Bolton, 1995b: 78.

**brevicornis**. *Liometopum brevicorne* Mayr, 1878: 870 (w.) BRAZIL (Amazonas; “Nord-Brasilien in der Umgegend des Amazonenstromes”).

Combination in *Azteca*: Emery, 1893b: 145; Emery, in Dalla Torre, 1893: 163.

**Status as species**: Emery, 1893b: 145 (redescription); Dalla Torre, 1893: 163; Forel, 1895b: 108; Emery, 1913a: 32; Stitz, 1913: 212; Borgmeier, 1923: 90; Wheeler, W.M. 1942: 225; Kempf, 1972a: 30; Brandão, 1991: 330; Shattuck, 1994: 13; Bolton, 1995b: 78.

Current subspecies: nominal plus *boliviana*.

**brevis**. *Azteca brevis* Forel, 1899c: 121, pl. 4, fig. 17 (s.w.) COSTA RICA.

Longino, 2007: 22 (q.).

**Status as species**: Emery, 1913a: 32; Kempf, 1972a: 30; Shattuck, 1994: 13; Bolton, 1995b: 78; Longino, 2007: 22 (redescription).

**breviscapa**. *Azteca foreli* r. *breviscapa* Forel, 1912h: 51.

[First available use of *Azteca foreli* r. *championi* var. *breviscapa* Forel, 1899c: 112 (w.) COSTA RICA; unavailable (infrasubspecific) name.]

As unavailable (infrasubspecific) name: Emery, 1913a: 33; Wheeler, W.M. 1942: 228.

Subspecies of *forelii*: Kempf, 1972a: 32.

Junior synonym of *alfari*: Longino, 1989: 5; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

*brunni*. *Azteca muelleri* var. *brunni* Forel, 1909a: 251 (w.) EL SALVADOR.

Subspecies of *muelleri*: Emery, 1913a: 33; Kempf, 1972a: 33.

Junior synonym of *muelleri*: Longino, 1991: 1591; Bolton, 1995b: 78.

*cayennensis*. *Azteca gnava* r. *cayennensis* Forel, 1912h: 49 (w.) FRENCH GUIANA.

Subspecies of *gnava*: Kempf, 1972a: 32; Shattuck, 1994: 18; Bolton, 1995b: 78.

*cearensis*. *Azteca chartifex* r. *cearensis* Forel, 1903c: 259 (w.) BRAZIL (Ceará).

[Also described as new by Forel, 1908e: 63.]

Subspecies of *chartifex*: Emery, 1913a: 32; Borgmeier, 1923: 90; Kempf, 1972a: 30; Shattuck, 1994: 14; Bolton, 1995b: 78.

*cecropiae*. *Azteca alfari* r. *cecropiae* Forel, 1906d: 240 (w.) BRAZIL (Amazonas).

Forel, 1908c: 387 (q.m.).

Subspecies of *alfari*: Forel, 1912h: 51; Emery, 1913a: 31; Stitz, 1913: 212; Borgmeier, 1923: 89; Wheeler, W.M. & Bequaert, 1929: 33; Wheeler, W.M. 1942: 221; Kempf, 1972a: 29.

Junior synonym of *alfari*: Longino, 1989: 5; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

*championi*. *Azteca foreli* r. *championi* Forel, 1899c: 112 (w.) COLOMBIA.

Subspecies of *forelii*: Forel, 1912h: 50; Wheeler, W.M. 1942: 228; Kempf, 1972a: 32; Shattuck, 1994: 17; Bolton, 1995b: 78.

Junior synonym of *forelii*: Longino, 2007: 32.

*chartifex*. *Azteca chartifex* Forel, in Emery, 1896c: 4 (footnote), fig. 5 (w.) TRINIDAD.

Status as species: Forel, 1899c: 117; Wheeler, W.M. 1905b: 131; Emery, 1913a: 32; Wheeler, W.M. 1916d: 330; Mann, 1916: 472; Wheeler, W.M. 1922c: 14; Kempf, 1972a: 30; Shattuck, 1994: 14; Bolton, 1995b: 78; Longino, 2007: 23 (redescription); Guénard & Economo, 2015: 226.

Senior synonym of *laticeps*: Longino, 2007: 23.

Current subspecies: nominal plus *cearensis*, *decipiens*, *lanians*, *multinida*, *spiriti*, *stalactitica*.

*christopherseni*. *Azteca christopherseni* Forel, 1912h: 52 (w.) PANAMA.

Status as species: Kempf, 1972a: 30; Shattuck, 1994: 15; Bolton, 1995b: 78.

*clariceps*. *Azteca lanuginosa* var. *clariceps* Santschi, 1933e: 121 (w.) ARGENTINA (Formosa; "Pilcomayo, Tacaaglé").

Subspecies of *lanuginosa*: Kempf, 1972a: 33; Brandão, 1991: 329; Shattuck, 1994: 20; Bolton, 1995b: 78.

Junior synonym of *schimperi*: Longino, 2007: 58.

*coeruleipennis*. *Azteca coeruleipennis* Emery, 1893b: 130, pl. 1, figs. 1-11 (w.q.m.) COSTA RICA.

Status as species: Emery, 1896c: 1; Forel, 1899c: 110; Forel, 1912h: 50; Emery, 1913a: 32; Stitz, 1937: 135; Wheeler, W.M. 1942: 225; Kempf, 1972a: 30; Brandão, 1991: 329; Longino, 1991: 1583 (redescription); Shattuck, 1994: 15; Bolton, 1995b: 78; Longino, 2007: 25 (redescription); Branstetter & Sáenz, 2012: 253.

*columbica*. *Azteca tonduzi* var. *columbica* Forel, 1912h: 51 (w.) COLOMBIA.

Subspecies of *tonduzi*: Kempf, 1972a: 35; Shattuck, 1994: 26; Bolton, 1995b: 78.

Junior synonym of *jelskii*: Longino, 2007: 60.

**constructor.** *Azteca constructor* Emery, 1896c: 2, figs. 2a-e, 3 (w.q.m.) COSTA RICA.

**Status as species:** Forel, 1899c: 110; Forel, 1912h: 50; Emery, 1913a: 32; Wheeler, W.M. 1922c: 14; Wheeler, W.M. 1942: 225; Kempf, 1972a: 31; Brandão, 1991: 329; Longino, 1991: 1585 (redescription); Shattuck, 1994: 15; Bolton, 1995b: 78; Longino, 2007: 26 (redescription); Branstetter & Sáenz, 2012: 253; Guerrero, 2019: 705.

**Senior synonym of emmae:** Longino, 1991: 1585; Shattuck, 1994: 15; Bolton, 1995b: 78; Longino, 2007: 26.

**Senior synonym of guianae:** Longino, 1991: 1585; Shattuck, 1994: 15; Bolton, 1995b: 78; Longino, 2007: 26.

**cordiae.** *Azteca ulei* var. *cordiae* Forel, 1904e: 695 (s.w.) BRAZIL (Amazonas).

Wheeler, W.M. & Bequaert, 1929: 35 (q.).

**Subspecies of ulei:** Emery, 1913a: 35; Borgmeier, 1923: 97; Wheeler, W.M. & Bequaert, 1929: 35; Wheeler, W.M. 1942: 245; Kempf, 1972a: 35; Shattuck, 1994: 28; Bolton, 1995b: 78.

**cordincola.** *Azteca longiceps* r. *cordincola* Forel, 1921a: 203 (w.) BOLIVIA. Wheeler, W.M. 1942: 232 (s.q.).

**Subspecies of longiceps:** Wheeler, W.M. 1942: 232 (redescription); Kempf, 1972a: 33; Shattuck, 1994: 21; Bolton, 1995b: 78.

**Status as species:** Longino, 1996: 138.

**costaricensis.** *Azteca xanthochroa* var. *costaricensis* Wheeler, W.M. 1942: 248 (w.) COSTA RICA.

Subspecies of *xanthochroa*: Kempf, 1972a: 36.

Junior synonym of *xanthochroa*: Longino, 1991: 1594; Shattuck, 1994: 29; Bolton, 1995b: 78; Longino, 2007: 53.

**coussapoae.** *Azteca coussapoae* Forel, 1904e: 700 (w.) BRAZIL (Amazonas).

**Status as species:** Emery, 1913a: 32; Borgmeier, 1923: 91; Wheeler, W.M. 1942: 226; Kempf, 1972a: 31; Shattuck, 1994: 15; Bolton, 1995b: 78.

**crassicornis.** *Azteca crassicornis* Emery, 1893b: 147 (q.) BRAZIL (Pará).

**Status as species:** Forel, 1895b: 109; Emery, 1913a: 32; Borgmeier, 1923: 91; Kempf, 1972a: 31; Shattuck, 1994: 15; Bolton, 1995b: 78.

**croceiscapa.** *Azteca goeldii* st. *croceiscapa* Forel, 1915c: 361 (w.) BRAZIL (São Paulo) (attributed to Emery).

**Subspecies of goeldii:** Borgmeier, 1923: 92.

[Note: *croceiscapa* is given as *nomen nudum* in Shattuck, 1994: 30, Bolton, 1995b: 78, but original description contains an indication.]

**curtiscapa.** *Azteca alfari* var. *curtiscapa* Forel, 1912h: 51 (w.q.) PANAMA, COSTA RICA.

Subspecies of *alfari*: Wheeler, W.M. 1942: 217; Kempf, 1972a: 29.

Junior synonym of *alfari*: Longino, 1989: 5; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

**decipiens.** *Azteca chartifex* r. *decipiens* Forel, 1906d: 236 (w.) BRAZIL (Amazonas).

[First available use of *Azteca chartifex* r. *laticeps* var. *decipiens* Forel, 1904c: 44 (w.) BRAZIL (Pará); unavailable (infrasubspecific) name.]

**Subspecies of chartifex:** Emery, 1913a: 32; Wheeler, W.M. 1916d: 330; Wheeler, W.M. 1922c: 14; Borgmeier, 1923: 90; Kempf, 1972a: 30; Shattuck, 1994: 14; Bolton, 1995b: 78.

**delini**, misspelling, see under *delpini*.

**delpini.** *Azteca delpini* Emery, 1893b: 133, pl. 1, figs. 30-32 (s.w.) BRAZIL (Mato Grosso).

[Misspelled as *delpinoi* by Emery, 1906c: 174, Forel, 1912h: 50; misspelled as *delini* by Wheeler, W.M. 1913d: 243.]

**Status as species:** Forel, 1895b: 108; Forel, 1899c: 110; Emery, 1906c: 174; Forel, 1908c: 391; Forel, 1912h: 50; Emery, 1913a: 32; Wheeler, W.M. 1913d: 243; Luederwaldt, 1918: 47; Wheeler, W.M. 1922c: 13; Borgmeier, 1923: 91; Borgmeier, 1934: 109; Wheeler, W.M. 1942: 226; Kempf, 1972a: 31; Shattuck, 1994: 16; Bolton, 1995b: 78.

Current subspecies: nominal plus *antillana*, *trinidadensis*.

***depilis***. *Azteca depilis* Emery, 1893b: 139, pl. 2, figs. 37-42 (s.w.q.m.) BRAZIL (Amazonas).

[*Azteca depilis* Schumann, 1888: 417. *Nomen nudum*.]

**Status as species:** Forel, 1895b: 109; Emery, 1896c: 6; Emery, 1913a: 32; Borgmeier, 1923: 91; Wheeler, W.M. 1942: 227; Kempf, 1972a: 31; Shattuck, 1994: 16; Bolton, 1995b: 78; Bezděčková, et al. 2015: 107.

***diabolica***. *Azteca diabolica* Guerrero, et al. 2010: 56, fig. 6 (q.) PANAMA.

**Status as species:** Guerrero, 2019: 706.

***diegensis***. *Azteca delpini* r. *antillana* var. *diegensis* Forel, 1912h: 50 (w.) COLOMBIA; unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Kempf, 1972a: 31.

Declared as unavailable (infrasubspecific) name: Shattuck, 1994: 30.

***dominicensis***. *Azteca delphini* subsp. *antillana* var. *dominicensis* Wheeler, W.M. 1913d: 243 (w.) DOMINICAN REPUBLIC; unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Kempf, 1972a: 31.

Declared as unavailable (infrasubspecific) name: Shattuck, 1994: 30.

***dubia***. *Azteca schumanni* subsp. *dubia* Mann, 1916: 469, pl. 2, fig. 15 (s.w.m.) BRAZIL (Amazonas).

**Subspecies of *schumanni*:** Borgmeier, 1923: 95; Kempf, 1972a: 34; Shattuck, 1994: 25; Bolton, 1995b: 78.

***duckei***. *Azteca duckei* Forel, 1906d: 243, fig. 2 (s.w.q.) BRAZIL (Amazonas).

**Status as species:** Emery, 1913a: 32; Borgmeier, 1923: 92; Wheeler, W.M. 1942: 227; Kempf, 1972a: 31; Shattuck, 1994: 16; Bolton, 1995b: 78.

***duroiae***. *Azteca duroiae* Forel, 1904e: 697 (s.w.) BRAZIL (Amazonas).

Forel, 1906d: 242 (m.).

**Status as species:** Forel, 1906d: 241; Emery, 1913a: 32; Borgmeier, 1923: 92; Wheeler, W.M. 1942: 227; Kempf, 1972a: 31; Shattuck, 1994: 16; Bolton, 1995b: 78.

***eiseni***. *Azteca eiseni* Pergande, 1896: 868 (s.w.) MEXICO (Nayarit).

Subspecies of *forelii*: Forel, 1899c: 111; Emery, 1913a: 33; Kempf, 1972a: 32; Shattuck, 1994: 17; Bolton, 1995b: 78.

Junior synonym of *forelii*: Longino, 2007: 32.

***elatior***. *Azteca traili* r. *tococae* var. *elatior* Forel, 1906d: 239 (s.w.m.) BRAZIL (Maranhão); unavailable (infrasubspecific) name.

Wheeler, W.M. & Bequaert, 1929: 34 (q.).

As unavailable (infrasubspecific) name: Emery, 1913a: 34; Wheeler, W.M. & Bequaert, 1929: 33; Borgmeier, 1923: 96; Wheeler, W.M. 1942: 244; Kempf, 1972a: 35.

Declared as unavailable (infrasubspecific) name: Shattuck, 1994: 30.

***emarginatisquamis***. *Azteca pittieri* var. *emarginatisquamis* Forel, 1921a: 204 (w.) COSTA RICA.

Subspecies of *pittieri*: Wheeler, W.M. 1942: 238; Kempf, 1972a: 34; Shattuck, 1994: 24; Bolton, 1995b: 78.

Junior synonym of *pittieri*: Longino, 1996: 144; Longino, 2007: 42.

***emeryi***. *Azteca emeryi* Forel, 1904e: 698 (s.w.q.) BRAZIL (Amazonas).

**Status as species:** Emery, 1913a: 32; Borgmeier, 1923: 92; Wheeler, W.M. 1942: 227; Kempf, 1972a: 31; Shattuck, 1994: 16; Bolton, 1995b: 78; Bezděcková, et al. 2015: 108.

*emmae*. *Azteca emmae* Forel, 1904e: 702 (footnote) (s.w.q.m.) COSTA RICA.

Status as species: Forel, 1908b: 62; Emery, 1913a: 32; Kempf, 1972a: 31.

Junior synonym of *constructor*: Longino, 1991: 1585; Shattuck, 1994: 15; Bolton, 1995b: 78; Longino, 2007: 26.

**\**eumeces***. \**Azteca eumeces* Wilson, 1985c: 31, fig. 9 (w.) DOMINICAN AMBER (Dominican Republic, Miocene).

[Misspelled as *eumeneces* by Brandão, 1991: 329.]

**Status as species:** Brandão, 1991: 329; Shattuck, 1994: 17; Bolton, 1995b: 78.

***fasciata***. *Azteca fasciata* Emery, 1893b: 143, pl. 2, figs. 83, 84 (q.) BOLIVIA.

Emery, 1896c: 6 (w.).

**Status as species:** Emery, 1896c: 6; Forel, 1899c: 122; Emery, 1913a: 33; Mann, 1916: 472; Borgmeier, 1923: 92; Wheeler, W.M. 1942: 227; Kempf, 1972a: 31; Shattuck, 1994: 17; Bolton, 1995b: 78.

Current subspecies: nominal plus *similis*.

*fasciata*. *Azteca coeruleipennis* var. *fasciata* Pergande, 1896: 867 (s.w.) MEXICO (Nayarit).

[Junior primary homonym of *Azteca fasciata* Emery, 1893b: 867.]

**Replacement name:** *Azteca velox* Forel, 1899c: 108.

Subspecies of *coeruleipennis*: Shattuck, 1994: 15 (error).

***festai***. *Azteca festai* Emery, 1896b: 4, fig. 3 (w.) PANAMA.

Forel, 1899c: 118 (s.).

Status as species: Forel, 1899c: 118; Forel, 1908e: 63.

Junior synonym of *trigona*: Forel, 1906d: 237; Forel, 1907e: 8; Emery, 1913a: 34; Borgmeier, 1923: 96; Shattuck, 1994: 27; Bolton, 1995b: 78.

***fiebrigi***. *Azteca fiebrigi* Forel, 1909a: 261 (s.w.q.m.) PARAGUAY.

Status as species: Emery, 1913a: 33; Santschi, 1916e: 391; Kempf, 1972a: 31; Shattuck, 1994: 17; Bolton, 1995b: 78.

Junior synonym of *schimperi*: Longino, 2007: 58.

***filicis***. *Azteca traili* var. *filicis* Forel, 1904e: 692 (w.) PERU.

**Subspecies of *trailii*:** Emery, 1913a: 34; Kempf, 1972a: 35; Shattuck, 1994: 27; Bolton, 1995b: 78; Bezděcková, et al. 2015: 108.

***flavigaster***. *Azteca flavigaster* Longino, 2007: 30, figs. 3, 4A, 5, 6A, 6E, 6F, 8 (w.q.) COSTA RICA, PANAMA, ECUADOR.

**Status as species:** Bezděcková, et al. 2015: 108.

***forelii***. *Azteca forelii* Emery, 1893b: 137, pl. 2, figs. 50, 51 (s.w.) COSTA RICA.

Longino, 2007: 32 (q.).

**Status as species:** Forel, 1899c: 111; Wheeler, W.M. 1907a: 276; Emery, 1913a: 33; Wheeler, W.M. 1916d: 330; Wheeler, W.M. 1922c: 15; Wheeler, W.M. 1942: 228; Kempf, 1972a: 31; Shattuck, 1994: 17; Bolton, 1995b: 78; Longino, 2007: 32 (redescription); Branstetter & Sáenz, 2012: 253; Guerrero, 2019: 706.

Senior synonym of *championi*: Longino, 2007: 32.

**Senior synonym of *eiseni*:** Longino, 2007: 32.

**Senior synonym of *raptrix*:** Longino, 2007: 32.

**Senior synonym of *ursina*:** Longino, 2007: 32.

**Senior synonym of *xysticola*:** Longino, 2007: 32.

***foveiceps*.** *Azteca foveiceps* Wheeler, W.M. 1921f: 163, fig. 16 (w.q.m.) GUYANA.

**Status as species:** Wheeler, W.M. 1942: 229; Kempf, 1972a: 32; Shattuck, 1994: 18; Bolton, 1995b: 78.

***fumaticeps*.** *Azteca alfaroi* var. *fumaticeps* Forel, 1909a: 250 (w.) MEXICO (Chihuahua).

Wheeler, W.M. 1942: 218 (q.).

Subspecies of *alfari*: Emery, 1913a: 31; Wheeler, W.M. 1942: 218; Kempf, 1972a: 29.

Junior synonym of *alfari*: Longino, 1989: 5; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 78; Longino, 2007: 15.

***gagatina*.** *Azteca ulei* var. *gagatina* Wheeler, W.M. & Mann, in Wheeler, W.M. 1942: 246 (w.) BOLIVIA.

**Subspecies of *ulei*:** Kempf, 1972a: 35; Shattuck, 1994: 28; Bolton, 1995b: 78.

***gaigei*.** *Azteca trigona* r. *gaigei* Forel, 1914c: 618 (s.w.) COLOMBIA.

**Subspecies of *trigona*:** Kempf, 1972a: 35; Shattuck, 1994: 27; Bolton, 1995b: 78; Guerrero, 2019: 706.

***gibbifera*.** *Azteca ulei* var. *gibbifera* Forel, 1908c: 392 (w.) BRAZIL (São Paulo).

Subspecies of *ulei*: Emery, 1913a: 35; Luederwaldt, 1918: 47; Borgmeier, 1923: 97; Wheeler, W.M. 1942: 246; Kempf, 1972a: 35.

Junior synonym of *muelleri*: Longino, 1991: 1591; Bolton, 1995b: 78.

***gnava*.** *Azteca paraensis* r. *gnava* Forel, 1906d: 241 (s.w.) COSTA RICA.

Longino, 2007: 33 (q.).

**Subspecies of *paraensis*:** Forel, 1908b: 62.

**Status as species:** Forel, 1912h: 49; Kempf, 1972a: 32; Shattuck, 1994: 18; Bolton, 1995b: 78; Longino, 2007: 34 (redescription); Branstetter & Sáenz, 2012: 253.

**Senior synonym of *rossi*:** Longino, 2007: 34.

**Senior synonym of *surubrensis*:** Longino, 2007: 34.

Current subspecies: nominal plus *cayennensis*.

***godmani*.** *Azteca godmani* Forel, 1899c: 114 (q.) PANAMA.

**Status as species:** Emery, 1913a: 33; Kempf, 1972a: 32; Shattuck, 1994: 19; Bolton, 1995b: 78.

***goeldii*.** *Azteca goeldii* Forel, 1906d: 245 (s.w.) BRAZIL (Rio Grande do Sul, Maranhão; “Porto-Alegre, Purus supérieure, affluent de l’Amazone”).

**Status as species:** Emery, 1913a: 33; Luederwaldt, 1918: 47; Borgmeier, 1923: 92; Wheeler, W.M. 1942: 229; Kempf, 1972a: 32; Shattuck, 1994: 19; Bolton, 1995b: 78.

Current subspecies: nominal plus *croceiscapa*.

***guadeloupensis*.** *Azteca delphini* r. *antillana* var. *guadeloupensis* Forel, 1899c: 111 (w.) GUADELOUPE I.; unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Wheeler, W.M. 1905b: 131; Emery, 1913a: 32; Wheeler, W.M. 1913d: 243; Kempf, 1972a: 31.

Declared as unavailable (infrasubspecific) name: Shattuck, 1994: 30.

***guianae*.** *Azteca constructor* var. *guianae* Wheeler, W.M. 1942: 226 (w.q.) GUYANA.

Subspecies of *constructor*: Kempf, 1972a: 31.

Junior synonym of *constructor*: Longino, 1991: 1585; Shattuck, 1994: 15; Bolton, 1995b: 79; Longino, 2007: 26.

*heinii*. *Azteca alfaroi* var. *heinii* Menozzi, 1935b: 199. *Nomen nudum* (attributed to Forel).

*huberi*. *Azteca huberi* Forel, 1906d: 244 (s.w.) BRAZIL (Amazonas).

**Status as species:** Emery, 1913a: 33; Borgmeier, 1923: 92; Wheeler, W.M. 1942: 229; Kempf, 1972a: 32; Shattuck, 1994: 19; Bolton, 1995b: 79.

*hypophylla*. *Azteca hypophylla* Forel, 1899c: 120 (footnote) (s.w.) COLOMBIA.

**Status as species:** Emery, 1913a: 33; Wheeler, W.M. 1942: 229; Kempf, 1972a: 32; Shattuck, 1994: 19; Bolton, 1995b: 79; Guerrero, 2019: 706.

*iheringi*. *Azteca iheringi* Forel, 1915c: 359 (s.w.) BRAZIL (São Paulo).

[Misspelled as *jheringi* by Borgmeier, 1923: 93, and others.]

**Status as species:** Luederwaldt, 1918: 47; Borgmeier, 1923: 93; Kempf, 1972a: 32; Shattuck, 1994: 19; Bolton, 1995b: 79.

*instabilis*. *Tapinoma instabilis* Smith, F. 1862b: 31 (w.) PANAMA.

Emery, 1893b: 135 (s.); Emery, 1896b: 2 (q.); Wheeler, G.C. & Wheeler, J. 1951: 193 (l.).

Combination in *Liometopum*: Mayr, 1878: 870;

combination in *Azteca*: Emery, 1893b: 135.

**Status as species:** Roger, 1863b: 14; Mayr, 1863: 455; Mayr, 1878: 870; Forel, 1886a: 217; Dalla Torre, 1893: 163; Emery, 1893b: 135 (redescription); von Jhering, 1894: 379; Emery, 1896b: 2; Forel, 1899c: 107; Emery, 1906c: 174; Wheeler, W.M. 1907a: 275; Emery, 1913a: 33; Santschi, 1913h: 41; Wheeler, W.M. 1916c: 12; Crawley, 1916b: 375; Mann, 1922: 51; Borgmeier, 1923: 93; Menozzi, 1935b: 199; Wheeler, W.M. 1942: 229; Kempf, 1972a: 32; Shattuck, 1994: 19; Bolton, 1995b: 79; Longino, 2007: 35 (redescription); Branstetter & Sáenz, 2012: 253; Bezděcková, et al. 2015: 108; Guerrero, 2019: 706.

**Senior synonym of major:** Longino, 2007: 35.

*isthmica*. *Azteca xanthochroa* subsp. *isthmica* Wheeler, W.M. 1942: 249 (w.q.) PANAMA.

**Subspecies of xanthochroa:** Kempf, 1972a: 36; Brandão, 1991: 329.

**Status as species:** Longino, 1991: 1588 (redescription); Shattuck, 1994: 20; Bolton, 1995b: 79.

*janeirensis*. *Azteca muelleri* var. *janeirensis* Forel, 1912h: 48 (w.) BRAZIL (Rio de Janeiro), BOLIVIA.

Subspecies of *muelleri*: Borgmeier, 1923: 94; Kempf, 1972a: 33.

Junior synonym of *muelleri*: Longino, 1991: 1591; Bolton, 1995b: 79.

*jelskii*. *Azteca jelskii* Emery, 1893b: 138, pl. 2, figs. 52, 53 (s.w.) FRENCH GUIANA.

**Status as species:** Forel, 1912h: 51; Emery, 1913a: 33; Wheeler, W.M. 1916c: 12; Wheeler, W.M. 1922c: 15; Kempf, 1972a: 32; Shattuck, 1994: 20; Bolton, 1995b: 79; Longino, 2007: 60; Bezděcková, et al. 2015: 108; Guerrero, 2019: 706.

**Senior synonym of columbica:** Longino, 2007: 60.

*jheringi*, misspelling, see under *iheringi*.

*juruensis*. *Azteca longiceps* var. *juruensis* Forel, 1904e: 699 (s.w.q.m.) BRAZIL (Amazonas).

**Subspecies of longiceps:** Emery, 1913a: 33; Borgmeier, 1923: 93; Wheeler, W.M. 1942: 233 (redescription); Kempf, 1972a: 33; Shattuck, 1994: 21; Bolton, 1995b: 79.

**Status as species:** Longino, 1996: 138.

*lacrymosa*. *Azteca lacrymosa* Forel, 1899c: 116 (s.w.) COSTA RICA, COLOMBIA.

Junior synonym of *aurita*: Forel, 1906d: 237; Forel, 1912h: 54; Emery, 1913a: 32; Borgmeier, 1923: 89; Kempf, 1972a: 30; Shattuck, 1994: 12; Bolton, 1995b: 79.

Junior synonym of *pilosula*: Longino, 2007: 57.

*laeta*. *Azteca fasciata* subsp. *laeta* Wheeler, W.M. 1942: 227 (q.) PANAMA.

Subspecies of *fasciata*: Kempf, 1972a: 31; Shattuck, 1994: 17; Bolton, 1995b: 79.

Junior synonym of *beltii*: Longino, 1996: 136; Longino, 2007: 21.

*lallemandi*. *Azteca lallemandi* Forel, 1899c: 119 (footnote) (s.w.) COLOMBIA.

Longino, 2007: 56 (q.).

**Status as species**: Emery, 1913a: 33; Kempf, 1972a: 33; Shattuck, 1994: 20; Bolton, 1995b: 79; Longino, 2007: 56 (redescription); Guerrero, *et al.* 2010: 53 (in key); Guerrero, 2019: 706.

**Senior synonym of pruinosa**: Longino, 2007: 56.

*langi*. *Azteca alfari* var. *langi* Wheeler, W.M. 1942: 218 (w.q.m.) GUYANA.

Subspecies of *alfari*: Kempf, 1972a: 29.

Junior synonym of *alfari*: Longino, 1989: 5; Brandão, 1991: 329; Shattuck, 1994: 12; Bolton, 1995b: 79; Longino, 2007: 15.

*lanians*. *Azteca chartifex* subsp. *lanians* Emery, 1913a: 32.

[First available use of *Azteca chartifex* r. *decipiens* var. *lanians* Forel, 1906d: 237 (s.w.) BRAZIL (Pará); unavailable (infrasubspecific) name.]

As unavailable (infrasubspecific) name: Wheeler, W.M. 1916d: 330; Wheeler, W.M. 1922c: 14; Kempf, 1972a: 30.

**Subspecies of chartifex**: Borgmeier, 1923: 91; Shattuck, 1994: 14; Bolton, 1995b: 79.

*lanuginosa*. *Azteca lanuginosa* Emery, 1893b: 141, pl. 2, fig. 47 (w.) BRAZIL (Santa Catarina).

Forel, 1908c: 389 (q.m.).

**Status as species**: Forel, 1895b: 109; Forel, 1908c: 389; Emery, 1913a: 33; Mann, 1916: 472; Luederwaldt, 1918: 47; Borgmeier, 1923: 93; Wheeler, W.M. 1942: 229; Kempf, 1972a: 33; Shattuck, 1994: 20; Bolton, 1995b: 79; Longino, 2007: 56 (redescription); Guerrero, *et al.* 2010: 54 (in key).

*laticeps*. *Azteca chartifex* r. *laticeps* Forel, 1899c: 117 (w.) COSTA RICA, PANAMA.

Subspecies of *chartifex*: Forel, 1906d: 236; Forel, 1912h: 52; Emery, 1913a: 32; Crawley, 1916b: 375; Borgmeier, 1923: 91; Menozzi, 1935b: 199; Kempf, 1972a: 30; Shattuck, 1994: 14; Bolton, 1995b: 79.

Junior synonym of *chartifex*: Longino, 2007: 23.

*lattke*. *Azteca lattke* Longino, 1991: 1588, figs. 17, 32, 45 (w.) VENEZUELA.

**Status as species**: Shattuck, 1994: 20; Bolton, 1995b: 79.

*laurae*. *Azteca laurae* Guerrero, *et al.* 2010: 58, fig. 7 (q.) BRAZIL (Rondônia).

*linamariae*. *Azteca linamariae* Guerrero, *et al.* 2010: 59, fig. 9 (q.) COLOMBIA, BRAZIL (Rondônia).

**Status as species**: Guerrero, 2019: 706.

*longiceps*. *Azteca longiceps* Emery, 1893b: 144, pl. 2, figs. 64, 65 (q.) COSTA RICA.

Wheeler, W.M. 1942: 230 (s.w.m.); Wheeler, G.C. & Wheeler, J. 1951: 193 (l.).

**Status as species**: Forel, 1899c: 119; Emery, 1913a: 33; Wheeler, W.M. 1942: 230 (redescription); Kempf, 1972a: 33; Shattuck, 1994: 21; Bolton, 1995b: 79; Longino, 1996: 138; Longino, 2007: 37 (redescription); Branstetter & Sáenz, 2012: 253.

**Senior synonym of prorsa**: Longino, 2007: 37.

*lucida*. *Azteca alfaroi* r. *lucida* Forel, 1899c: 113 (s.w.) GUATEMALA.

**Subspecies of *alfari*:** Emery, 1913a: 31; Wheeler, W.M. 1942: 223; Kempf, 1972a: 29.

**Status as species:** Forel, 1912h: 51; Longino, 1989: 13; Brandão, 1991: 329; Shattuck, 1994: 21; Bolton, 1995b: 79; Branstetter & Sáenz, 2012: 253.

*lucidula*. *Azteca alfaroi* r. *lucidula* Forel, 1899c: 113 (w.q.m.) GUATEMALA, TRINIDAD.

Status as species: Forel, 1912h: 51; Borgmeier, 1923: 94.

**Subspecies of *alfari*:** Forel, 1901e: 367; Forel, 1901h: 65; Wheeler, W.M. 1905b: 131; Emery, 1913a: 31; Wheeler, W.M. 1922c: 14; Wheeler, W.M. 1942: 222; Kempf, 1972a: 29.

Junior synonym of *alfari*: Longino, 1989: 5; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 79; Longino, 2007: 15.

***luederwaldti*.** *Azteca luederwaldti* Forel, 1909a: 261 (s.w.) PARAGUAY.

[Misspelled as *luederwaldi* by Emery, 1913a: 33; misspelled as *leuderwaldti* by Wild, 2007b: 24.]

**Status as species:** Emery, 1913a: 33; Santschi, 1933e: 121; Wheeler, W.M. 1942: 235; Kempf, 1972a: 33; Shattuck, 1994: 22; Bolton, 1995b: 79; Wild, 2007b: 24.

*lynchi*. *Azteca lynchi* Brèthes, 1914a: 93 (w.) BOLIVIA (date of publication 12.v.1914).

Subspecies of *alfari*: Bruch, 1915: 534; Kempf, 1972a: 29.

Junior synonym of *alfari*: Longino, 1989: 5; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 79; Longino, 2007: 15.

*major*. *Azteca instabilis* var. *major* Forel, 1899c: 107 (w.) PANAMA, COLOMBIA, FRENCH GUIANA.

Subspecies of *instabilis*: Forel, 1912h: 47; Emery, 1913a: 33; Kempf, 1972a: 32; Shattuck, 1994: 19; Bolton, 1995b: 79.

Junior synonym of *instabilis*: Longino, 2007: 35.

***mathildae*.** *Azteca trigona* r. *mathildae* Forel, 1906d: 238 (s.w.) BRAZIL (Maranhão).

**Subspecies of *tonduzi*:** Wheeler, W.M. 1942: 245.

**Subspecies of *trigona*:** Emery, 1913a: 34; Mann, 1916: 471; Wheeler, W.M. 1922c: 15; Borgmeier, 1923: 96; Wheeler, W.M. 1923a: 4; Kempf, 1972a: 35; Shattuck, 1994: 27; Bolton, 1995b: 79.

***mayrii*.** *Azteca mayrii* Emery, 1893b: 143, pl. 2, figs. 81, 82 (q.) BRAZIL (Santa Catarina).

**Status as species:** Forel, 1895b: 109; Emery, 1913a: 33; Borgmeier, 1923: 94; Kempf, 1972a: 33; Shattuck, 1994: 22; Bolton, 1995b: 79.

***mediops*.** *Azteca festai* r. *mediops* Forel, 1904c: 43 (w.) BRAZIL (Ceará).

**Subspecies of *tonduzi*:** Wheeler, W.M. 1942: 245.

**Subspecies of *trigona*:** Forel, 1906d: 237; Emery, 1913a: 34; Wheeler, W.M. 1916d: 330; Wheeler, W.M. 1922c: 15; Borgmeier, 1923: 96; Kempf, 1972a: 35; Shattuck, 1994: 28; Bolton, 1995b: 79.

***menceps*.** *Azteca theresiae* var. *menceps* Forel, 1912h: 54 (w.) PANAMA.

Wheeler, W.M. 1942: 240 (s.q.m.).

**Subspecies of *theresiae*:** Wheeler, W.M. 1942: 240; Kempf, 1972a: 34; Shattuck, 1994: 26; Bolton, 1995b: 79.

***merida*.** *Azteca merida* Longino, 1991: 1589, figs. 13, 14, 30, 45 (w.q.) VENEZUELA.

**Status as species:** Shattuck, 1994: 22; Bolton, 1995b: 79.

*mexicana*. *Azteca instabilis* var. *mexicana* Emery, 1896b: 3 (in text) (w.) MEXICO (no state data).

Subspecies of *instabilis*: Forel, 1899c: 107; Emery, 1913a: 33; Mann, 1922: 51; Kempf, 1972a: 32; Shattuck, 1994: 20; Bolton, 1995b: 79.

Junior synonym of *sericea*: Longino, 2007: 61.

**minor**. *Azteca minor* Forel, 1904e: 696 (w.q.) BRAZIL (Amazonas).

**Status as species**: Emery, 1913a: 33; Borgmeier, 1923: 94; Kempf, 1972a: 33; Shattuck, 1994: 22; Bolton, 1995b: 79.

*mixta*. *Azteca alfari* var. *mixta* Forel, 1908c: 386 (w.q.m.) PARAGUAY, BRAZIL (São Paulo).

Subspecies of *alfari*: Emery, 1913a: 31; Borgmeier, 1923: 89; Wheeler, W.M. & Bequaert, 1929: 33; Wheeler, W.M. 1942: 219; Kempf, 1972a: 29.

Junior synonym of *alfari*: Longino, 1989: 5; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 79; Longino, 2007: 15.

**muelleri**. *Azteca muelleri* Emery, 1893b: 131, pl. 1, figs. 12-15 (s.w.q.) BRAZIL (Santa Catarina, Rio de Janeiro).

[*Azteca muelleri* Emery, in Dalla Torre, 1893: 164. *Nomen nudum*.]

**Status as species**: Forel, 1895b: 108; Forel, 1908c: 391; Emery, 1913a: 33; Stitz, 1913: 212; Mann, 1916: 470; Luederwaldt, 1918: 47; Borgmeier, 1923: 94; Eidmann, 1936b: 89; Borgmeier, 1937b: 251; Wheeler, W.M. 1942: 236; Kempf, 1972a: 33; Longino, 1991: 1591 (redescription); Shattuck, 1994: 22; Bolton, 1995b: 79; Bezděcková, et al. 2015: 108.

Senior synonym of *brunni*: Longino, 1991: 1591; Bolton, 1995b: 79.

Senior synonym of *gibbifera*: Longino, 1991: 1591; Bolton, 1995b: 79.

Senior synonym of *janeirensis*: Longino, 1991: 1591; Bolton, 1995b: 79.

Senior synonym of *nigella*: Wheeler, W.M. 1942: 236; Longino, 1991: 1591; Bolton, 1995b: 79.

Senior synonym of *nigridens*: Longino, 1991: 1591; Bolton, 1995b: 79.

Senior synonym of *wacketi*: Longino, 1991: 1591; Bolton, 1995b: 79.

Current subspecies: nominal plus *terminalis*.

**multinida**. *Azteca chartifex* r. *multinida* Forel, 1899c: 117 (footnote) (w.) COLOMBIA.

**Subspecies of chartifex**: Emery, 1913a: 32; Borgmeier, 1923: 91; Kempf, 1972a: 30; Shattuck, 1994: 14; Bolton, 1995b: 79; Guerrero, 2019: 705.

**nanogyna**. *Azteca nanogyna* Longino, 2007: 57, figs. 4A, 9 (q.) COSTA RICA.

**Status as species**: Guerrero, et al. 2010: 54 (in key).

*nigella*. *Azteca nigella* Emery, 1893b: 132, pl. 1, figs. 23, 24 (w.) BRAZIL (Santa Catarina).

Status as species: Forel, 1895b: 108; Forel, 1899c: 110.

Subspecies of *muelleri*: Emery, 1913a: 34; Luederwaldt, 1918: 47; Borgmeier, 1923: 94; Kempf, 1972a: 33.

Junior synonym of *muelleri*: Wheeler, W.M. 1942: 236; Longino, 1991: 1591; Bolton, 1995b: 79.

**nigra**. *Azteca velox* r. *nigra* Forel, 1912h: 48 (w.q.m.) PANAMA.

**Subspecies of velox**: Kempf, 1972a: 36; Shattuck, 1994: 29; Bolton, 1995b: 79.

**Status as species**: Longino, 2007: 38 (redescription).

**nigricans**. *Azteca fasciata* var. *nigricans* Forel, 1899c: 122 (q.) PANAMA.

Longino, 2007: 40 (w.).

**Subspecies of fasciata**: Emery, 1913a: 33; Kempf, 1972a: 31; Shattuck, 1994: 17; Bolton, 1995b: 79.

**Status as species:** Longino, 1996: 141; Longino, 2007: 40 (redescription); Branstetter & Sáenz, 2012: 253.

*nigricornis*. *Azteca ulei* r. *nigricornis* Forel, 1904e: 695 (s.w.) BRAZIL (Amazonas).

**Subspecies of ulei:** Forel, 1908c: 392; Emery, 1913a: 35; Luederwaldt, 1918: 48; Borgmeier, 1923: 97; Wheeler, W.M. 1942: 247; Kempf, 1972a: 35; Shattuck, 1994: 28; Bolton, 1995b: 79.

*nigridens*. *Azteca muelleri* var. *nigridens* Forel, 1908c: 392 (w.) BRAZIL (Rio de Janeiro).

Subspecies of *muelleri*: Emery, 1913a: 34; Borgmeier, 1923: 94; Kempf, 1972a: 33.

Junior synonym of *muelleri*: Longino, 1991: 1591; Bolton, 1995b: 79.

*nigriventris*. *Azteca velox* var. *nigriventris* Forel, 1899c: 109 (s.w.q.) COLOMBIA.

Subspecies of *velox*: Forel, 1906d: 241; Forel, 1908b: 62; Forel, 1908e: 63; Forel, 1912h: 48; Emery, 1913a: 35; Wheeler, W.M. 1916d: 330; Wheeler, W.M. 1922c: 15; Borgmeier, 1923: 97; Wheeler, W.M. 1942: 247; Kempf, 1972a: 36; Shattuck, 1994: 29; Bolton, 1995b: 79.

Junior synonym of *velox*: Longino, 2007: 50.

*oecocordia*. *Azteca oecocordia* Longino, 2007: 41, figs. 2, 4A, 4B, 5, 6D, 9 (w.q.) COSTA RICA.

*olitrix*. *Azteca olitrix* Forel, 1904e: 693 (w.q.) BRAZIL (Amazonas).

**Status as species:** Emery, 1913a: 34; Forel, 1921a: 203; Borgmeier, 1923: 95; Wheeler, W.M. 1942: 236; Kempf, 1972a: 34; Shattuck, 1994: 23; Bolton, 1995b: 79.

*ovaticeps*. *Azteca alfaroi* var. *ovaticeps* Forel, 1904c: 44 (w.q.) BRAZIL (Pará).

**Subspecies of alfaroi:** Forel, 1908c: 386; Emery, 1913a: 31; Crawley, 1916b: 375; Borgmeier, 1923: 89; Wheeler, W.M. & Bequaert, 1929: 33; Wheeler, W.M. 1942: 220; Kempf, 1972a: 29.

**Status as species:** Longino, 1989: 8 (redescription); Brandão, 1991: 329; Longino, 1991: 1592; Shattuck, 1994: 23; Bolton, 1995b: 79; Longino, 2007: 42 (redescription); Bezděcková, et al. 2015: 108.

**Senior synonym of aequalis:** Longino, 1989: 8; Brandão, 1991: 329; Bolton, 1995b: 79; Longino, 2007: 42.

**Senior synonym of aequilata:** Longino, 1989: 8; Brandão, 1991: 329; Bolton, 1995b: 79; Longino, 2007: 42.

**Senior synonym of tuberosa:** Longino, 1989: 8; Brandão, 1991: 329; Bolton, 1995b: 79; Longino, 2007: 42.

*pallida*. *Azteca muelleri* var. *pallida* Stitz, 1937: 135 (w.) MEXICO (Veracruz).

Subspecies of *muelleri*: Kempf, 1972a: 33; Shattuck, 1994: 23; Bolton, 1995b: 79.

Junior synonym of *schimperi*: Longino, 2007: 59.

*paraensis*. *Azteca velox* r. *paraensis* Forel, 1904c: 45 (w.) BRAZIL (Pará).

**Status as species:** Forel, 1906d: 240; Emery, 1913a: 34; Borgmeier, 1923: 95; Eidmann, 1936b: 90; Borgmeier, 1937b: 250; Kempf, 1972a: 34; Shattuck, 1994: 24; Bolton, 1995b: 79.

Current subspecies: nominal plus *bondari*.

*patruelis*. *Azteca longiceps* subsp. *patruelis* Forel, 1908c: 392 (footnote) (s.w.q.) MEXICO (Colima).

Subspecies of *longiceps*: Emery, 1913a: 33; Wheeler, W.M. 1942: 233 (redescription); Kempf, 1972a: 33; Shattuck, 1994: 21; Bolton, 1995b: 79.

Status as species: Longino, 1996: 142.

Junior synonym of *pittieri*: Longino, 2007: 43.

***petalocephala***. *Azteca petalocephala* Longino, 1991: 1592, figs. 12, 27, 45 (w.q.) BOLIVIA.

**Status as species:** Shattuck, 1994: 24; Bolton, 1995b: 79; Bezděčková, et al. 2015: 108.

***pilosula***. *Azteca aurita* r. *pilosula* Forel, 1899c: 115, pl. 4, fig. 15 (q.) COSTA RICA, PANAMA.

Longino, 2007: 58 (w.).

**Subspecies of *aurita*:** Emery, 1913a: 32.

Junior synonym of *aurita*: Forel, 1912h: 54; Borgmeier, 1923: 89; Kempf, 1972a: 30; Shattuck, 1994: 12; Bolton, 1995b: 79.

**Status as species:** Longino, 2007: 57 (redescription); Guerrero, et al. 2010: 53 (in key); Guerrero, 2019: 706.

**Senior synonym of *lacrymosa*:** Longino, 2007: 57.

***pittieri***. *Azteca pittieri* Forel, 1899c: 120, pl. 4, fig. 16 (w.) COSTA RICA.

Menozzi, 1927d: 337 (q.m.).

**Status as species:** Emery, 1913a: 34; Menozzi, 1927c: 268; Menozzi, 1927d: 337; Wheeler, W.M. 1942: 237; Kempf, 1972a: 34; Shattuck, 1994: 24; Bolton, 1995b: 79; Longino, 1996: 144; Longino, 2007: 43 (redescription); Branstetter & Sáenz, 2012: 253.

**Senior synonym of *emarginatisquamis*:** Longino, 1996: 144; Longino, 2007: 43.

**Senior synonym of *patruelis*:** Longino, 2007: 43.

***polymorpha***. *Azteca polymorpha* Forel, 1899c: 121 (footnote) (s.w.) COLOMBIA.

Forel, 1912h: 56 (q.).

**Status as species:** Forel, 1912h: 56; Emery, 1913a: 34; Kempf, 1972a: 34; Shattuck, 1994: 24; Bolton, 1995b: 79; Guerrero, 2019: 706.

Current subspecies: nominal plus *bahiana*.

***prorsa***. *Azteca prorsa* Wheeler, W.M. 1942: 238, pl. 56, fig. a (s.w.) GUATEMALA.

**Status as species:** Kempf, 1972a: 34; Shattuck, 1994: 24; Bolton, 1995b: 79.

Junior synonym of *longiceps*: Longino, 2007: 37.

***pruinosa***. *Azteca lanuginosa* subsp. *pruinosa* Mann, 1916: 472 (w.) BRAZIL (Rondônia).

Subspecies of *lanuginosa*: Borgmeier, 1923: 93; Kempf, 1972a: 33; Shattuck, 1994: 20; Bolton, 1995b: 79.

Junior synonym of *lallemandi*: Longino, 2007: 56.

***quadraticeps***. *Azteca quadraticeps* Longino, 2007: 45, figs. 3, 4A, 5, 6A, 6B, 8 (q.) COSTA RICA.

***raptrix***. *Azteca foreli* var. *raptrix* Forel, 1912h: 50 (w.) COLOMBIA.

Subspecies of *forelii*: Kempf, 1972a: 32; Shattuck, 1994: 18; Bolton, 1995b: 79.

Junior synonym of *forelii*: Longino, 2007: 32.

***rectinota***. *Azteca velox* var. *rectinota* Forel, 1908b: 61 (w.) COSTA RICA.

Subspecies of *velox*: Emery, 1913a: 35; Kempf, 1972a: 36; Shattuck, 1994: 29; Bolton, 1995b: 79.

Junior synonym of *velox*: Longino, 2007: 50.

***rochai***. *Azteca velox* r. *rochai* Forel, 1912h: 49 (w.) BRAZIL (Ceará).

**Subspecies of *velox*:** Borgmeier, 1923: 98; Kempf, 1972a: 36; Shattuck, 1994: 29; Bolton, 1995b: 79.

***rossi***. *Azteca ulei* subsp. *rossi* Forel, 1909a: 251 (w.) MEXICO (no state data).

Subspecies of *ulei*: Emery, 1913a: 35; Wheeler, W.M. 1942: 247; Kempf, 1972a: 35; Shattuck, 1994: 28; Bolton, 1995b: 79.

Junior synonym of *gnava*: Longino, 2007: 34.

**salti**. *Azteca xanthochroa* subsp. *salti* Wheeler, W.M., in Wheeler, W.M. & Darlington, 1930: 114 (w.q.) COLOMBIA.

[Also described as new by Wheeler, W.M. 1942: 250.]

**Subspecies of *xanthochroa***: Kempf, 1972a: 36.

**Status as species**: Longino, 1991: 1593 (redescription); Shattuck, 1994: 25; Bolton, 1995b: 79; Guerrero, 2019: 706.

**sapii**. *Azteca longiceps* r. *sapii* Forel, 1912h: 56 (w.q.) BRAZIL (Amazonas).

**Subspecies of *longiceps***: Borgmeier, 1923: 93; Wheeler, W.M. 1942: 234; Kempf, 1972a: 33; Shattuck, 1994: 21; Bolton, 1995b: 79.

**Status as species**: Longino, 1996: 144.

**schimperi**. *Azteca schimperi* Emery, 1893b: 140, pl. 2, figs. 43-46 (s.w.) COSTA RICA.

Forel, 1908c: 387 (q.m.).

**Status as species**: Forel, 1899c: 110; Wheeler, W.M. 1907a: 276; Forel, 1908c: 387; Emery, 1913a: 34; Crawley, 1916b: 375; Wheeler, W.M. & Bequaert, 1929: 33; Kempf, 1972a: 34; Shattuck, 1994: 25; Bolton, 1995b: 79; Wild, 2007b: 24; Longino, 2007: 58 (redescription); Guerrero, *et al.* 2010: 53 (in key); Branstetter & Sáenz, 2012: 253; Guerrero, 2019: 706.

**Senior synonym of *clariceps***: Longino, 2007: 58.

**Senior synonym of *fiebrigi***: Longino, 2007: 58.

**Senior synonym of *pallida***: Longino, 2007: 59.

**schumannii**. *Azteca schumannii* Emery, 1893b: 145, pl. 2, figs. 72-75 (w.q.) VENEZUELA.

**Status as species**: Emery, 1913a: 34; Mann, 1916: 469; Wheeler, W.M. 1942: 240; Kempf, 1972a: 34; Shattuck, 1994: 25; Bolton, 1995b: 79; Guerrero, 2019: 706.

Current subspecies: nominal plus *dubia*, *taediosa*.

**sericea**. *Iridomyrmex sericeus* Mayr, 1866a: 498, pl. fig. 8 (w.) MEXICO (no state data; and “St Joseph I.”).

Wheeler, W.M. 1942: 239 (q.).

Combination in *Azteca*: Forel, 1878: 384.

Junior synonym of *instabilis*: Mayr, 1878: 870.

Junior synonym of *xanthochroa*: Forel, 1878: 384 (footnote).

**Status as species**: Dalla Torre, 1893: 164; Emery, 1893b: 134 (redescription); Forel, 1899c: 109; Emery, 1913a: 34; Wheeler, W.M. 1916c: 12; Wheeler, W.M. 1942: 239; Kempf, 1972a: 34; Shattuck, 1994: 25; Bolton, 1995b: 79; Longino, 2007: 61; Branstetter & Sáenz, 2012: 253.

**Senior synonym of *mexicana***: Longino, 2007: 61.

**sericeasur**. *Azteca sericeasur* Longino, 2007: 46, figs. 3, 4A, 5, 6E, 6F, 7 (w.q.) COSTA RICA, GUATEMALA, PANAMA.

**Status as species**: Branstetter & Sáenz, 2012: 253.

**severini**. *Azteca severini* Emery, 1896c: 5, fig. 7 (w.) BRAZIL (Rio de Janeiro).

**Status as species**: Emery, 1913a: 34; Borgmeier, 1923: 95; Kempf, 1972a: 34; Shattuck, 1994: 25; Bolton, 1995b: 79.

**silvae**. *Azteca lacrymosa* r. *silvae* Forel, 1899c: 116 (s.w.) BRAZIL (Pará).

Subspecies of *aurita*: Forel, 1906d: 237; Emery, 1913a: 32; Mann, 1916: 470; Borgmeier, 1923: 90; Kempf, 1972a: 30; Shattuck, 1994: 13; Bolton, 1995b: 79.

Junior synonym of *aurita*: Longino, 2007: 55.

*similis*. *Azteca fasciata* var. *similis* Mann, 1916: 472 (s.w.) BRAZIL (Rondônia).

**Subspecies of fasciata**: Borgmeier, 1923: 92; Kempf, 1972a: 31; Shattuck, 1994: 17; Bolton, 1995b: 79.

*snellingi*. *Azteca snellingi* Guerrero, et al. 2010: 61, fig. 10 (w.) PANAMA.

*spiriti*. *Azteca chartifex* var. *spiriti* Forel, 1912h: 52 (w.) BRAZIL (Espírito Santo, Rio de Janeiro).

**Subspecies of chartifex**: Forel, 1915c: 359; Luederwaldt, 1918: 47; Borgmeier, 1923: 90; Kempf, 1972a: 30; Shattuck, 1994: 14; Bolton, 1995b: 79.

*spuria*. *Azteca trigona* r. *mathildae* var. *spuria* Forel, 1906d: 238 (s.w.) BRAZIL (Pará).

As unavailable (infrasubspecific) name: Emery, 1913a: 34; Mann, 1916: 471; Wheeler, W.M. 1922c: 15; Borgmeier, 1923: 96; Wheeler, W.M. 1942: 245; Kempf, 1972a: 35.

Declared as unavailable (infrasubspecific) name: Shattuck, 1994: 31.

*stalactitica*. *Azteca chartifex* subsp. *stalactitica* Emery, 1896c: 4, fig. 6 (w.) BRAZIL (Pará).

**Subspecies of chartifex**: Emery, 1913a: 32; Borgmeier, 1923: 91; Kempf, 1972a: 30; Shattuck, 1994: 15; Bolton, 1995b: 79.

*stanleyuli*. *Azteca stanleyuli* Forel, 1921a: 202 (w.) BRAZIL (Pará).

**Status as species**: Wheeler, W.M. 1942: 240; Kempf, 1972a: 34; Shattuck, 1994: 25; Bolton, 1995b: 79.

*stigmatica*. *Azteca stigmatica* Emery, 1896c: 6, fig. 8 (w.) BRAZIL (Pará).

**Status as species**: Forel, 1912h: 50; Emery, 1913a: 34; Borgmeier, 1923: 95; Kempf, 1972a: 34; Shattuck, 1994: 25; Bolton, 1995b: 79.

*stollii*. *Azteca stollii* Forel, 1912h: 54 (w.) GUATEMALA.

Status as species: Kempf, 1972a: 34; Shattuck, 1994: 26; Bolton, 1995b: 79.

Junior synonym of *beltii*: Longino, 1996: 136; Longino, 2007: 21.

*subdentata*. *Azteca festai* r. *subdentata* Forel, 1904c: 43 (w.) BRAZIL (Ceará).

Menozzi, 1935b: 200 (q.).

**Subspecies of trigona**: Forel, 1906d: 237; Emery, 1913a: 34; Crawley, 1916b: 375; Borgmeier, 1923: 96; Menozzi, 1935b: 200; Kempf, 1972a: 35; Shattuck, 1994: 28; Bolton, 1995b: 79.

*subopaca*. *Azteca nigella* var. *subopaca* Forel, 1899c: 110 (q.) PANAMA.

**Status as species**: Emery, 1913a: 34; Kempf, 1972a: 34; Shattuck, 1994: 26; Bolton, 1995b: 79.

*surubrensis*. *Azteca gnava* var. *surubrensis* Forel, 1912h: 49.

[First available use of *Azteca paraensis* subsp. *gnava* var. *surubrensis* Forel, 1908b: 62 (w.) PANAMA; unavailable (infrasubspecific) name.]

As unavailable (infrasubspecific) name: Emery, 1913a: 34.

Subspecies of *gnava*: Kempf, 1972a: 32; Shattuck, 1994: 18; Bolton, 1995b: 79.

Junior synonym of *gnava*: Longino, 2007: 34.

*tachigaliae*. *Azteca tachigaliae* Forel, 1904e: 701 (w.) PERU.

**Status as species**: Emery, 1913a: 34; Wheeler, W.M. 1942: 240; Kempf, 1972a: 34; Shattuck, 1994: 26; Bolton, 1995b: 80; Bezděčková, et al. 2015: 108.

*taediosa*. *Azteca schumanni* var. *taediosa* Forel, 1904c: 42 (w.) BRAZIL (Ceará).

**Subspecies of schumanni**: Emery, 1913a: 34; Borgmeier, 1923: 95; Kempf, 1972a: 34; Shattuck, 1994: 25; Bolton, 1995b: 80.

*terminalis*. *Azteca muelleri* subsp. *terminalis* Mann, 1916: 470, pl. 2, fig. 16 (s.) BRAZIL (Rondônia).

**Subspecies of muelleri:** Borgmeier, 1923: 95; Kempf, 1972a: 33; Shattuck, 1994: 23; Bolton, 1995b: 80.

**theresiae.** *Azteca theresiae* Forel, 1899b: 303 (w.) COLOMBIA.

[Also described as new by Forel, 1899d: 276.]

**Status as species:** Emery, 1913a: 34; Wheeler, W.M. & Darlington, 1930: 109; Wheeler, W.M. 1942: 240; Kempf, 1972a: 34; Shattuck, 1994: 26; Bolton, 1995b: 80; Guerrero, 2019: 706.

Current subspecies: nominal plus *menceps*.

**tillandsiarum.** *Azteca traili* var. *tillandsiarum* Wheeler, W.M. 1942: 243 (w.q.) GUYANA.

**Subspecies of trailii:** Kempf, 1972a: 35; Shattuck, 1994: 27; Bolton, 1995b: 80.

**tococae.** *Azteca traili* var. *tococae* Forel, 1904e: 693 (w.m.) BRAZIL (Amazonas).

**Subspecies of trailii:** Forel, 1906d: 239; Emery, 1913a: 34; Borgmeier, 1923: 96; Wheeler, W.M. & Bequaert, 1929: 33; Wheeler, W.M. 1942: 244; Kempf, 1972a: 35; Shattuck, 1994: 27; Bolton, 1995b: 80; Bezděcková, et al. 2015: 108.

**tonduzi.** *Azteca tonduzi* Forel, 1899c: 114 (w.m.) COSTA RICA.

Longino, 2007: 49 (q.).

**Status as species:** Emery, 1913a: 34; Wheeler, W.M. 1942: 245; Kempf, 1972a: 35; Shattuck, 1994: 26; Bolton, 1995b: 80; Longino, 2007: 49 (redescription).

**trailii.** *Azteca trailii* Emery, 1893b: 133, pl. 1, figs. 33-36 (s.w.m.) BRAZIL (Amazonas).

Forel, 1904e: 692 (q.).

**Status as species:** Forel, 1895b: 109; Emery, 1896c: 6; Forel, 1904e: 692; Forel, 1906d: 239; Forel, 1912h: 50; Emery, 1913a: 34; Wheeler, W.M. 1921f: 163; Borgmeier, 1923: 95; Wheeler, W.M. 1942: 242; Kempf, 1972a: 35; Shattuck, 1994: 26; Bolton, 1995b: 80. Current subspecies: nominal plus *filicis*, *tillandsiarum*, *tococae*.

**trianguliceps.** *Azteca trianguliceps* Forel, 1912h: 53 (w.q.) BRAZIL (Amazonas; "Rio Javary").

**Status as species:** Borgmeier, 1923: 96; Kempf, 1972a: 35; Shattuck, 1994: 27; Bolton, 1995b: 80.

**trigona.** *Azteca trigona* Emery, 1893b: 146, pl. 2, figs. 79, 80 (q.) BRAZIL (Pará).

Emery, 1896b: 3 (w.); Forel, 1907e: 8 (m.).

**Status as species:** Forel, 1895b: 109; Emery, 1896b: 3; Forel, 1899c: 116; Forel, 1906d: 237; Forel, 1907e: 8; Emery, 1913a: 34; Mann, 1916: 471; Wheeler, W.M. 1916d: 330; Wheeler, W.M. 1918b: 26; Wheeler, W.M. 1922c: 15; Borgmeier, 1923: 96; Wheeler, W.M. 1923a: 4; Wheeler, W.M. 1942: 245; Kempf, 1972a: 35; Shattuck, 1994: 27; Bolton, 1995b: 80; Guerrero, 2019: 706.

**Senior synonym of festai:** Forel, 1906d: 237; Forel, 1907e: 8; Emery, 1913a: 34; Borgmeier, 1923: 96; Shattuck, 1994: 27; Bolton, 1995b: 80.

Current subspecies: nominal plus *gaigei*, *mathildae*, *mediops*, *subdentata*.

**trinidadensis.** *Azteca velox* var. *trinidadensis* Forel, 1899c: 109 (s.w.q.) TRINIDAD.

**Subspecies of velox:** Forel, 1904c: 44; Wheeler, W.M. 1905b: 131; Forel, 1912h: 49.

**Subspecies of delpini:** Forel, 1908c: 391; Emery, 1913a: 32; Wheeler, W.M. 1922c: 14; Wheeler, W.M. 1942: 227; Kempf, 1972a: 31; Shattuck, 1994: 16; Bolton, 1995b: 80.

**tuberosa.** *Azteca alfari* r. *tuberosa* Forel, 1906d: 240 (s.w.q.) BRAZIL (Ceará).

[*Azteca alfari* r. *tuberosa* Forel, 1905b: 159. *Nomen nudum*.]

Subspecies of *alfari*: Forel, 1908e: 63; Emery, 1913a: 31; Borgmeier, 1923: 89; Wheeler, W.M. 1942: 224; Kempf, 1972a: 29.

Junior synonym of *ovaticeps*: Longino, 1989: 8; Brandão, 1991: 329; Bolton, 1995b: 80; Longino, 2007: 42.

**ulei**. *Azteca ulei* Forel, 1904e: 694 (s.w.) BRAZIL (Amazonas).

**Status as species**: Emery, 1913a: 35; Borgmeier, 1923: 97; Wheeler, W.M. & Bequaert, 1929: 35; Wheeler, W.M. 1942: 245; Kempf, 1972a: 35; Shattuck, 1994: 28; Bolton, 1995b: 80; Guénard & Economo, 2015: 226.

Current subspecies: nominal plus *cordiae*, *gagatina*, *nigricornis*.

**ursina**. *Azteca foreli* r. *ursina* Forel, 1899c: 112 (s.w.m.) TRINIDAD.

Subspecies of *forelii*: Wheeler, W.M. 1905b: 131; Emery, 1913a: 33; Wheeler, W.M. 1916d: 330; Wheeler, W.M. 1922c: 15; Wheeler, W.M. 1942: 228; Kempf, 1972a: 32; Shattuck, 1994: 18; Bolton, 1995b: 80.

Junior synonym of *forelii*: Longino, 2007: 32.

**velox**. *Azteca velox* Forel, 1899c: 108, pl. 4, fig. 13 (s.w.q.m.) MEXICO (Nayarit), COSTA RICA, PANAMA, COLOMBIA.

**Replacement name for** *Azteca fasciata* Pergande, 1896: 867. [Junior primary homonym of *Azteca fasciata* Emery, 1893b: 143.]

**Status as species**: Forel, 1901h: 65; Forel, 1908c: 393 (footnote); Forel, 1911e: 284; Forel, 1912h: 48; Emery, 1913a: 35; Wheeler, W.M. 1916d: 330; Mann, 1916: 471; Crawley, 1916b: 375; Wheeler, W.M. 1922c: 15; Borgmeier, 1923: 97; Wheeler, W.M. 1933a: 63; Wheeler, W.M. 1942: 247; Kempf, 1972a: 36; Brandão, 1991: 330; Shattuck, 1994: 29; Bolton, 1995b: 80; Longino, 2007: 50 (redescription); Branstetter & Sáenz, 2012: 253; Guerrero, 2019: 706.

**Senior synonym of** *nigriventris*: Longino, 2007: 50.

**Senior synonym of** *rectinota*: Longino, 2007: 50.

Current subspecies: nominal plus *rochaei*.

**virens**. *Azteca virens* Forel, 1899c: 115 (footnote) (w.) BRAZIL (Pará).

Status as species: Emery, 1913a: 35; Borgmeier, 1923: 98; Wheeler, W.M. 1942: 247; Kempf, 1972a: 36.

Junior synonym of *alfari*: Longino, 1989: 5; Brandão, 1991: 329; Shattuck, 1994: 11; Bolton, 1995b: 80; Longino, 2007: 15.

**wacketi**. *Azteca muelleri* var. *wacketi* Emery, in Forel, 1908c: 391 (footnote) (w.m.) BRAZIL (São Paulo).

Subspecies of *muelleri*: Emery, 1913a: 34; Luederwaldt, 1918: 47; Borgmeier, 1923: 94; Wheeler, W.M. 1942: 236; Kempf, 1972a: 33.

Junior synonym of *muelleri*: Longino, 1991: 1591; Bolton, 1995b: 80.

**xanthochroa**. *Liometopum xanthochroum* Roger, 1863a: 167 (q.) MEXICO (no state data).

Mayr, 1866a: 497 (w.); Wheeler, W.M. 1942: 247 (l.); Wheeler, G.C. & Wheeler, J. 1951: 193 (l.).

Combination in *Iridomyrmex*: Mayr, 1866a: 497;

combination in *Azteca*: Forel, 1878: 384.

Junior synonym of *instabilis*: Mayr, 1878: 870; Dalla Torre, 1893: 164; Wheeler, W.M. 1911f: 159.

**Subspecies of** *instabilis*: Emery, 1893b: 137.

**Status as species**: Roger, 1863b: 14; Mayr, 1863: 427; Mayr, 1866a: 497; Emery, 1896c: 2 (redescription); Forel, 1899c: 115; Emery, 1913a: 35; Wheeler, W.M. 1922c: 15; Wheeler, W.M. 1942: 247; Kempf, 1972a: 36; Brandão, 1991: 329; Longino, 1991: 1594

(redescription); Shattuck, 1994: 29; Bolton, 1995b: 80; Longino, 2007: 52 (redescription); Branstetter & Sáenz, 2012: 253.

**Senior synonym of *costaricensis*:** Longino, 1991: 1594; Shattuck, 1994: 29; Bolton, 1995b: 80; Longino, 2007: 53.

*xysticola*. *Azteca foreli* var. *xysticola* Forel, 1899c: 111 (w.) COLOMBIA.

Subspecies of *forelii*: Emery, 1913a: 33; Wheeler, W.M. 1942: 228; Kempf, 1972a: 32; Shattuck, 1994: 18; Bolton, 1995b: 80.

Junior synonym of *forelii*: Longino, 2007: 32.

*zonalis*. *Azteca alfari* subsp. *lucidula* var. *zonalis* Wheeler, W.M. 1942: 222 (w.q.) PANAMA; unavailable (infrasubspecific) name.

Declared as unavailable (infrasubspecific) name: Longino, 1989: 7.

Material referred to *alfari* by Longino, 1989: 7; Brandão, 1991: 329; Shattuck, 1994: 12; Bolton, 1995b: 80; Longino, 2007: 15.